

UL ANTHEM MAY 13-12 C 2H

Rig: Charger 501

API/UWI 4210337352		AFE Number DC-000701DE		Operational Field Name Racetrack		Section SECTION 24 BLOCK 30 ABSTRACT U24 SURVEY UL		KB-Grd (ft) 7.00		TRRC Job # 369323	
Spud Date			Lat/Long Data Source Plat		Latitude (°) 31° 30' 57.085" N		Longitude (°) 102° 20' 2.49" W		Lease UL ANTHEM MAY 13-12 C		
DAILY OPERATIONS											
Depth Progress (ft) 1,849.00											
Operations Summary MIRU Charger 501. Spud Well & Drill to 1929' Run & Cement 13 3/8" Surface Casing T/1919' GL, Float Collar @ 1878' GL. Cut Off 13 3/8" Surface Casing & Cover Same.											
Please note Charger 501 has an RKB of 7**											
Daily Contacts											
Job Contact John Snook, Supt.									Title Supt.		
Job Contact Daniel Hernandez, Toolpusher									Title Toolpusher		
Time Log											
Regular Working Time (hr)			Note								
MUD DATA											
Type Fresh Water			Density (lb/gal) 8.34		Chlorides (mg/L) 0.000			Hardness Ca (ppm)		Percent Water (%) 100.0	
Solids (%)		Low Gravity Solids (%) 0.0		Lime (lb/bbl)		LCM			Filtrate (mL/30min)		
RIG											
Contractor Charger									Rig Number 501		
PUMP CHECKS											
Pump #	Model	Make	Depth (ftKB)	P (psi)	Slow Spd	Strokes (spm)	Eff (%)				
1	1300	Rongsheng	1,929.0	750.0	No	180	95				
Pump #	Model	Make	Depth (ftKB)	P (psi)	Slow Spd	Strokes (spm)	Eff (%)				
2	1300	Rongsheng	1,929.0	750.0	No	180	95				
Pump Operations											
Pump #			Liner Size (in)					Vol/Stk (bbl/stk)			
1			6 1/2								
2			6 1/2								
Lost Circulation											
Start Date	End Date	Top (ftKB)	Btm (ftKB)	Ops In Prog	Vol Lost Tot (b...)	Q Lost (bbl/hr)	Comment				
SURVEY DATA											
MD (ftKB)	Incl (°)	Azm (°)	TVD (ftKB)	VS (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Method	Survey Company		
0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	MWD	SRI		
194.00	0.57	162.73	194.00	-0.92	-0.92	0.29	0.29	MWD	SRI		
283.00	1.10	47.68	282.99	-0.77	-0.77	1.05	1.61	MWD	SRI		
373.00	2.77	129.33	372.95	-1.57	-1.57	3.37	3.14	MWD	SRI		
462.00	3.08	125.29	461.83	-4.31	-4.31	6.99	0.42	MWD	SRI		
552.00	3.03	128.89	551.70	-7.20	-7.20	10.81	0.22	MWD	SRI		
641.00	2.99	129.24	640.58	-10.15	-10.15	14.44	0.05	MWD	SRI		
731.00	2.73	130.74	730.47	-13.03	-13.03	17.88	0.30	MWD	SRI		
820.00	1.89	135.74	819.40	-15.46	-15.46	20.51	0.97	MWD	SRI		
909.00	1.58	172.31	908.36	-17.73	-17.73	21.70	1.27	MWD	SRI		
999.00	2.02	191.21	998.31	-20.52	-20.52	21.56	0.81	MWD	SRI		
1,088.00	2.07	201.05	1,087.26	-23.55	-23.55	20.68	0.40	MWD	SRI		
1,178.00	1.58	205.88	1,177.21	-26.19	-26.19	19.55	0.57	MWD	SRI		
1,267.00	1.32	226.45	1,266.18	-28.00	-28.00	18.27	0.65	MWD	SRI		
1,357.00	1.14	246.58	1,356.16	-29.07	-29.07	16.70	0.52	MWD	SRI		
1,446.00	0.66	272.15	1,445.15	-29.40	-29.40	15.37	0.69	MWD	SRI		
1,536.00	0.48	232.52	1,535.15	-29.61	-29.61	14.56	0.47	MWD	SRI		
1,625.00	0.40	263.80	1,624.15	-29.87	-29.87	13.95	0.28	MWD	SRI		
1,715.00	0.88	285.51	1,714.14	-29.72	-29.72	12.97	0.59	MWD	SRI		
1,759.00	0.92	208.35	1,758.14	-29.94	-29.94	12.48	2.55	MWD	SRI		
1,849.00	1.32	317.95	1,848.13	-29.81	-29.81	11.44	2.05	MWD	SRI		
1,879.00	1.49	325.68	1,878.12	-29.23	-29.23	10.99	0.85	MWD	SRI		



Daily Drilling Report

Report for: 10/25/2023

Report #: 1.0, DFS:

UL ANTHEM MAY 13-12 C 2H

Rig: Charger 501

LAST CASING STRING						
Csg Des	OD (in)	Set Depth (ftKB)	Top (ftKB)	Run Date	Drift Min (in)	Wt/Len (lb/ft)
Surface	13 3/8	1,926.0	-3.1	10/25/2023		54.50

UL ANTHEM MAY 13-12 C 2H

Rig:

API/UWI 4210337352		AFE Number DC-000701DE		Operational Field Name Racetrack		Section SECTION 24 BLOCK 30 ABSTRACT U24 SURVEY UL		KB-Grd (ft) 7.00		TRRC Job # 369323	
Spud Date		Lat/Long Data Source Plat		Latitude (°) 31° 30' 57.085" N		Longitude (°) 102° 20' 2.49" W		Lease UL ANTHEM MAY 13-12 C			
DAILY OPERATIONS											
Depth Progress (ft) 0.00											
Operations Summary Pre drill cost											
Daily Contacts											
Job Contact John Snook, Supt.								Title Supt.			
Job Contact Daniel Hernandez, Toolpusher								Title Toolpusher			
Time Log											
Regular Working Time (hr)				Note							
MUD DATA											
Type		Density (lb/gal)		Chlorides (mg/L)		Hardness Ca (ppm)		Percent Water (%)			
Solids (%)		Low Gravity Solids (%)		Lime (lb/bbl)		LCM		Filtrate (mL/30min)			
RIG											
Contractor Charger								Rig Number 501			
PUMP CHECKS											
Pump #	Model	Make	Depth (ftKB)	P (psi)	Slow Spd	Strokes (spm)	Eff (%)				
1	1300	Rongsheng	1,929.0	750.0	No	180	95				
Pump #	Model	Make	Depth (ftKB)	P (psi)	Slow Spd	Strokes (spm)	Eff (%)				
2	1300	Rongsheng	1,929.0	750.0	No	180	95				
Pump Operations											
Pump #			Liner Size (in)			Vol/Stk (bbl/stk)					
1			6 1/2								
2			6 1/2								
Lost Circulation											
Start Date	End Date	Top (ftKB)	Btm (ftKB)	Ops In Prog	Vol Lost Tot (b...	Q Lost (bbl/hr)	Comment				
SURVEY DATA											
MD (ftKB)	Incl (°)	Azm (°)	TVD (ftKB)	VS (ft)	NS (ft)	EW (ft)	DLS (°/100ft)	Method	Survey Company		
LAST CASING STRING											
Csg Des			OD (in)	Set Depth (ftKB)	Top (ftKB)	Run Date	Drift Min (in)	Wt/Len (lb/ft)			
Surface			13 3/8	1,926.0	-3.1	10/25/2023		54.50			