



Daily Report

Well ID: 42-105-42524

Field: Barnyard

SEM Operating Company, LLC

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 17

Report For 06:00 AM 17-Jan-23

Operator:	SEM OPERATOR	Rig:	ICD 307	Spud Date:	Daily Cost / Mud (\$):		
Measured Depth (ft):	15129	Last Casing:	5.50 at 15,105	Wellbore:	Original Wellbore	AFE No.	AFE (\$) Actual (\$)
Vertical Depth (ft):	6537	Next Casing:		RKB Elevation (ft):	2699.00	B23003	
Proposed TD (ft):	15190	Last BOP Test:	05-Oct-22	Job Reference RKB (ft):			
Hole Made (ft) / Hrs:	0 / 0.0	Next BOP Test:	24-Oct-22	Working Interest:		Totals:	
Average ROP (ft/hr):						Well Cost (\$):	
Drilling Days (act.):	10	Drilling Days (plan):				Days On Location:	10
Pers/Hrs: Operator:	0 / 0	Contractor:	1 / 12	Service:	3 / 36	Other:	0 / 0 Total: 4 / 48

Safety Summary: No incidents or events reported.

Current Operations: INSTALL TBG HEADS

Planned Operations: PREP LOCATION

Wellsite Supervisors: C LUNSFORD

Tel No.: 432-217-9511

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	6:00	24.00		WELLH	PREP LOCATION	

Management Summary

PREP LOCATION

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Hole Section	OH Diam. (ins)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	9.63	0		868		SURF	12.25	40.00	J-55	
FULL	5.50	0		15,105		PROD		17.00		

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Mud	Well Mud	Daily Total	Well Total	% Spent
B23003	Drill and Complete a 7750' WB L	6,829,922.00	0.00	114,960.76	14,902.00	1,815,198.88	26.58 %
Totals \$:		6,829,922.00	0.00	114,961.00	14,902.00	1,815,199.00	26.58 %

Safety Information

First Aid Treatments: Medical Treatments: Lost Time Incidents: Days Since LTI:

☐ BOP Test ☐ Crownamatic Check



Daily Report

Well ID: 42-105-42524

Field: Barnyard

SEM Operating Company, LLC

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 18

Report For 06:00 AM 18-Jan-23

Operator:	SEM OPERATOR	Rig:	ICD 307	Spud Date:	Daily Cost / Mud (\$):		
Measured Depth (ft):	15129	Last Casing:	5.50 at 15,105	Wellbore:	Original Wellbore	AFE No.	AFE (\$) Actual (\$)
Vertical Depth (ft):	6537	Next Casing:		RKB Elevation (ft):	2699.00	B23003	
Proposed TD (ft):	15190	Last BOP Test:	05-Oct-22	Job Reference RKB (ft):			
Hole Made (ft) / Hrs:	0 / 0.0	Next BOP Test:	24-Oct-22	Working Interest:		Totals:	
Average ROP (ft/hr):						Well Cost (\$):	
Drilling Days (act.):	10	Drilling Days (plan):				Days On Location:	11
Pers/Hrs: Operator:	0 / 0	Contractor:	1 / 12	Service:	2 / 24	Other:	0 / 0 Total: 3 / 36

Safety Summary: No incidents or events reported.

Current Operations: PREP LOCATION

Planned Operations: PREP LOCATION

Wellsite Supervisors: C LUNSFORD

Tel No.: 432-217-9511

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	6:00	24.00		TEST	PREP LOCATION	

Management Summary

PREP LOCATION

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Hole Section	OH Diam. (ins)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	9.63	0		868		SURF	12.25	40.00	J-55	
FULL	5.50	0		15,105		PROD		17.00		

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Mud	Well Mud	Daily Total	Well Total	% Spent
B23003	Drill and Complete a 7750' WB L	6,829,922.00	0.00	114,960.76	550.00	1,815,748.88	26.59 %
Totals \$:		6,829,922.00	0.00	114,961.00	550.00	1,815,749.00	26.59 %

Safety Information

First Aid Treatments: Medical Treatments: Lost Time Incidents: Days Since LTI:

☐ BOP Test ☐ Crownamatic Check

	Daily Report Well ID: 42-105-42524 Field: Barnyard				SEM Operating Company, LLC Well Name: University 40 2109WB Sect: 21 County: Crockett State: TX			
	Report No: 19				Report For 06:00 AM 20-Jan-23			
	Operator: SEM OPERATOR		Rig: ICD 307		Spud Date:		Daily Cost / Mud (\$):	
Measured Depth (ft): 15129		Last Casing: 5.50 at 15,105		Wellbore: Original Wellbore		AFE No. AFE (\$) Actual (\$)		
Vertical Depth (ft): 6537		Next Casing:		RKB Elevation (ft): 2699.00		B23003		
Proposed TD (ft): 15190		Last BOP Test: 05-Oct-22		Job Reference RKB (ft):				
Hole Made (ft) / Hrs: 0 / 0.0		Next BOP Test: 24-Oct-22		Working Interest:		Totals:		
Average ROP (ft/hr):						Well Cost (\$):		
Drilling Days (act.): 10		Drilling Days (plan):		Days On Location:		12		
Pers/Hrs: Operator: 0 / 0		Contractor: 1 / 12		Service: 4 / 48		Other: 0 / 0 Total: 5 / 60		
Safety Summary: No incidents or events reported.								
Current Operations: INSTALL FRAC VALVES AND PUMP DEFIT								
Planned Operations: DEFIT								
Wellsite Supervisors: C LUNSFORD						Tel No.: 432-217-9511		

Operations Summary							
From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod	
6:00	14:30	8.50		RU	INSTALL FRAC VALVES AND PUMP DEFIT		
14:30	16:00	1.50		TEST	TEST CASING TO 5500# FOR 5 MIN TEST CASING TO 6000# FOR 5 MIN TEST CASING TO 6500# FOR 5 MIN TEST CASING TO 7000# FOR 5 MIN TEST CASING TO 7500# FOR AND TOE VALVE OPENED INJRATE 3 BPM @ 2400 PSI AT TOTAL BBLs PUMPED BRING RATE TO 9.5 BPM @ 4100 # PUMP TOTAL 40 BBLs ISIP 2450# MONITOR WELL FOR 30 MIN, LEAVE ON SPIDER GAUGES. RIG DOWN.		
16:00	6:00	14.00		SEC	SEC		

Management Summary											
DEFIT											

Casing/Tubular Information											
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Hole Section	OH Diam. (ins)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)	
FULL	9.63	0		868		SURF	12.25	40.00	J-55		
FULL	5.50	0		15,105		PROD		17.00			

Cost/AFE Information								
AFE No	AFE Description	AFE Amount	Daily Mud	Well Mud	Daily Total	Well Total	% Spent	
B23003	Drill and Complete a 7750' WB L	6,829,922.00	0.00	114,960.76	13,050.00	1,828,798.88	26.78 %	
Totals \$:		6,829,922.00	0.00	114,961.00	13,050.00	1,828,799.00	26.78 %	

Safety Information			
First Aid Treatments:	Medical Treatments:	Lost Time Incidents:	Days Since LTI:
<input type="checkbox"/> BOP Test	<input type="checkbox"/> Crownamatic Check		



Daily Report

Well ID: 42-105-42524

Field: Barnyard

SEM Operating Company, LLC

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 20

Report For 06:00 AM 21-Jan-23

Operator:	SEM OPERATOR	Rig:	ICD 307	Spud Date:	Daily Cost / Mud (\$):		
Measured Depth (ft):	15129	Last Casing:	5.50 at 15,105	Wellbore:	Original Wellbore	AFE No.	AFE (\$) Actual (\$)
Vertical Depth (ft):	6537	Next Casing:		RKB Elevation (ft):	2699.00	B23003	
Proposed TD (ft):	15190	Last BOP Test:	05-Oct-22	Job Reference RKB (ft):			
Hole Made (ft) / Hrs:	0 / 0.0	Next BOP Test:	24-Oct-22	Working Interest:		Totals:	
Average ROP (ft/hr):						Well Cost (\$):	
Drilling Days (act.):	10	Drilling Days (plan):				Days On Location:	13
Pers/Hrs:	Operator: 0 / 0	Contractor:	1 / 12	Service:	3 / 36	Other:	0 / 0 Total: 4 / 48

Safety Summary: No incidents or events reported.

Current Operations: OFFSET OPS

Planned Operations: OFFSET OPS

Wellsite Supervisors: C LUNSFORD

Tel No.: 432-217-9511

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	6:00	24.00		FIT	OFFSET OPS	

Management Summary

OFFSET OPS

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Hole Section	OH Diam. (ins)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	9.63	0		868		SURF	12.25	40.00	J-55	
FULL	5.50	0		15,105		PROD		17.00		

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Mud	Well Mud	Daily Total	Well Total	% Spent
B23003	Drill and Complete a 7750' WB L	6,829,922.00	0.00	114,960.76	550.00	1,824,848.88	26.72 %
Totals \$:		6,829,922.00	0.00	114,961.00	550.00	1,824,849.00	26.72 %

Safety Information

First Aid Treatments: Medical Treatments: Lost Time Incidents: Days Since LTI:

☐ BOP Test ☐ Crownamatic Check

	Daily Report Well ID: 42-105-42524 Field: Barnyard						SEM Well Name: University 40 2109WB Sect: 21 County: Crockett State: TX			
	Report No: 21						Report For 06:00 AM 27-Jan-23			
	Operator: SEM OPERATOR		Rig: ICD 307		Spud Date:		Daily Cost / Mud (\$):			
Measured Depth (ft): 15129		Last Casing: 5.50 at 15,105		Wellbore: Original Wellbore		AFE No. B23003		AFE (\$) Actual (\$)		
Vertical Depth (ft): 6537		Next Casing:		RKB Elevation (ft): 2699						
Proposed TD (ft): 15190		Last BOP Test: 05-Oct-22		Job Reference RKB (ft):						
Hole Made (ft) / Hrs: 0 / 0.0		Next BOP Test: 24-Oct-22		Working Interest:		Totals:				
Average ROP (ft/hr):						Well Cost (\$):				
Days (actual / plan): Drilling 4.27 / 0, Flat 0 / 0, Complete 0 / 0, Total 4.27 / 0									DOL: 13	
Pers/Hrs: Operator: 0 / 0		Contractor: 1 / 0		Service: 12 / 0		Other: 0 / 0		Total: 13 / 0		
Safety Summary: No incidents or events reported.										
Current Operations: RIG UP FLOWBACK										
Planned Operations: RIG UP FRAC VALVE & FLOWBACK										
Wellsite Supervisors: MAYNARD						Tel No.: 432-217-9511				
Engineer(s): Larry Gillette										
Operations Summary										
From	To	Elapsed	End MD(ft)	Code	Operations Description				Non-Prod	
6:00	6:00	24.00		RIGU	UNLOAD 7,1/16 10 K HYDRAULIC VALVE & FLOW CROSS , NIPPLE UP AND TORQUE DOWN , BEGIN INSTALLING FLOWBACK IRON AND MANIFOLD, MOVE IN AND RIG UP PERMIAN PUMPS FOR PUMP DOWN , MOVE IN RIG UP CRANE					
Management Summary										
RIG UP WELL HEAD FOR FRAC OPERATION										
Casing/Tubular Information										
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Hole Section	OH Diam. (ins)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	9.63	0		868		SURF	12.25	40.00	J-55	
FULL	5.50	0		15,105		PROD		17.00		
Cost/AFE Information										
AFE No	AFE Description			AFE Amount	Daily Mud	Well Mud	Daily Total	Well Total	% Spent	
B23003	Drill and Complete a 7750' WB L			6,829,922.00	0.00	114,960.76	5,450.00	1,831,226.88	26.81%	
Totals \$:				6,829,922.00	0.00	114,961.00	5,450.00	1,831,227.00	26.81%	
Safety Information										
First Aid Treatments:		Medical Treatments:		Lost Time Incidents:		Days Since LTI:				
<input type="checkbox"/> BOP Test		<input type="checkbox"/> Crownamatic Check								

	Daily Report Well ID: 42-105-42524 Field: Barnyard						SEM Well Name: University 40 2109WB Sect: 21 County: Crockett State: TX									
	Report No: 22											Report For 06:00 AM 28-Jan-23				
	Operator: SEM OPERATOR			Rig: ICD 307			Spud Date:			Daily Cost / Mud (\$):						
Measured Depth (ft): 15129			Last Casing: 5.50 at 15,105			Wellbore: Original Wellbore			AFE No. B23003		AFE (\$)		Actual (\$)			
Vertical Depth (ft): 6537			Next Casing:			RKB Elevation (ft): 2699										
Proposed TD (ft): 15190			Last BOP Test: 05-Oct-22			Job Reference RKB (ft):										
Hole Made (ft) / Hrs: 0 / 0.0			Next BOP Test: 24-Oct-22			Working Interest:			Totals:							
Average ROP (ft/hr):									Well Cost (\$):							
Days (actual / plan): Drilling 4.27 / 0, Flat 0 / 0, Complete 0 / 0, Total 4.27 / 0											DOL: 14					
Pers/Hrs: Operator: 0 / 0		Contractor: 1 / 0		Service: 12 / 0		Other: 0 / 0		Total: 13 / 0								
Safety Summary: No incidents or events reported.																
Current Operations: PERFORATE STAGE 1																
Planned Operations: TOE PREP																
Wellsite Supervisors: MAYNARD									Tel No.: 432-217-9511							
Engineer(s): Larry Gillette																
Operations Summary																
From	To	Elapsed	End MD(ft)	Code	Operations Description							Non-Prod				
6:00	13:00	7.00		RIGU	RIG UP FLOWBACK IRON											
13:00	15:30	2.50		OTHER	TEST FLOWBACK IRON AT 8500 PSI UNABLE TO GET TEST , REPLACED 2-JNTS OF PUMP IRON AND GASKETS											
15:30	17:00	1.50		OTHER	EQUALIZE PRESSURE & OPENED WELL AT 400 PSI ON WELL, ESTABLISHED PUMP IN RATE WITH TFW AT 15 BPM @ 5280 PSI, PUMPED 1500 GAL OF HCL, AT 5 BPM @ 4400 PSI, DISPLACED WITH TFW @ 19.9 BPM @ 5500 PSI, ACID HIT TOE AND PRESSURE DECREASED TO 4550 PSI, OVER DISPLACED WITH 30 BBL TFW, SHUT DOWN, TOTAL BBLs PUMPED 502 , ISIP 2500 PSI ,5 MIN 2273 PSI, 10 MIN 2200 PSI, 15 MIN 2180 PSI											
17:00	6:00	13.00		PERF	UNABLE TO PICK UP LUBRICATOR, NO SAFETY PIN FOR CRANE HOOK SECURED WELL SHUT DOWN											
Management Summary																
PREP FOR FRAC OPERATION																
Casing/Tubular Information																
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Hole Section	OH Diam. (ins)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)						
FULL	9.63	0		868		SURF	12.25	40.00	J-55							
FULL	5.50	0		15,105		PROD		17.00								
Cost/AFE Information																
AFE No	AFE Description			AFE Amount	Daily Mud	Well Mud	Daily Total	Well Total	% Spent							
B23003	Drill and Complete a 7750' WB L			6,829,922.00	0.00	114,960.76	6,950.00	1,838,176.88	26.91%							
Totals \$:				6,829,922.00	0.00	114,961.00	6,950.00	1,838,177.00	26.91%							
Safety Information																
First Aid Treatments:			Medical Treatments:			Lost Time Incidents:			Days Since LTI:							
<input type="checkbox"/> BOP Test			<input type="checkbox"/> Crownamatic Check													



Daily Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 23

Report For 06:00 AM 29-Jan-23

Operator:		SEM OPERATOR		Rig:		ICD 307		Spud Date:		Daily Cost / Mud (\$):			/ 0		
Measured Depth (ft):		15129		Last Casing:		5.50 at 15,105		Wellbore:		Original Wellbore		AFE No.		AFE (\$) Actual (\$)	
Vertical Depth (ft):		6537		Next Casing:				RKB Elevation (ft):		2699		B23003			
Proposed TD (ft):		15190		Last BOP Test:		05-Oct-22		Job Reference RKB (ft):							
Hole Made (ft) / Hrs:		0 / 0.0		Next BOP Test:		24-Oct-22		Working Interest:				Totals:			
Average ROP (ft/hr):												Well Cost (\$):			
Days (actual / plan):		Drilling 4.27 / 0,		Flat 0 / 0,		Complete 0 / 0,		Total 4.27 / 0						DOL: 15	
Pers/Hrs:		Operator: 0 / 0		Contractor: 1 / 0		Service: 12 / 0		Other: 0 / 0		Total:				13 / 0	

Safety Summary: No incidents or events reported.

Current Operations: TOEPREP

Planned Operations: PERFORATE STAGE 1

Wellsite Supervisors: MAYNARD

Tel No.: 432-217-9511

Engineer(s): Larry Gillette

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	9:00	3.00		PERF	MAKE UP GUNS AND LUBRICATOR, UNABLE TO TEST LUB,	
9:00	11:00	2.00		PERF	WAITING ON O RING FOR LUBRICATOR, WILL HAVE TO REHEAD TO REPLACE O RING	
11:00	12:30	1.50		PERF	CHANGE O RING & RE-HEAD	
12:30	17:00	4.50		PERF	OPEN WELL @ 1,350 PSI TIH W/ (11) 3-1/8" GUNS PERF STAGE 1 15006', 14991', 14976', 14961', 14946', 14931', 14915', 14900', 14885', 14870, 14855, 44 HOLES, POOH RUNNING GAMMA-RAY & CCL FROM 114870' TO 5700' WHILE POOH. PUMPED 980 BBLS ON PUMP DOWN	
17:00	6:00	13.00		PERF	TOE PREP COMPLETE	

Management Summary

TOE PREP

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Hole Section	OH Diam. (ins)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	9.63	0		868		SURF	12.25	40.00	J-55	
FULL	5.50	0		15,105		PROD		17.00		

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Mud	Well Mud	Daily Total	Well Total	% Spent
B23003	Drill and Complete a 7750' WB L	6,829,922.00	0.00	114,960.76	11,450.00	1,849,626.88	27.08%
Totals \$:		6,829,922.00	0.00	114,961.00	11,450.00	1,849,627.00	27.08%

Safety Information

First Aid Treatments: Medical Treatments: Lost Time Incidents: Days Since LTI:

☐ BOP Test ☐ Crownamatic Check



Daily Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 24

Report For 06:00 AM 30-Jan-23

Operator:	SEM OPERATOR	Rig:	ICD 307	Spud Date:	Daily Cost / Mud (\$):		
Measured Depth (ft):	15129	Last Casing:	5.50 at 15,105	Wellbore:	Original Wellbore	AFE No.	AFE (\$) Actual (\$)
Vertical Depth (ft):	6537	Next Casing:		RKB Elevation (ft):	2699	B23003	
Proposed TD (ft):	15190	Last BOP Test:	05-Oct-22	Job Reference RKB (ft):			
Hole Made (ft) / Hrs:	0 / 0.0	Next BOP Test:	24-Oct-22	Working Interest:		Totals:	
Average ROP (ft/hr):						Well Cost (\$):	
Days (actual / plan):	Drilling 4.27 / 0,	Flat 0 / 0,	Complete 0 / 0,	Total 4.27 / 0		DOL:	16
Pers/Hrs:	Operator: 0 / 0	Contractor:	1 / 0	Service:	12 / 0	Other:	0 / 0
						Total:	13 / 0

Safety Summary: No incidents or events reported.

Current Operations: WELL SHUT IN

Planned Operations: WELL SHUT IN

Wellsite Supervisors: MAYNARD

Tel No.: 432-217-9511

Engineer(s): Larry Gillette

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	6:00	24.00		OTHER	WELL SHUT IN	

Management Summary

PREP WELL & LOCATION FRO FRAC OPERATION

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Hole Section	OH Diam. (ins)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	9.63	0		868		SURF	12.25	40.00	J-55	
FULL	5.50	0		15,105		PROD		17.00		

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Mud	Well Mud	Daily Total	Well Total	% Spent
B23003	Drill and Complete a 7750' WB L	6,829,922.00	0.00	114,960.76	11,950.00	1,884,009.74	27.58%
Totals \$:		6,829,922.00	0.00	114,961.00	11,950.00	1,884,010.00	27.58%

Safety Information

First Aid Treatments: Medical Treatments: Lost Time Incidents: Days Since LTI:

☐ BOP Test ☐ Crownamatic Check



Daily Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 25

Report For 06:00 AM 31-Jan-23

Operator:	SEM OPERATOR	Rig:	ICD 307	Spud Date:		Daily Cost / Mud (\$):	/
Measured Depth (ft):	15129	Last Casing:	5.50 at 15,105	Wellbore:	Original Wellbore	AFE No.	AFE (\$)
Vertical Depth (ft):	6537	Next Casing:		RKB Elevation (ft):	2699	B23003	Actual (\$)
Proposed TD (ft):	15190	Last BOP Test:	05-Oct-22	Job Reference RKB (ft):			
Hole Made (ft) / Hrs:	0 / 0.0	Next BOP Test:	24-Oct-22	Working Interest:		Totals:	
Average ROP (ft/hr):						Well Cost (\$):	
Days (actual / plan):	Drilling 4.27 / 0,	Flat 0 / 0,	Complete 0 / 0,	Total 4.27 / 0		DOL:	17
Pers/Hrs:	Operator: 0 / 0	Contractor:	1 / 0	Service:	6 / 0	Other:	0 / 0
						Total:	7 / 0

Safety Summary: No incidents or events reported.

Current Operations: SHUT DOWN DUE TO BAD WEATHER

Planned Operations: WELL SHUT IN

Wellsite Supervisors: MAYNARD

Tel No.: 432-217-9511

Engineer(s): Larry Gillette

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	6:00	24.00		OTHER	WELL SHUT IN / STAGE 1 READY TO FRAC	

Management Summary

PREP WELL & LOCATION FOR FRAC OPERATION

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Hole Section	OH Diam. (ins)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	9.63	0		868		SURF	12.25	40.00	J-55	
FULL	5.50	0		15,105		PROD		17.00		

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Mud	Well Mud	Daily Total	Well Total	% Spent
B23003	Drill and Complete a 7750' WB L	6,829,922.00	0.00	114,960.76	11,450.00	1,897,713.74	27.79%
	Totals \$:	6,829,922.00	0.00	114,961.00	11,450.00	1,897,714.00	27.79%

Safety Information

First Aid Treatments: Medical Treatments: Lost Time Incidents: Days Since LTI:

☐ BOP Test ☐ Crownamatic Check



Daily Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 26

Report For 06:00 AM 01-Feb-23

Operator:	SEM OPERATOR	Rig:	ICD 307	Spud Date:	Daily Cost / Mud (\$):		
Measured Depth (ft):	15129	Last Casing:	5.50 at 15,105	Wellbore:	Original Wellbore	AFE No.	AFE (\$) Actual (\$)
Vertical Depth (ft):	6537	Next Casing:		RKB Elevation (ft):	2699	B23003	
Proposed TD (ft):	15190	Last BOP Test:	05-Oct-22	Job Reference RKB (ft):			
Hole Made (ft) / Hrs:	0 / 0.0	Next BOP Test:	24-Oct-22	Working Interest:		Totals:	
Average ROP (ft/hr):						Well Cost (\$):	
Days (actual / plan):	Drilling 4.27 / 0,	Flat 0 / 0,	Complete 0 / 0,	Total 4.27 / 0		DOL:	18
Pers/Hrs:	Operator: 0 / 0	Contractor:	1 / 0	Service:	0 / 0	Other:	0 / 0
						Total:	1 / 0

Safety Summary: No incidents or events reported.

Current Operations: SHUT DOWN DUE TO BAD WEATHER

Planned Operations: TOE PREP

Wellsite Supervisors: MAYNARD

Tel No.: 432-217-9511

Engineer(s): Larry Gillette

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	6:00	24.00		PERF	SHUT DOWN DUE TO BAD WEATHER	

Management Summary

PREP WELL & LOCATION FOR FRAC OPERATION

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Hole Section	OH Diam. (ins)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	9.63	0		868		SURF	12.25	40.00	J-55	
FULL	5.50	0		15,105		PROD		17.00		


Cost/AFE Information


AFE No	AFE Description	AFE Amount	Daily Mud	Well Mud	Daily Total	Well Total	% Spent
B23003	Drill and Complete a 7750' WB L	6,829,922.00	0.00	114,960.76	11,600.00	1,909,613.74	27.96%
Totals \$:		6,829,922.00	0.00	114,961.00	11,600.00	1,909,614.00	27.96%


Safety Information

First Aid Treatments: Medical Treatments: Lost Time Incidents: Days Since LTI:

☐ BOP Test ☐ Crownamatic Check

	Daily Report Well ID: 42-105-42524 Field: Barnyard				SEM Well Name: University 40 2109WB Sect: 21 County: Crockett State: TX						
	Report No: 27				Report For 06:00 AM 02-Feb-23						
	Operator: SEM OPERATOR		Rig: ICD 307		Spud Date:		Daily Cost / Mud (\$):				
Measured Depth (ft): 15129		Last Casing: 5.50 at 15,105		Wellbore: Original Wellbore		AFE No. B23003		AFE (\$)		Actual (\$)	
Vertical Depth (ft): 6537		Next Casing:		RKB Elevation (ft): 2699							
Proposed TD (ft): 15190		Last BOP Test: 05-Oct-22		Job Reference RKB (ft):							
Hole Made (ft) / Hrs: 0 / 0.0		Next BOP Test: 24-Oct-22		Working Interest:		Totals:					
Average ROP (ft/hr):						Well Cost (\$):					
Days (actual / plan): Drilling 4.27 / 0, Flat 0 / 0, Complete 0 / 0, Total 4.27 / 0										DOL: 19	
Pers/Hrs: Operator: 0 / 0		Contractor: 1 / 0		Service: 12 / 0		Other: 0 / 0		Total: 13 / 0			
Safety Summary: No incidents or events reported.											
Current Operations: STAGE 1 READY TO FRAC											
Planned Operations: TOE PREP											
Wellsite Supervisors: MAYNARD								Tel No.: 432-217-9511			
Engineer(s): Larry Gillette											
Operations Summary											
From	To	Elapsed	End MD(ft)	Code	Operations Description						Non-Prod
6:00	6:00	24.00		PERF	TOE PREP / STAGE 1 READY TO FRAC						
Management Summary											
TOE PREP											
Casing/Tubular Information											
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Hole Section	OH Diam. (ins)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)	
FULL	9.63	0		868		SURF	12.25	40.00	J-55		
FULL	5.50	0		15,105		PROD		17.00			
Cost/AFE Information											
AFE No	AFE Description			AFE Amount	Daily Mud	Well Mud	Daily Total	Well Total	% Spent		
B23003	Drill and Complete a 7750' WB L			6,829,922.00	0.00	114,960.76	7,100.00	1,920,713.74	28.12%		
Totals \$:				6,829,922.00	0.00	114,961.00	7,100.00	1,920,714.00	28.12%		
Safety Information											
First Aid Treatments:			Medical Treatments:			Lost Time Incidents:			Days Since LTI:		
<input type="checkbox"/> BOP Test			<input type="checkbox"/> Crownamatic Check								

	Daily Report Well ID: 42-105-42524 Field: Barnyard				SEM Well Name: University 40 2109WB Sect: 21 County: Crockett State: TX					
	Report No: 28				Report For 06:00 AM 03-Feb-23					
	Operator: SEM OPERATOR		Rig: ICD 307		Spud Date:		Daily Cost / Mud (\$):			
Measured Depth (ft): 15129		Last Casing: 5.50 at 15,105		Wellbore: Original Wellbore		AFE No. AFE (\$) Actual (\$)				
Vertical Depth (ft): 6537		Next Casing:		RKB Elevation (ft): 2699		B23003				
Proposed TD (ft): 15190		Last BOP Test: 05-Oct-22		Job Reference RKB (ft):						
Hole Made (ft) / Hrs: 0 / 0.0		Next BOP Test: 24-Oct-22		Working Interest:		Totals:				
Average ROP (ft/hr):						Well Cost (\$):				
Days (actual / plan): Drilling 4.27 / 0, Flat 0 / 0, Complete 0 / 0, Total 4.27 / 0								DOL: 20		
Pers/Hrs: Operator: 0 / 0		Contractor: 1 / 0		Service: 12 / 0		Other: 0 / 0		Total: 13 / 0		
Safety Summary: No incidents or events reported.										
Current Operations: RIG UP ZIPPER MANIFOLD										
Planned Operations: TOE PREP										
Wellsite Supervisors: MAYNARD						Tel No.: 432-217-9511				
Engineer(s): Larry Gillette										
Operations Summary										
From	To	Elapsed	End MD(ft)	Code	Operations Description			Non-Prod		
6:00	6:00	24.00		PERF	TOE PREP					
Management Summary										
TOE PREP										
Casing/Tubular Information										
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Hole Section	OH Diam. (ins)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	9.63	0		868		SURF	12.25	40.00	J-55	
FULL	5.50	0		15,105		PROD		17.00		
Cost/AFE Information										
AFE No	AFE Description			AFE Amount	Daily Mud	Well Mud	Daily Total	Well Total	% Spent	
B23003	Drill and Complete a 7750' WB L			6,829,922.00	0.00	114,960.76	10,812.50	1,924,026.24	28.17%	
Totals \$:				6,829,922.00	0.00	114,961.00	10,813.00	1,924,026.00	28.17%	
Safety Information										
First Aid Treatments:		Medical Treatments:		Lost Time Incidents:		Days Since LTI:				
<input type="checkbox"/> BOP Test		<input type="checkbox"/> Crownamatic Check								

	Daily Report Well ID: 42-105-42524 Field: Barnyard						SEM Well Name: University 40 2109WB Sect: 21 County: Crockett State: TX					
	Report No: 29						Report For 06:00 AM 04-Feb-23					
	Operator: SEM OPERATOR		Rig: ICD 307		Spud Date:		Daily Cost / Mud (\$):					
Measured Depth (ft): 15129		Last Casing: 5.50 at 15,105		Wellbore: Original Wellbore		AFE No. B23003		AFE (\$)		Actual (\$)		
Vertical Depth (ft): 6537		Next Casing:		RKB Elevation (ft): 2699								
Proposed TD (ft): 15190		Last BOP Test: 05-Oct-22		Job Reference RKB (ft):								
Hole Made (ft) / Hrs: 0 / 0.0		Next BOP Test: 24-Oct-22		Working Interest:		Totals:						
Average ROP (ft/hr):						Well Cost (\$):						
Days (actual / plan): Drilling 4.27 / 0, Flat 0 / 0, Complete 0 / 0, Total 4.27 / 0												
DOL: 21												
Pers/Hrs: Operator: 0 / 0		Contractor: 1 / 0		Service: 12 / 0		Other: 0 / 0		Total:		13 / 0		
Safety Summary: No incidents or events reported.												
Current Operations: RIG UP ZIPPER MANIFOLD												
Planned Operations: RIG UP ZIPPER MANIFOLD												
Wellsite Supervisors: MAYNARD								Tel No.: 432-217-9511				
Engineer(s): Larry Gillette												
Operations Summary												
From	To	Elapsed	End MD(ft)	Code	Operations Description						Non-Prod	
6:00	6:00	24.00		RIGU	RIG UP ZIPPER MANIFOLD							
Management Summary												
RIG UP ZIPPER MANIFOLD												
Casing/Tubular Information												
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Hole Section	OH Diam. (ins)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)		
FULL	9.63	0		868		SURF	12.25	40.00	J-55			
FULL	5.50	0		15,105		PROD		17.00				
Cost/AFE Information												
AFE No	AFE Description			AFE Amount	Daily Mud	Well Mud	Daily Total	Well Total	% Spent			
B23003	Drill and Complete a 7750' WB L			6,829,922.00	0.00	114,960.76	4,100.00	1,918,338.74	28.09%			
Totals \$:				6,829,922.00	0.00	114,961.00	4,100.00	1,918,339.00	28.09%			
Safety Information												
First Aid Treatments:			Medical Treatments:			Lost Time Incidents:			Days Since LTI:			
<input type="checkbox"/> BOP Test			<input type="checkbox"/> Crownamatic Check									



Daily Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 30

Report For 06:00 AM 05-Feb-23

Operator:	SEM OPERATOR	Rig:	ICD 307	Spud Date:	Daily Cost / Mud (\$):		
Measured Depth (ft):	15129	Last Casing:	5.50 at 15,105	Wellbore:	Original Wellbore	AFE No.	AFE (\$) Actual (\$)
Vertical Depth (ft):	6537	Next Casing:		RKB Elevation (ft):	2699	B23003	
Proposed TD (ft):	15190	Last BOP Test:	05-Oct-22	Job Reference RKB (ft):			
Hole Made (ft) / Hrs:	0 / 0.0	Next BOP Test:	24-Oct-22	Working Interest:		Totals:	
Average ROP (ft/hr):						Well Cost (\$):	

Days (actual / plan): Drilling 4.27 / 0, Flat 0 / 0, Complete 0 / 0, Total 4.27 / 0 DOL: 22

Pers/Hrs: Operator: 0 / 0 Contractor: 1 / 0 Service: 12 / 0 Other: 0 / 0 Total: 13 / 0

Safety Summary: No incidents or events reported.

Current Operations: TEST ZIPPER MANIFOLD

Planned Operations: RIG UP ZIPPER MANIFOLD

Wellsite Supervisors: MAYNARD

Tel No.: 432-217-9511

Engineer(s): Larry Gillette

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	6:00	24.00		RIGU	RIG UP ZIPPER MANIFOLD	

Management Summary

RIG UP ZIPPER MANIFOLD

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Hole Section	OH Diam. (ins)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	9.63	0		868		SURF	12.25	40.00	J-55	
FULL	5.50	0		15,105		PROD		17.00		


Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Mud	Well Mud	Daily Total	Well Total	% Spent
B23003	Drill and Complete a 7750' WB L	6,829,922.00	0.00	114,960.76	4,750.00	1,923,088.74	28.16%
Totals \$:		6,829,922.00	0.00	114,961.00	4,750.00	1,923,089.00	28.16%

Safety Information

First Aid Treatments: Medical Treatments: Lost Time Incidents: Days Since LTI:

☐ BOP Test ☐ Crownamatic Check

	Daily Report Well ID: 42-105-42524 Field: Barnyard						SEM Well Name: University 40 2109WB Sect: 21 County: Crockett State: TX					
	Report No: 31						Report For 06:00 AM 06-Feb-23					
	Operator: SEM OPERATOR		Rig: ICD 307		Spud Date:		Daily Cost / Mud (\$):					
Measured Depth (ft): 15129		Last Casing: 5.50 at 15,105		Wellbore: Original Wellbore		AFE No. B23003		AFE (\$)		Actual (\$)		
Vertical Depth (ft): 6537		Next Casing:		RKB Elevation (ft): 2699								
Proposed TD (ft): 15190		Last BOP Test: 05-Oct-22		Job Reference RKB (ft):								
Hole Made (ft) / Hrs: 0 / 0.0		Next BOP Test: 24-Oct-22		Working Interest:		Totals:						
Average ROP (ft/hr):						Well Cost (\$):						
Days (actual / plan): Drilling 4.27 / 0, Flat 0 / 0, Complete 0 / 0, Total 4.27 / 0												
Pers/Hrs: Operator: 0 / 0 Contractor: 1 / 0 Service: 12 / 0 Other: 0 / 0 Total: 13 / 0												
Safety Summary: No incidents or events reported.												
Current Operations: REPLACE LOWER MASTER ON THE 2109WC												
Planned Operations: TEST ZIPPER MANIFOLD / MOVE IN 3RD PARTY EQUIPMENT												
Wellsite Supervisors: MAYNARD										Tel No.: 432-217-9511		
Engineer(s): Larry Gillette												
Operations Summary												
From	To	Elapsed	End MD(ft)	Code	Operations Description						Non-Prod	
6:00	6:00	24.00		RIGU	MOVE IN RIG UP PERMIAN PUMPS , FILL ZIPPER AND TEST/REPLACE LOWER MASTER ON THE 2109WC							
Management Summary												
RIG UP FOR FRAC												
Casing/Tubular Information												
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Hole Section	OH Diam. (ins)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)		
FULL	9.63	0		868		SURF	12.25	40.00	J-55			
FULL	5.50	0		15,105		PROD		17.00				
Cost/AFE Information												
AFE No	AFE Description			AFE Amount	Daily Mud	Well Mud	Daily Total	Well Total	% Spent			
B23003	Drill and Complete a 7750' WB L			6,829,922.00	0.00	114,960.76	4,750.00	1,927,838.74	28.23%			
Totals \$:				6,829,922.00	0.00	114,961.00	4,750.00	1,927,839.00	28.23%			
Safety Information												
First Aid Treatments:			Medical Treatments:			Lost Time Incidents:			Days Since LTI:			
<input type="checkbox"/> BOP Test			<input type="checkbox"/> Crownamatic Check									



Daily Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 32

Report For 06:00 AM 07-Feb-23

Operator:	SEM OPERATOR	Rig:	ICD 307	Spud Date:	Daily Cost / Mud (\$):		
Measured Depth (ft):	15129	Last Casing:	5.50 at 15,105	Wellbore:	Original Wellbore	AFE No.	AFE (\$) Actual (\$)
Vertical Depth (ft):	6537	Next Casing:		RKB Elevation (ft):	2699	B23003	
Proposed TD (ft):	15190	Last BOP Test:	05-Oct-22	Job Reference RKB (ft):			
Hole Made (ft) / Hrs:	0 / 0.0	Next BOP Test:	24-Oct-22	Working Interest:		Totals:	
Average ROP (ft/hr):						Well Cost (\$):	
Days (actual / plan):	Drilling 4.27 / 0,	Flat 0 / 0,	Complete 0 / 0,	Total 4.27 / 0		DOL:	24
Pers/Hrs:	Operator: 0 / 0	Contractor:	4 / 0	Service:	20 / 0	Other:	0 / 0
						Total:	24 / 0

Safety Summary: No incidents or events reported.

Current Operations: RIG UP FRAC EQUIPMENT

Planned Operations: RIG UP FRAC EQUIPMENT

Wellsite Supervisors: MAYNARD,OWENS,JOHNSON,WILLIS

Tel No.: 432-217-9511

Engineer(s): Larry Gillette

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	6:00	24.00		RIGU	REPLACE LOWER MASTER ON THE 2109WC	

Management Summary

RIG UP FRAC EQUIPMENT

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Hole Section	OH Diam. (ins)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	9.63	0		868		SURF	12.25	40.00	J-55	
FULL	5.50	0		15,105		PROD		17.00		


Cost/AFE Information


AFE No	AFE Description	AFE Amount	Daily Mud	Well Mud	Daily Total	Well Total	% Spent
B23003	Drill and Complete a 7750' WB L	6,829,922.00	0.00	114,960.76	8,470.00	1,936,308.74	28.35%
Totals \$:		6,829,922.00	0.00	114,961.00	8,470.00	1,936,309.00	28.35%


Safety Information


First Aid Treatments: Medical Treatments: Lost Time Incidents: Days Since LTI:

☐ BOP Test ☐ Crownamatic Check

	Daily Report Well ID: 42-105-42524 Field: Barnyard						SEM Well Name: University 40 2109WB Sect: 21 County: Crockett State: TX					
	Report No: 34						Report For 06:00 AM 09-Feb-23					
	Operator: SEM OPERATOR		Rig: ICD 307		Spud Date:		Daily Cost / Mud (\$):					
Measured Depth (ft): 15129		Last Casing: 5.50 at 15,105		Wellbore: Original Wellbore		AFE No. B23003		AFE (\$)		Actual (\$)		
Vertical Depth (ft): 6537		Next Casing:		RKB Elevation (ft): 2699								
Proposed TD (ft): 15190		Last BOP Test: 05-Oct-22		Job Reference RKB (ft):								
Hole Made (ft) / Hrs: 0 / 0.0		Next BOP Test: 24-Oct-22		Working Interest:		Totals:						
Average ROP (ft/hr):						Well Cost (\$):						
Days (actual / plan): Drilling 4.27 / 0, Flat 0 / 0, Complete 0 / 0, Total 4.27 / 0												
Pers/Hrs: Operator: 0 / 0 Contractor: 4 / 0 Service: 25 / 0 Other: 0 / 0 Total: 29 / 0												
Safety Summary: No incidents or events reported.												
Current Operations: READY TO FRAC STAGE 2												
Planned Operations: FRAC STAGE 1 / PLUG & PERF STAGE 2												
Wellsite Supervisors: MAYNARD,OWENS,JOHNSON,WILLIS										Tel No.: 432-217-9511		
Engineer(s): Larry Gillette												
Operations Summary												
From	To	Elapsed	End MD(ft)	Code	Operations Description						Non-Prod	
6:00	6:00	24.00		STIM	FRAC STAGE 1 / PLUG & PERF STAGE 2							
Management Summary												
PLUG & PERF / FRAC OPERATION												
Casing/Tubular Information												
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Hole Section	OH Diam. (ins)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)		
FULL	9.63	0		868		SURF	12.25	40.00	J-55			
FULL	5.50	0		15,105		PROD		17.00				
Cost/AFE Information												
AFE No	AFE Description			AFE Amount	Daily Mud	Well Mud	Daily Total	Well Total	% Spent			
B23003	Drill and Complete a 7750' WB L			6,829,922.00	0.00	114,960.76	76,752.77	2,026,080.45	29.66%			
Totals \$:				6,829,922.00	0.00	114,961.00	76,753.00	2,026,080.00	29.66%			
Safety Information												
First Aid Treatments:			Medical Treatments:			Lost Time Incidents:			Days Since LTI:			
<input type="checkbox"/> BOP Test			<input type="checkbox"/> Crownamatic Check									

	Daily Report Well ID: 42-105-42524 Field: Barnyard				SEM Well Name: University 40 2109WB Sect: 21 County: Crockett State: TX					
	Report No: 35				Report For 06:00 AM 10-Feb-23					
	Operator: SEM OPERATOR		Rig: ICD 307		Spud Date:		Daily Cost / Mud (\$):			
Measured Depth (ft): 15129		Last Casing: 5.50 at 15,105		Wellbore: Original Wellbore		AFE No. AFE (\$) Actual (\$)				
Vertical Depth (ft): 6537		Next Casing:		RKB Elevation (ft): 2699		B23003				
Proposed TD (ft): 15190		Last BOP Test: 05-Oct-22		Job Reference RKB (ft):						
Hole Made (ft) / Hrs: 0 / 0.0		Next BOP Test: 24-Oct-22		Working Interest:		Totals:				
Average ROP (ft/hr):						Well Cost (\$):				
Days (actual / plan): Drilling 4.27 / 0, Flat 0 / 0, Complete 0 / 0, Total 4.27 / 0								DOL: 27		
Pers/Hrs: Operator: 0 / 0		Contractor: 4 / 0		Service: 25 / 0		Other: 0 / 0		Total: 29 / 0		
Safety Summary: No incidents or events reported.										
Current Operations: FRACING THE 2105WB										
Planned Operations: READY TO FRAC STAGE 2 / FRACING ADJACENT WELL										
Wellsite Supervisors: MAYNARD,OWENS,JOHNSON,WILLIS							Tel No.: 432-217-9511			
Engineer(s): Larry Gillette										
Operations Summary										
From	To	Elapsed	End MD(ft)	Code	Operations Description			Non-Prod		
6:00	6:00	24.00		STIM	READY TO FRAC STAGE 2 / FRACING ADJACENT WELL					
Management Summary										
PLUG & PERF / FRAC OPERATION										
Casing/Tubular Information										
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Hole Section	OH Diam. (ins)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	9.63	0		868		SURF	12.25	40.00	J-55	
FULL	5.50	0		15,105		PROD		17.00		
Cost/AFE Information										
AFE No	AFE Description			AFE Amount	Daily Mud	Well Mud	Daily Total	Well Total	% Spent	
B23003	Drill and Complete a 7750' WB L			6,829,922.00	0.00	114,960.76	23,639.73	2,049,720.18	30.01%	
Totals \$:				6,829,922.00	0.00	114,961.00	23,640.00	2,049,720.00	30.01%	
Safety Information										
First Aid Treatments:		Medical Treatments:		Lost Time Incidents:		Days Since LTI:				
<input type="checkbox"/> BOP Test		<input type="checkbox"/> Crownamatic Check								

	Daily Report Well ID: 42-105-42524 Field: Barnyard						SEM Well Name: University 40 2109WB Sect: 21 County: Crockett State: TX					
	Report No: 36						Report For 06:00 AM 11-Feb-23					
	Operator: SEM OPERATOR		Rig: ICD 307		Spud Date:		Daily Cost / Mud (\$):					
Measured Depth (ft): 15129		Last Casing: 5.50 at 15,105		Wellbore: Original Wellbore		AFE No. B23003		AFE (\$)		Actual (\$)		
Vertical Depth (ft): 6537		Next Casing:		RKB Elevation (ft): 2699								
Proposed TD (ft): 15190		Last BOP Test: 05-Oct-22		Job Reference RKB (ft):								
Hole Made (ft) / Hrs: 0 / 0.0		Next BOP Test: 24-Oct-22		Working Interest:		Totals:						
Average ROP (ft/hr):						Well Cost (\$):						
Days (actual / plan): Drilling 4.27 / 0, Flat 0 / 0, Complete 0 / 0, Total 4.27 / 0												
DOL: 28												
Pers/Hrs: Operator: 0 / 0		Contractor: 4 / 0		Service: 25 / 0		Other: 0 / 0		Total:		29 / 0		
Safety Summary: No incidents or events reported.												
Current Operations: STAGE 3 READY TO FRAC												
Planned Operations: READY TO FRAC STAGE 2 / FRACING ADJACENT WELL												
Wellsite Supervisors: MAYNARD,OWENS,JOHNSON,WILLIS										Tel No.: 432-217-9511		
Engineer(s): Larry Gillette												
Operations Summary												
From	To	Elapsed	End MD(ft)	Code	Operations Description						Non-Prod	
6:00	6:00	24.00		STIM	READY TO FRAC STAGE 3 / FRACING ADJACENT WELL							
Management Summary												
PLUG & PERF / FRAC OPERATION												
Casing/Tubular Information												
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Hole Section	OH Diam. (ins)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)		
FULL	9.63	0		868		SURF	12.25	40.00	J-55			
FULL	5.50	0		15,105		PROD		17.00				
Cost/AFE Information												
AFE No	AFE Description			AFE Amount	Daily Mud	Well Mud	Daily Total	Well Total	% Spent			
B23003	Drill and Complete a 7750' WB L			6,829,922.00	0.00	114,960.76	80,978.67	2,130,698.85	31.20%			
Totals \$:				6,829,922.00	0.00	114,961.00	80,979.00	2,130,699.00	31.20%			
Safety Information												
First Aid Treatments:			Medical Treatments:			Lost Time Incidents:			Days Since LTI:			
<input type="checkbox"/> BOP Test			<input type="checkbox"/> Crownamatic Check									

	Daily Completion Report Well ID: 42-105-42524 Field: Barnyard						SEM Well Name: University 40 2109WB Sect: 21 County: Crockett State: TX	
	Report No: 37						Report For 06:00 AM 12-Feb-23	
	Operator: SEM OPERATOR		Rig: ICD 307		Wellbore: Original Wellbore		Daily Cost / Fluid (\$):	
Measured Depth (ft): 15129		Completion Days (act.): 0		Orig RKB Elev(ft): 2699		AFE No. AFE (\$) Actual (\$)		
Vertical Depth (ft): 6537				Last BOP Test: 05-Oct-22		B23003		
		Days On Location: 29						
Last Casing: 5.50 at 15,105		Spud Date:				Totals:		
Plug Back MD (ft): 6537						Well Cost (\$):		
Plug Back TVD (ft)		Pers/Hrs: Operator: 0 / 0		Contractor: 1 / 12		Service: 7 / 84 Other: 0 / 0 Total: 8 / 96		
Safety Summary: No incidents or events reported.								
Current Operations: READY TO PERF STAGE 5								
Planned Operations: PLUG & PERF STAGE FRAC								
Wellsite Supervisors: MOYE, OWENS, JOHNSON, SMITH						Tel No.: 432-217-9511		
Engineer(s): Larry Gillette								
Operations Summary								
From	To	Elapsed	End MD(ft)	Code	Operations Description		Non-Prod	
6:00	6:00	24.00		STIM	PLUG & PERF STAGES 4, / FRAC STAGES 4			
Management Summary								
PLUG & PERF STAGES 4 / FRAC STAGES 4								
Cost/AFE Information								
AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent	
B23003	Drill and Complete a 7750' WB L	6,829,922.00	0.00	114,960.76	121,212.83	2,251,911.68	32.97%	
Totals \$:		6,829,922.00	0.00	114,961.00	121,213.00	2,251,912.00	32.97%	
Casing/Tubular Information								
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	LOT (lbs/gal)	
FULL	9.63	0		868		40.00	J-55	
FULL	5.50	0		15,105		17.00		
Perforation Information								
Stage: 3 of 3								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
11-Feb-23 18:12	LARGE	OTHER	14,493	14,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
11-Feb-23 18:11	LARGE	OTHER	14,508	14,509	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
11-Feb-23 18:10	LARGE	OTHER	14,523	14,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
11-Feb-23 18:09	LARGE	OTHER	14,539	14,540	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
11-Feb-23 18:08	LARGE	OTHER	14,550	14,551	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
11-Feb-23 18:07	LARGE	OTHER	14,569	14,570	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
11-Feb-23 18:06	LARGE	OTHER	14,584	14,585	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
11-Feb-23 18:05	LARGE	OTHER	14,599	14,600	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
11-Feb-23 18:04	LARGE	OTHER	14,614	14,615	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
11-Feb-23 18:03	LARGE	OTHER	14,629	14,630	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
11-Feb-23 18:02	LARGE	OTHER	14,664	14,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
11-Feb-23 18:01	LARGE	OTHER	14,659	14,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 37

Report For 06:00 AM 12-Feb-23

Perforation Information

Stage: 2 of 3

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
09-Feb-23 21:42	LARGE	OTHER	14,674	14,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:41	LARGE	OTHER	14,689	14,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:40	LARGE	OTHER	14,704	14,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:39	LARGE	OTHER	14,719	14,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:38	LARGE	OTHER	14,735	14,736	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:37	LARGE	OTHER	14,750	14,751	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:36	LARGE	OTHER	14,765	14,766	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:35	LARGE	OTHER	14,780	14,781	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:34	LARGE	OTHER	14,795	14,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:33	LARGE	OTHER	14,810	14,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:32	LARGE	OTHER	14,825	14,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:31	LARGE	OTHER	14,840	14,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 1 of 3

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jan-23 15:10	LARGE	OTHER	14,855	14,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:09	LARGE	OTHER	14,870	14,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:08	LARGE	OTHER	14,885	14,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:07	LARGE	OTHER	14,900	14,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:06	LARGE	OTHER	14,915	14,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:05	LARGE	OTHER	14,931	14,932	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:04	LARGE	OTHER	14,946	14,947	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:03	LARGE	OTHER	14,961	14,962	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:02	LARGE	OTHER	14,976	14,977	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:01	LARGE	OTHER	14,991	14,992	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:00	LARGE	OTHER	15,013	15,021	8	TOE SLEEVE

Safety Information

First Aid Treatments:


Medical Treatments:

Lost Time Incidents:

Days Since LTI:

☐ BOP Test

☐ Crownamatic Check

	Daily Completion Report Well ID: 42-105-42524 Field: Barnyard						SEM Well Name: University 40 2109WB Sect: 21 County: Crockett State: TX	
	Report No: 38						Report For 06:00 AM 13-Feb-23	
	Operator: SEM OPERATOR		Rig: ICD 307		Wellbore: Original Wellbore		Daily Cost / Fluid (\$):	
Measured Depth (ft): 15129		Completion Days (act.): 1		Orig RKB Elev(ft): 2699		AFE No. AFE (\$) Actual (\$)		
Vertical Depth (ft): 6537		Days On Location: 30		Last BOP Test: 05-Oct-22		B23003		
Last Casing: 5.50 at 15,105		Spud Date:		Totals:				
Plug Back MD (ft): 6537				Well Cost (\$):				
Plug Back TVD (ft)		Pers/Hrs: Operator: 0 / 0		Contractor: 1 / 12		Service: 7 / 84 Other: 0 / 0 Total: 8 / 96		
Safety Summary: No incidents or events reported.								
Current Operations: STAGE 7 READY FOR FRAC								
Planned Operations: PLUG & PERF STAGE FRAC								
Wellsite Supervisors: MOYE, OWENS, JOHNSON, SMITH						Tel No.: 432-217-9511		
Engineer(s): Larry Gillette								
Operations Summary								
From	To	Elapsed	End MD(ft)	Code	Operations Description		Non-Prod	
6:00	6:00	24.00		STIM	PLUG & PERF STAGES 5, 6, 7 / FRAC STAGES 5, 6			
Management Summary								
PLUG & PERF STAGES 5, 6, 7 / FRAC STAGES 5, 6								
Cost/AFE Information								
AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent	
B23003	Drill and Complete a 7750' WB L	6,829,922.00	0.00	114,960.76	132,356.85	2,387,968.53	34.96%	
Totals \$:		6,829,922.00	0.00	114,961.00	132,357.00	2,387,969.00	34.96%	
Casing/Tubular Information								
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	LOT (lbs/gal)	
FULL	9.63	0		868		40.00	J-55	
FULL	5.50	0		15,105		17.00		
Perforation Information								
Stage: 3 of 3								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
11-Feb-23 18:12	LARGE	OTHER	14,493	14,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
11-Feb-23 18:11	LARGE	OTHER	14,508	14,509	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
11-Feb-23 18:10	LARGE	OTHER	14,523	14,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
11-Feb-23 18:09	LARGE	OTHER	14,539	14,540	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
11-Feb-23 18:08	LARGE	OTHER	14,550	14,551	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
11-Feb-23 18:07	LARGE	OTHER	14,569	14,570	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
11-Feb-23 18:06	LARGE	OTHER	14,584	14,585	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
11-Feb-23 18:05	LARGE	OTHER	14,599	14,600	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
11-Feb-23 18:04	LARGE	OTHER	14,614	14,615	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
11-Feb-23 18:03	LARGE	OTHER	14,629	14,630	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
11-Feb-23 18:02	LARGE	OTHER	14,664	14,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
11-Feb-23 18:01	LARGE	OTHER	14,659	14,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 38

Report For 06:00 AM 13-Feb-23

Perforation Information

Stage: 2 of 3

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
09-Feb-23 21:42	LARGE	OTHER	14,674	14,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:41	LARGE	OTHER	14,689	14,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:40	LARGE	OTHER	14,704	14,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:39	LARGE	OTHER	14,719	14,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:38	LARGE	OTHER	14,735	14,736	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:37	LARGE	OTHER	14,750	14,751	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:36	LARGE	OTHER	14,765	14,766	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:35	LARGE	OTHER	14,780	14,781	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:34	LARGE	OTHER	14,795	14,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:33	LARGE	OTHER	14,810	14,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:32	LARGE	OTHER	14,825	14,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:31	LARGE	OTHER	14,840	14,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 1 of 3

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jan-23 15:10	LARGE	OTHER	14,855	14,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:09	LARGE	OTHER	14,870	14,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:08	LARGE	OTHER	14,885	14,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:07	LARGE	OTHER	14,900	14,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:06	LARGE	OTHER	14,915	14,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:05	LARGE	OTHER	14,931	14,932	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:04	LARGE	OTHER	14,946	14,947	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:03	LARGE	OTHER	14,961	14,962	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:02	LARGE	OTHER	14,976	14,977	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:01	LARGE	OTHER	14,991	14,992	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:00	LARGE	OTHER	15,013	15,021	8	TOE SLEEVE

Safety Information

First Aid Treatments:


Medical Treatments:

Lost Time Incidents:

Days Since LTI:

☐ BOP Test

☐ Crownamatic Check

	Daily Completion Report Well ID: 42-105-42524 Field: Barnyard						SEM Well Name: University 40 2109WB Sect: 21 County: Crockett State: TX		
	Report No: 39						Report For 06:00 AM 14-Feb-23		
	Operator: SEM OPERATOR		Rig: ICD 307		Wellbore: Original Wellbore		Daily Cost / Fluid (\$):		
Measured Depth (ft): 15129		Completion Days (act.): 2		Orig RKB Elev(ft): 2699		AFE No.		AFE (\$)	Actual (\$)
Vertical Depth (ft): 6537		Days On Location: 31		Last BOP Test: 05-Oct-22		B23003			
Last Casing: 5.50 at 15,105		Spud Date:		Totals:					
Plug Back MD (ft): 6537		Well Cost (\$):							
Plug Back TVD (ft)		Pers/Hrs:	Operator: 0 / 0	Contractor: 0 / 0	Service: 0 / 0	Other: 0 / 0	Total: 0 / 0		
Safety Summary: No incidents or events reported.									
Current Operations: STAGE 10 READY FOR FRAC									
Planned Operations: PLUG & PERF ZIPPER STAGE FRAC									
Wellsite Supervisors: MOYE, OWENS, JOHNSON, SMITH								Tel No.: 432-217-9511	
Engineer(s): Larry Gillette									
Operations Summary									
From	To	Elapsed	End MD(ft)	Code	Operations Description				Non-Prod
6:00	6:00	24.00		STIM	PLUG & PERF STAGES 8, 9, 10 / FRAC STAGES 7, 8, 9				
Management Summary									
PLUG & PERF STAGES 8, 9, 10 / FRAC STAGES 7, 8, 9									
Cost/AFE Information									
AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent		
B23003	Drill and Complete a 7750' WB L	6,829,922.00	0.00	114,960.76	172,467.03	2,560,435.56	37.49%		
Totals \$:		6,829,922.00	0.00	114,961.00	172,467.00	2,560,436.00	37.49%		
Casing/Tubular Information									
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)	
FULL	9.63	0		868		40.00	J-55		
FULL	5.50	0		15,105		17.00			
Perforation Information									
Stage: 7 of 7									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
14-Feb-23 00:00	LARGE	OTHER	13,815	13,816	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
13-Feb-23 23:59	LARGE	OTHER	13,830	13,831	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
13-Feb-23 23:58	LARGE	OTHER	13,845	13,846	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
13-Feb-23 23:57	LARGE	OTHER	13,860	13,861	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
13-Feb-23 23:56	LARGE	OTHER	13,875	13,876	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
13-Feb-23 23:55	LARGE	OTHER	13,890	13,891	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
13-Feb-23 23:54	LARGE	OTHER	13,903	13,904	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
13-Feb-23 23:53	LARGE	OTHER	13,920	13,921	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
13-Feb-23 23:52	LARGE	OTHER	13,933	13,934	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 39

Report For 06:00 AM 14-Feb-23

Perforation Information

Stage: 6 of 7

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 18:27	LARGE	OTHER	13,951	13,952	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:26	LARGE	OTHER	13,966	13,967	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:25	LARGE	OTHER	13,981	13,982	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:24	LARGE	OTHER	13,996	13,997	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:23	LARGE	OTHER	14,011	14,012	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:22	LARGE	OTHER	14,026	14,027	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:21	LARGE	OTHER	14,041	14,042	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:20	LARGE	OTHER	14,056	14,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:19	LARGE	OTHER	14,072	14,073	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:18	LARGE	OTHER	14,086	14,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:17	LARGE	OTHER	14,101	14,102	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:16	LARGE	OTHER	14,116	14,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 5 of 7

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 08:32	LARGE	OTHER	14,131	14,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:31	LARGE	OTHER	14,147	14,148	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:30	LARGE	OTHER	14,162	14,163	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:29	LARGE	OTHER	14,177	14,178	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:28	LARGE	OTHER	14,194	14,195	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:27	LARGE	OTHER	14,207	14,208	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:26	LARGE	OTHER	14,222	14,223	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:25	LARGE	OTHER	14,237	14,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:24	LARGE	OTHER	14,252	14,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:23	LARGE	OTHER	14,267	14,268	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:22	LARGE	OTHER	14,282	14,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:21	LARGE	OTHER	14,297	14,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 39

Report For 06:00 AM 14-Feb-23

Perforation Information

Stage: 4 of 7

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 01:37	LARGE	OTHER	14,315	14,316	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:36	LARGE	OTHER	14,327	14,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:35	LARGE	OTHER	14,343	14,344	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:34	LARGE	OTHER	14,358	14,359	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:33	LARGE	OTHER	14,373	14,374	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:32	LARGE	OTHER	14,388	14,389	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:31	LARGE	OTHER	14,403	14,404	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:30	LARGE	OTHER	14,418	14,419	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:29	LARGE	OTHER	14,435	14,436	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:28	LARGE	OTHER	14,448	14,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:27	LARGE	OTHER	14,463	14,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:26	LARGE	OTHER	14,478	14,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 3 of 7

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
11-Feb-23 18:12	LARGE	OTHER	14,493	14,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:11	LARGE	OTHER	14,508	14,509	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:10	LARGE	OTHER	14,523	14,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:09	LARGE	OTHER	14,539	14,540	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:08	LARGE	OTHER	14,550	14,551	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:07	LARGE	OTHER	14,569	14,570	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:06	LARGE	OTHER	14,584	14,585	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:05	LARGE	OTHER	14,599	14,600	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:04	LARGE	OTHER	14,614	14,615	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:03	LARGE	OTHER	14,629	14,630	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:02	LARGE	OTHER	14,664	14,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:01	LARGE	OTHER	14,659	14,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 39

Report For 06:00 AM 14-Feb-23

Perforation Information

Stage: 2 of 7

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
09-Feb-23 21:42	LARGE	OTHER	14,674	14,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:41	LARGE	OTHER	14,689	14,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:40	LARGE	OTHER	14,704	14,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:39	LARGE	OTHER	14,719	14,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:38	LARGE	OTHER	14,735	14,736	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:37	LARGE	OTHER	14,750	14,751	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:36	LARGE	OTHER	14,765	14,766	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:35	LARGE	OTHER	14,780	14,781	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:34	LARGE	OTHER	14,795	14,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:33	LARGE	OTHER	14,810	14,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:32	LARGE	OTHER	14,825	14,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:31	LARGE	OTHER	14,840	14,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 1 of 7

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jan-23 15:10	LARGE	OTHER	14,855	14,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:09	LARGE	OTHER	14,870	14,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:08	LARGE	OTHER	14,885	14,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:07	LARGE	OTHER	14,900	14,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:06	LARGE	OTHER	14,915	14,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:05	LARGE	OTHER	14,931	14,932	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:04	LARGE	OTHER	14,946	14,947	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:03	LARGE	OTHER	14,961	14,962	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:02	LARGE	OTHER	14,976	14,977	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:01	LARGE	OTHER	14,991	14,992	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:00	LARGE	OTHER	15,013	15,021	8	TOE SLEEVE

Safety Information

First Aid Treatments:

Medical Treatments:

Lost Time Incidents:

Days Since LTI:

☐ BOP Test

☐ Crownamatic Check

	Daily Completion Report						SEM	
	Well ID: 42-105-42524 Field: Barnyard						Well Name: University 40 2109WB Sect: 21 County: Crockett State: TX	
	Report No: 40						Report For 06:00 AM 15-Feb-23	
Operator: SEM OPERATOR		Rig: ICD 307		Wellbore: Original Wellbore		Daily Cost / Fluid (\$):		
Measured Depth (ft): 15129		Completion Days (act.): 3		Orig RKB Elev(ft): 2699		AFE No. AFE (\$) Actual (\$)		
Vertical Depth (ft): 6537				Last BOP Test: 05-Oct-22		B23003		
		Days On Location: 32						
Last Casing: 5.50 at 15,105		Spud Date:				Totals:		
Plug Back MD (ft): 6537						Well Cost (\$):		
Plug Back TVD (ft)		Pers/Hrs: Operator: 0 / 0		Contractor: 1 / 12		Service: 7 / 84		Other: 0 / 0 Total: 8 / 96
Safety Summary: No incidents or events reported.								
Current Operations: STAGE 12 READY TO FRAC								
Planned Operations: PLUG & PERF ZIPPER STAGE FRAC								
Wellsite Supervisors: MOYE, OWENS, JOHNSON, SMITH						Tel No.: 432-217-9511		
Engineer(s): Larry Gillette								
Operations Summary								
From	To	Elapsed	End MD(ft)	Code	Operations Description			Non-Prod
6:00	6:00	24.00		STIM	PLUG & PERF STAGES 11, 12 / FRAC STAGES 10, 11			
Management Summary								
PLUG & PERF STAGES 11, 12 / FRAC STAGES 10, 11								
Cost/AFE Information								
AFE No	AFE Description		AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent
B23003	Drill and Complete a 7750' WB L		6,829,922.00	0.00	114,960.76	127,674.82	2,688,110.38	39.36%
Totals \$:			6,829,922.00	0.00	114,961.00	127,675.00	2,688,110.00	39.36%
Casing/Tubular Information								
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	9.63	0		868		40.00	J-55	
FULL	5.50	0		15,105		17.00		
Perforation Information								
Stage: 9 of 9								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
14-Feb-23 19:15	LARGE	WLINGUN	13,409	13,410	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
14-Feb-23 19:14	LARGE	WLINGUN	13,423	13,424	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
14-Feb-23 19:13	LARGE	WLINGUN	13,438	13,439	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
14-Feb-23 19:12	LARGE	WLINGUN	13,453	13,454	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
14-Feb-23 19:11	LARGE	WLINGUN	13,468	13,469	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
14-Feb-23 19:10	LARGE	WLINGUN	13,483	13,484	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
14-Feb-23 19:09	LARGE	WLINGUN	13,498	13,499	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
14-Feb-23 19:08	LARGE	WLINGUN	13,513	13,514	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
14-Feb-23 19:07	LARGE	WLINGUN	13,529	13,530	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
14-Feb-23 19:06	LARGE	WLINGUN	13,543	13,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
14-Feb-23 19:05	LARGE	WLINGUN	13,559	13,560	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
14-Feb-23 19:04	LARGE	WLINGUN	13,574	13,575	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 40

Report For 06:00 AM 15-Feb-23

Perforation Information

Stage: 8 of 9

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 09:47	LARGE	WLINGUN	13,589	13,590	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:46	LARGE	WLINGUN	13,607	13,608	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:45	LARGE	WLINGUN	13,619	13,620	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:44	LARGE	WLINGUN	13,634	13,635	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:43	LARGE	WLINGUN	13,649	13,650	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:42	LARGE	WLINGUN	13,662	13,663	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:41	LARGE	WLINGUN	13,679	13,680	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:40	LARGE	WLINGUN	13,694	13,695	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:39	LARGE	WLINGUN	13,709	13,710	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:38	LARGE	WLINGUN	13,727	13,728	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:37	LARGE	WLINGUN	13,739	13,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:36	LARGE	WLINGUN	13,755	13,756	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 7 of 9

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 00:03	LARGE	OTHER	13,770	13,771	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:02	LARGE	OTHER	13,783	13,784	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:01	LARGE	OTHER	13,800	13,801	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:00	LARGE	OTHER	13,815	13,816	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:59	LARGE	OTHER	13,830	13,831	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:58	LARGE	OTHER	13,845	13,846	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:57	LARGE	OTHER	13,860	13,861	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:56	LARGE	OTHER	13,875	13,876	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:55	LARGE	OTHER	13,890	13,891	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:54	LARGE	OTHER	13,903	13,904	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:53	LARGE	OTHER	13,920	13,921	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:52	LARGE	OTHER	13,933	13,934	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 40

Report For 06:00 AM 15-Feb-23

Perforation Information

Stage: 6 of 9

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 18:27	LARGE	OTHER	13,951	13,952	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:26	LARGE	OTHER	13,966	13,967	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:25	LARGE	OTHER	13,981	13,982	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:24	LARGE	OTHER	13,996	13,997	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:23	LARGE	OTHER	14,011	14,012	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:22	LARGE	OTHER	14,026	14,027	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:21	LARGE	OTHER	14,041	14,042	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:20	LARGE	OTHER	14,056	14,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:19	LARGE	OTHER	14,072	14,073	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:18	LARGE	OTHER	14,086	14,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:17	LARGE	OTHER	14,101	14,102	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:16	LARGE	OTHER	14,116	14,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 5 of 9

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 08:32	LARGE	OTHER	14,131	14,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:31	LARGE	OTHER	14,147	14,148	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:30	LARGE	OTHER	14,162	14,163	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:29	LARGE	OTHER	14,177	14,178	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:28	LARGE	OTHER	14,194	14,195	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:27	LARGE	OTHER	14,207	14,208	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:26	LARGE	OTHER	14,222	14,223	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:25	LARGE	OTHER	14,237	14,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:24	LARGE	OTHER	14,252	14,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:23	LARGE	OTHER	14,267	14,268	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:22	LARGE	OTHER	14,282	14,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:21	LARGE	OTHER	14,297	14,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 40

Report For 06:00 AM 15-Feb-23

Perforation Information

Stage: 4 of 9

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 01:37	LARGE	OTHER	14,315	14,316	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:36	LARGE	OTHER	14,327	14,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:35	LARGE	OTHER	14,343	14,344	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:34	LARGE	OTHER	14,358	14,359	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:33	LARGE	OTHER	14,373	14,374	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:32	LARGE	OTHER	14,388	14,389	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:31	LARGE	OTHER	14,403	14,404	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:30	LARGE	OTHER	14,418	14,419	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:29	LARGE	OTHER	14,435	14,436	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:28	LARGE	OTHER	14,448	14,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:27	LARGE	OTHER	14,463	14,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:26	LARGE	OTHER	14,478	14,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 3 of 9

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
11-Feb-23 18:12	LARGE	OTHER	14,493	14,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:11	LARGE	OTHER	14,508	14,509	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:10	LARGE	OTHER	14,523	14,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:09	LARGE	OTHER	14,539	14,540	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:08	LARGE	OTHER	14,550	14,551	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:07	LARGE	OTHER	14,569	14,570	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:06	LARGE	OTHER	14,584	14,585	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:05	LARGE	OTHER	14,599	14,600	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:04	LARGE	OTHER	14,614	14,615	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:03	LARGE	OTHER	14,629	14,630	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:02	LARGE	OTHER	14,664	14,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:01	LARGE	OTHER	14,659	14,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 40

Report For 06:00 AM 15-Feb-23

Perforation Information

Stage: 2 of 9

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
09-Feb-23 21:42	LARGE	OTHER	14,674	14,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:41	LARGE	OTHER	14,689	14,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:40	LARGE	OTHER	14,704	14,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:39	LARGE	OTHER	14,719	14,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:38	LARGE	OTHER	14,735	14,736	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:37	LARGE	OTHER	14,750	14,751	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:36	LARGE	OTHER	14,765	14,766	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:35	LARGE	OTHER	14,780	14,781	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:34	LARGE	OTHER	14,795	14,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:33	LARGE	OTHER	14,810	14,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:32	LARGE	OTHER	14,825	14,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:31	LARGE	OTHER	14,840	14,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 1 of 9

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jan-23 15:10	LARGE	OTHER	14,855	14,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:09	LARGE	OTHER	14,870	14,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:08	LARGE	OTHER	14,885	14,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:07	LARGE	OTHER	14,900	14,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:06	LARGE	OTHER	14,915	14,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:05	LARGE	OTHER	14,931	14,932	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:04	LARGE	OTHER	14,946	14,947	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:03	LARGE	OTHER	14,961	14,962	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:02	LARGE	OTHER	14,976	14,977	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:01	LARGE	OTHER	14,991	14,992	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:00	LARGE	OTHER	15,013	15,021	8	TOE SLEEVE

Safety Information

First Aid Treatments:

Medical Treatments:

Lost Time Incidents:

Days Since LTI:

☐ BOP Test

☐ Crownamatic Check



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM Operating Company, LLC

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 41

Report For 06:00 AM 16-Feb-23

Operator:	SEM OPERATOR	Rig:	ICD 307	Wellbore:	Original Wellbore	Daily Cost / Fluid (\$):		
Measured Depth (ft):	15129	Completion Days (act.):	4	Orig RKB Elev(ft):	2699.00	AFE No.	AFE (\$)	Actual (\$)
Vertical Depth (ft):	6537			Last BOP Test:	05-Oct-22	B23003		
		Days On Location:	33					
Last Casing:	5.50 at 15,105	Spud Date:		Job Reference RKB (ft):		Totals:		
Plug Back MD (ft):	6537					Well Cost (\$):		
Plug Back TVD (ft)		Pers/Hrs:	Operator: 0 / 0	Contractor:	1 / 12	Service:	7 / 84	Other: 0 / 0
						Total:	8 / 96	

Safety Summary: No incidents or events reported.

Current Operations: CURRENTLY FRACING STAGE STAGE 14

Planned Operations: PLUG & PERF ZIPPER STAGE FRAC

Wellsite Supervisors: MOYE, DELEON, JOHNSON, SMITH

Tel No.: 432-217-9511

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	6:00	24.00		STIM	PLUG & PERF STAGES 13-14, / FRAC STAGES 12-13,	

Management Summary

PLUG & PERF STAGES 13-14/ FRAC STAGES 12-13,

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent
B23003	Drill and Complete a 7750' WB L	6,829,922.00	0.00	114,960.76	129,889.63	2,818,000.01	41.26 %
Totals \$:		6,829,922.00	0.00	114,961.00	129,890.00	2,818,000.00	41.26 %

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	9.63	0		868		40.00	J-55	
FULL	5.50	0		15,105		17.00		

Perforation Information

Stage: 11 of 11

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 14:42	LARGE	WLINGUN	13,047	13,048	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:41	LARGE	WLINGUN	13,061	13,062	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:40	LARGE	WLINGUN	13,076	13,077	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:39	LARGE	WLINGUN	13,091	13,092	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:38	LARGE	WLINGUN	13,106	13,107	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:37	LARGE	WLINGUN	13,121	13,122	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:36	LARGE	WLINGUN	13,136	13,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:35	LARGE	WLINGUN	13,151	13,152	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:34	LARGE	WLINGUN	13,167	13,168	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:33	LARGE	WLINGUN	13,182	13,183	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:32	LARGE	WLINGUN	13,197	13,198	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:31	LARGE	WLINGUN	13,212	13,213	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM Operating Company, LLC

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 41

Report For 06:00 AM 16-Feb-23

Perforation Information

Stage: 10 of 11

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 05:02	LARGE	WLINGUN	13,227	13,228	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:01	LARGE	WLINGUN	13,242	13,243	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:00	LARGE	WLINGUN	13,257	13,258	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:59	LARGE	WLINGUN	13,272	13,273	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:58	LARGE	WLINGUN	13,287	13,288	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:57	LARGE	WLINGUN	13,302	13,303	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:56	LARGE	WLINGUN	13,317	13,318	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:55	LARGE	WLINGUN	13,332	13,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:54	LARGE	WLINGUN	13,347	13,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:53	LARGE	WLINGUN	13,361	13,362	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:52	LARGE	WLINGUN	13,378	13,379	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:51	LARGE	WLINGUN	13,393	13,394	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 9 of 11

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 19:15	LARGE	WLINGUN	13,409	13,410	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:14	LARGE	WLINGUN	13,423	13,424	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:13	LARGE	WLINGUN	13,438	13,439	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:12	LARGE	WLINGUN	13,453	13,454	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:11	LARGE	WLINGUN	13,468	13,469	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:10	LARGE	WLINGUN	13,483	13,484	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:09	LARGE	WLINGUN	13,498	13,499	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:08	LARGE	WLINGUN	13,513	13,514	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:07	LARGE	WLINGUN	13,529	13,530	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:06	LARGE	WLINGUN	13,543	13,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:05	LARGE	WLINGUN	13,559	13,560	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:04	LARGE	WLINGUN	13,574	13,575	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM Operating Company, LLC

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 41

Report For 06:00 AM 16-Feb-23

Perforation Information

Stage: 8 of 11

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 09:47	LARGE	WLINGUN	13,589	13,590	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:46	LARGE	WLINGUN	13,607	13,608	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:45	LARGE	WLINGUN	13,619	13,620	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:44	LARGE	WLINGUN	13,634	13,635	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:43	LARGE	WLINGUN	13,649	13,650	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:42	LARGE	WLINGUN	13,662	13,663	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:41	LARGE	WLINGUN	13,679	13,680	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:40	LARGE	WLINGUN	13,694	13,695	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:39	LARGE	WLINGUN	13,709	13,710	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:38	LARGE	WLINGUN	13,727	13,728	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:37	LARGE	WLINGUN	13,739	13,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:36	LARGE	WLINGUN	13,755	13,756	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 7 of 11

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 00:03	LARGE	OTHER	13,770	13,771	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:02	LARGE	OTHER	13,783	13,784	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:01	LARGE	OTHER	13,800	13,801	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:00	LARGE	OTHER	13,815	13,816	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:59	LARGE	OTHER	13,830	13,831	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:58	LARGE	OTHER	13,845	13,846	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:57	LARGE	OTHER	13,860	13,861	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:56	LARGE	OTHER	13,875	13,876	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:55	LARGE	OTHER	13,890	13,891	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:54	LARGE	OTHER	13,903	13,904	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:53	LARGE	OTHER	13,920	13,921	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:52	LARGE	OTHER	13,933	13,934	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM Operating Company, LLC

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 41

Report For 06:00 AM 16-Feb-23

Perforation Information

Stage: 6 of 11

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 18:27	LARGE	OTHER	13,951	13,952	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:26	LARGE	OTHER	13,966	13,967	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:25	LARGE	OTHER	13,981	13,982	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:24	LARGE	OTHER	13,996	13,997	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:23	LARGE	OTHER	14,011	14,012	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:22	LARGE	OTHER	14,026	14,027	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:21	LARGE	OTHER	14,041	14,042	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:20	LARGE	OTHER	14,056	14,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:19	LARGE	OTHER	14,072	14,073	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:18	LARGE	OTHER	14,086	14,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:17	LARGE	OTHER	14,101	14,102	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:16	LARGE	OTHER	14,116	14,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 5 of 11

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 08:32	LARGE	OTHER	14,131	14,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:31	LARGE	OTHER	14,147	14,148	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:30	LARGE	OTHER	14,162	14,163	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:29	LARGE	OTHER	14,177	14,178	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:28	LARGE	OTHER	14,194	14,195	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:27	LARGE	OTHER	14,207	14,208	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:26	LARGE	OTHER	14,222	14,223	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:25	LARGE	OTHER	14,237	14,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:24	LARGE	OTHER	14,252	14,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:23	LARGE	OTHER	14,267	14,268	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:22	LARGE	OTHER	14,282	14,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:21	LARGE	OTHER	14,297	14,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM Operating Company, LLC

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 41

Report For 06:00 AM 16-Feb-23

Perforation Information

Stage: 4 of 11

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 01:37	LARGE	OTHER	14,315	14,316	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:36	LARGE	OTHER	14,327	14,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:35	LARGE	OTHER	14,343	14,344	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:34	LARGE	OTHER	14,358	14,359	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:33	LARGE	OTHER	14,373	14,374	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:32	LARGE	OTHER	14,388	14,389	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:31	LARGE	OTHER	14,403	14,404	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:30	LARGE	OTHER	14,418	14,419	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:29	LARGE	OTHER	14,435	14,436	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:28	LARGE	OTHER	14,448	14,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:27	LARGE	OTHER	14,463	14,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:26	LARGE	OTHER	14,478	14,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 3 of 11

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
11-Feb-23 18:12	LARGE	OTHER	14,493	14,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:11	LARGE	OTHER	14,508	14,509	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:10	LARGE	OTHER	14,523	14,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:09	LARGE	OTHER	14,539	14,540	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:08	LARGE	OTHER	14,550	14,551	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:07	LARGE	OTHER	14,569	14,570	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:06	LARGE	OTHER	14,584	14,585	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:05	LARGE	OTHER	14,599	14,600	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:04	LARGE	OTHER	14,614	14,615	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:03	LARGE	OTHER	14,629	14,630	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:02	LARGE	OTHER	14,664	14,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:01	LARGE	OTHER	14,659	14,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM Operating Company, LLC

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 41

Report For 06:00 AM 16-Feb-23

Perforation Information

Stage: 2 of 11

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
09-Feb-23 21:42	LARGE	OTHER	14,674	14,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:41	LARGE	OTHER	14,689	14,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:40	LARGE	OTHER	14,704	14,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:39	LARGE	OTHER	14,719	14,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:38	LARGE	OTHER	14,735	14,736	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:37	LARGE	OTHER	14,750	14,751	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:36	LARGE	OTHER	14,765	14,766	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:35	LARGE	OTHER	14,780	14,781	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:34	LARGE	OTHER	14,795	14,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:33	LARGE	OTHER	14,810	14,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:32	LARGE	OTHER	14,825	14,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:31	LARGE	OTHER	14,840	14,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 1 of 11

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jan-23 15:10	LARGE	OTHER	14,855	14,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:09	LARGE	OTHER	14,870	14,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:08	LARGE	OTHER	14,885	14,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:07	LARGE	OTHER	14,900	14,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:06	LARGE	OTHER	14,915	14,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:05	LARGE	OTHER	14,931	14,932	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:04	LARGE	OTHER	14,946	14,947	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:03	LARGE	OTHER	14,961	14,962	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:02	LARGE	OTHER	14,976	14,977	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:01	LARGE	OTHER	14,991	14,992	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:00	LARGE	OTHER	15,013	15,021	8	TOE SLEEVE

Safety Information

First Aid Treatments:

Medical Treatments:

Lost Time Incidents:

Days Since LTI:

☐ BOP Test

☐ Crownamatic Check



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM Operating Company, LLC

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 42

Report For 06:00 AM 17-Feb-23

Operator:	SEM OPERATOR	Rig:	ICD 307	Wellbore:	Original Wellbore	Daily Cost / Fluid (\$):		
Measured Depth (ft):	15129	Completion Days (act.):	5	Orig RKB Elev(ft):	2699.00	AFE No.	AFE (\$)	Actual (\$)
Vertical Depth (ft):	6537			Last BOP Test:	05-Oct-22	B23003		
		Days On Location:	34					
Last Casing:	5.50 at 15,105	Spud Date:		Job Reference RKB (ft):		Totals:		
Plug Back MD (ft):	6537					Well Cost (\$):		
Plug Back TVD (ft)		Pers/Hrs:	Operator: 0 / 0	Contractor:	1 / 12	Service:	10 /	Other: 0 / 0
							Total:	11 / 132

Safety Summary: No incidents or events reported.

Current Operations: CURRENTLY PERF STAGE 17 OF 44 STAGES

Planned Operations: PLUG & PERF ZIPPER STAGE FRAC

Wellsite Supervisors: MOYE, DELEON, JOHNSON, , LUNSFORD

Tel No.: 432-217-9511

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	6:00	24.00		STIM	PLUG & PERF STAGES 15-17/ FRAC STAGES 14-15	

Management Summary

PLUG & PERF STAGES 15-17/ FRAC STAGES 14-15

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent
B23003	Drill and Complete a 7750' WB L	6,829,922.00	0.00	114,960.76	127,720.66	2,945,720.67	43.13 %
Totals \$:		6,829,922.00	0.00	114,961.00	127,721.00	2,945,721.00	43.13 %

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	9.63	0		868		40.00	J-55	
FULL	5.50	0		15,105		17.00		

Perforation Information

Stage: 14 of 14

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 20:57	LARGE	WLINGUN	12,503	12,504	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:56	LARGE	WLINGUN	12,519	12,520	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:55	LARGE	WLINGUN	12,533	12,534	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:54	LARGE	WLINGUN	12,548	12,549	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:53	LARGE	WLINGUN	12,563	12,564	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:52	LARGE	WLINGUN	12,578	12,579	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:51	LARGE	WLINGUN	12,594	12,595	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:50	LARGE	WLINGUN	12,609	12,610	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:49	LARGE	WLINGUN	12,624	12,625	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:48	LARGE	WLINGUN	12,636	12,637	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:47	LARGE	WLINGUN	12,654	12,655	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:46	LARGE	WLINGUN	12,665	12,666	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM Operating Company, LLC

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 42

Report For 06:00 AM 17-Feb-23

Perforation Information

Stage: 13 of 14

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 11:45	LARGE	WLINGUN	12,684	12,685	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:34	LARGE	WLINGUN	12,699	12,700	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:33	LARGE	WLINGUN	12,714	12,715	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:32	LARGE	WLINGUN	12,729	12,730	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:31	LARGE	WLINGUN	12,744	12,745	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:30	LARGE	WLINGUN	12,758	12,759	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:29	LARGE	WLINGUN	12,775	12,776	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:28	LARGE	WLINGUN	12,790	12,791	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:27	LARGE	WLINGUN	12,805	12,806	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:26	LARGE	WLINGUN	12,820	12,821	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:25	LARGE	WLINGUN	12,835	12,836	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:24	LARGE	WLINGUN	12,850	12,851	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 12 of 14

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 01:29	LARGE	WLINGUN	12,865	12,866	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:28	LARGE	WLINGUN	12,877	12,878	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:27	LARGE	WLINGUN	12,895	12,896	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:26	LARGE	WLINGUN	12,910	12,911	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:25	LARGE	WLINGUN	12,925	12,926	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:24	LARGE	WLINGUN	12,940	12,941	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:23	LARGE	WLINGUN	12,955	12,956	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:22	LARGE	WLINGUN	12,971	12,972	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:21	LARGE	WLINGUN	12,986	12,987	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:20	LARGE	WLINGUN	12,999	13,000	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:19	LARGE	WLINGUN	13,016	13,017	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:18	LARGE	WLINGUN	13,029	13,030	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM Operating Company, LLC

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 42

Report For 06:00 AM 17-Feb-23

Perforation Information

Stage: 11 of 14

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 14:42	LARGE	WLINGUN	13,047	13,048	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:41	LARGE	WLINGUN	13,061	13,062	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:40	LARGE	WLINGUN	13,076	13,077	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:39	LARGE	WLINGUN	13,091	13,092	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:38	LARGE	WLINGUN	13,106	13,107	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:37	LARGE	WLINGUN	13,121	13,122	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:36	LARGE	WLINGUN	13,136	13,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:35	LARGE	WLINGUN	13,151	13,152	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:34	LARGE	WLINGUN	13,167	13,168	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:33	LARGE	WLINGUN	13,182	13,183	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:32	LARGE	WLINGUN	13,197	13,198	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:31	LARGE	WLINGUN	13,212	13,213	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 10 of 14

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 05:02	LARGE	WLINGUN	13,227	13,228	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:01	LARGE	WLINGUN	13,242	13,243	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:00	LARGE	WLINGUN	13,257	13,258	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:59	LARGE	WLINGUN	13,272	13,273	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:58	LARGE	WLINGUN	13,287	13,288	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:57	LARGE	WLINGUN	13,302	13,303	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:56	LARGE	WLINGUN	13,317	13,318	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:55	LARGE	WLINGUN	13,332	13,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:54	LARGE	WLINGUN	13,347	13,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:53	LARGE	WLINGUN	13,361	13,362	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:52	LARGE	WLINGUN	13,378	13,379	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:51	LARGE	WLINGUN	13,393	13,394	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM Operating Company, LLC

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 42

Report For 06:00 AM 17-Feb-23

Perforation Information

Stage: 9 of 14

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 19:15	LARGE	WLINGUN	13,409	13,410	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:14	LARGE	WLINGUN	13,423	13,424	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:13	LARGE	WLINGUN	13,438	13,439	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:12	LARGE	WLINGUN	13,453	13,454	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:11	LARGE	WLINGUN	13,468	13,469	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:10	LARGE	WLINGUN	13,483	13,484	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:09	LARGE	WLINGUN	13,498	13,499	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:08	LARGE	WLINGUN	13,513	13,514	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:07	LARGE	WLINGUN	13,529	13,530	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:06	LARGE	WLINGUN	13,543	13,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:05	LARGE	WLINGUN	13,559	13,560	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:04	LARGE	WLINGUN	13,574	13,575	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 8 of 14

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 09:47	LARGE	WLINGUN	13,589	13,590	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:46	LARGE	WLINGUN	13,607	13,608	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:45	LARGE	WLINGUN	13,619	13,620	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:44	LARGE	WLINGUN	13,634	13,635	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:43	LARGE	WLINGUN	13,649	13,650	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:42	LARGE	WLINGUN	13,662	13,663	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:41	LARGE	WLINGUN	13,679	13,680	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:40	LARGE	WLINGUN	13,694	13,695	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:39	LARGE	WLINGUN	13,709	13,710	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:38	LARGE	WLINGUN	13,727	13,728	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:37	LARGE	WLINGUN	13,739	13,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:36	LARGE	WLINGUN	13,755	13,756	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM Operating Company, LLC

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 42

Report For 06:00 AM 17-Feb-23

Perforation Information

Stage: 7 of 14

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 00:03	LARGE	OTHER	13,770	13,771	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:02	LARGE	OTHER	13,783	13,784	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:01	LARGE	OTHER	13,800	13,801	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:00	LARGE	OTHER	13,815	13,816	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:59	LARGE	OTHER	13,830	13,831	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:58	LARGE	OTHER	13,845	13,846	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:57	LARGE	OTHER	13,860	13,861	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:56	LARGE	OTHER	13,875	13,876	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:55	LARGE	OTHER	13,890	13,891	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:54	LARGE	OTHER	13,903	13,904	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:53	LARGE	OTHER	13,920	13,921	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:52	LARGE	OTHER	13,933	13,934	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 6 of 14

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 18:27	LARGE	OTHER	13,951	13,952	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:26	LARGE	OTHER	13,966	13,967	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:25	LARGE	OTHER	13,981	13,982	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:24	LARGE	OTHER	13,996	13,997	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:23	LARGE	OTHER	14,011	14,012	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:22	LARGE	OTHER	14,026	14,027	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:21	LARGE	OTHER	14,041	14,042	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:20	LARGE	OTHER	14,056	14,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:19	LARGE	OTHER	14,072	14,073	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:18	LARGE	OTHER	14,086	14,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:17	LARGE	OTHER	14,101	14,102	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:16	LARGE	OTHER	14,116	14,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM Operating Company, LLC

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 42

Report For 06:00 AM 17-Feb-23

Perforation Information

Stage: 5 of 14

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 08:32	LARGE	OTHER	14,131	14,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:31	LARGE	OTHER	14,147	14,148	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:30	LARGE	OTHER	14,162	14,163	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:29	LARGE	OTHER	14,177	14,178	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:28	LARGE	OTHER	14,194	14,195	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:27	LARGE	OTHER	14,207	14,208	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:26	LARGE	OTHER	14,222	14,223	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:25	LARGE	OTHER	14,237	14,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:24	LARGE	OTHER	14,252	14,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:23	LARGE	OTHER	14,267	14,268	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:22	LARGE	OTHER	14,282	14,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:21	LARGE	OTHER	14,297	14,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 4 of 14

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 01:37	LARGE	OTHER	14,315	14,316	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:36	LARGE	OTHER	14,327	14,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:35	LARGE	OTHER	14,343	14,344	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:34	LARGE	OTHER	14,358	14,359	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:33	LARGE	OTHER	14,373	14,374	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:32	LARGE	OTHER	14,388	14,389	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:31	LARGE	OTHER	14,403	14,404	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:30	LARGE	OTHER	14,418	14,419	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:29	LARGE	OTHER	14,435	14,436	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:28	LARGE	OTHER	14,448	14,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:27	LARGE	OTHER	14,463	14,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:26	LARGE	OTHER	14,478	14,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM Operating Company, LLC

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 42

Report For 06:00 AM 17-Feb-23

Perforation Information

Stage: 3 of 14

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
11-Feb-23 18:12	LARGE	OTHER	14,493	14,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:11	LARGE	OTHER	14,508	14,509	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:10	LARGE	OTHER	14,523	14,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:09	LARGE	OTHER	14,539	14,540	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:08	LARGE	OTHER	14,550	14,551	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:07	LARGE	OTHER	14,569	14,570	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:06	LARGE	OTHER	14,584	14,585	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:05	LARGE	OTHER	14,599	14,600	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:04	LARGE	OTHER	14,614	14,615	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:03	LARGE	OTHER	14,629	14,630	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:02	LARGE	OTHER	14,664	14,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:01	LARGE	OTHER	14,659	14,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 2 of 14

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
09-Feb-23 21:42	LARGE	OTHER	14,674	14,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:41	LARGE	OTHER	14,689	14,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:40	LARGE	OTHER	14,704	14,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:39	LARGE	OTHER	14,719	14,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:38	LARGE	OTHER	14,735	14,736	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:37	LARGE	OTHER	14,750	14,751	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:36	LARGE	OTHER	14,765	14,766	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:35	LARGE	OTHER	14,780	14,781	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:34	LARGE	OTHER	14,795	14,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:33	LARGE	OTHER	14,810	14,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:32	LARGE	OTHER	14,825	14,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:31	LARGE	OTHER	14,840	14,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM Operating Company, LLC

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 42

Report For 06:00 AM 17-Feb-23

Perforation Information

Stage: 1 of 14

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jan-23 15:10	LARGE	OTHER	14,855	14,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:09	LARGE	OTHER	14,870	14,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:08	LARGE	OTHER	14,885	14,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:07	LARGE	OTHER	14,900	14,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:06	LARGE	OTHER	14,915	14,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:05	LARGE	OTHER	14,931	14,932	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:04	LARGE	OTHER	14,946	14,947	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:03	LARGE	OTHER	14,961	14,962	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:02	LARGE	OTHER	14,976	14,977	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:01	LARGE	OTHER	14,991	14,992	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:00	LARGE	OTHER	15,013	15,021	8	TOE SLEEVE

Safety Information

First Aid Treatments:

Medical Treatments:

Lost Time Incidents:

Days Since LTI:

☐ BOP Test

☐ Crownamatic Check



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM Operating Company, LLC

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 43

Report For 06:00 AM 18-Feb-23

Operator:	SEM OPERATOR	Rig:	ICD 307	Wellbore:	Original Wellbore	Daily Cost / Fluid (\$):		
Measured Depth (ft):	15129	Completion Days (act.):	6	Orig RKB Elev(ft):	2699.00	AFE No.	AFE (\$)	Actual (\$)
Vertical Depth (ft):	6537			Last BOP Test:	05-Oct-22	B23003		
		Days On Location:	35					
Last Casing:	5.50 at 15,105	Spud Date:		Job Reference RKB (ft):		Totals:		
Plug Back MD (ft):	6537					Well Cost (\$):		
Plug Back TVD (ft)		Pers/Hrs:	Operator: 0 / 0	Contractor:	1 / 12	Service:	7 / 84	Other: 0 / 0
						Total:	8 / 96	

Safety Summary: No incidents or events reported.

Current Operations: STAGE 19 PERFED AND READY TO FRAC

Planned Operations: PLUG & PERF ZIPPER STAGE FRAC

Wellsite Supervisors: MOYE, DELEON, JOHNSON, , LUNSFORD

Tel No.: 432-217-9511

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	6:00	24.00		STIM	PLUG & PERF STAGES 18-19/ FRAC STAGES 16-18	

Management Summary

PLUG & PERF STAGES 18-19/ FRAC STAGES 16-18

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent
B23003	Drill and Complete a 7750' WB L	6,829,922.00	0.00	114,960.76	165,621.54	3,111,342.21	45.55 %
Totals \$:		6,829,922.00	0.00	114,961.00	165,622.00	3,111,342.00	45.55 %

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	9.63	0		868		40.00	J-55	
FULL	5.50	0		15,105		17.00		

Perforation Information

Stage: 16 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 23:06	LARGE	WLINGUN	12,141	12,142	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:05	LARGE	WLINGUN	12,156	12,157	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:04	LARGE	WLINGUN	12,171	12,172	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:03	LARGE	WLINGUN	12,186	12,187	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:02	LARGE	WLINGUN	12,202	12,203	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:01	LARGE	WLINGUN	12,217	12,218	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:00	LARGE	WLINGUN	12,231	12,232	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:59	LARGE	WLINGUN	12,247	12,248	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:58	LARGE	WLINGUN	12,262	12,263	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:57	LARGE	WLINGUN	12,277	12,278	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:56	LARGE	WLINGUN	12,292	12,293	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:55	LARGE	WLINGUN	12,307	12,308	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM Operating Company, LLC

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 43

Report For 06:00 AM 18-Feb-23

Perforation Information

Stage: 15 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:42	LARGE	WLINGUN	12,322	12,323	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:41	LARGE	WLINGUN	12,337	12,338	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:40	LARGE	WLINGUN	12,352	12,353	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:39	LARGE	WLINGUN	12,367	12,368	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:38	LARGE	WLINGUN	12,382	12,383	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:37	LARGE	WLINGUN	12,398	12,399	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:36	LARGE	WLINGUN	12,413	12,414	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:35	LARGE	WLINGUN	12,428	12,429	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:34	LARGE	WLINGUN	12,443	12,444	1	

Stage: 15 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:33	LARGE	WLINGUN	12,458	12,459	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:32	LARGE	WLINGUN	12,472	12,473	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:31	LARGE	WLINGUN	12,488	12,489	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 14 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 20:57	LARGE	WLINGUN	12,503	12,504	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:56	LARGE	WLINGUN	12,519	12,520	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:55	LARGE	WLINGUN	12,533	12,534	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:54	LARGE	WLINGUN	12,548	12,549	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:53	LARGE	WLINGUN	12,563	12,564	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:52	LARGE	WLINGUN	12,578	12,579	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:51	LARGE	WLINGUN	12,594	12,595	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:50	LARGE	WLINGUN	12,609	12,610	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:49	LARGE	WLINGUN	12,624	12,625	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:48	LARGE	WLINGUN	12,636	12,637	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:47	LARGE	WLINGUN	12,654	12,655	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:46	LARGE	WLINGUN	12,665	12,666	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM Operating Company, LLC

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 43

Report For 06:00 AM 18-Feb-23

Perforation Information

Stage: 13 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 11:45	LARGE	WLINGUN	12,684	12,685	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:34	LARGE	WLINGUN	12,699	12,700	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:33	LARGE	WLINGUN	12,714	12,715	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:32	LARGE	WLINGUN	12,729	12,730	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:31	LARGE	WLINGUN	12,744	12,745	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:30	LARGE	WLINGUN	12,758	12,759	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:29	LARGE	WLINGUN	12,775	12,776	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:28	LARGE	WLINGUN	12,790	12,791	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:27	LARGE	WLINGUN	12,805	12,806	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:26	LARGE	WLINGUN	12,820	12,821	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:25	LARGE	WLINGUN	12,835	12,836	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:24	LARGE	WLINGUN	12,850	12,851	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 12 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 01:29	LARGE	WLINGUN	12,865	12,866	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:28	LARGE	WLINGUN	12,877	12,878	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:27	LARGE	WLINGUN	12,895	12,896	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:26	LARGE	WLINGUN	12,910	12,911	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:25	LARGE	WLINGUN	12,925	12,926	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:24	LARGE	WLINGUN	12,940	12,941	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:23	LARGE	WLINGUN	12,955	12,956	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:22	LARGE	WLINGUN	12,971	12,972	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:21	LARGE	WLINGUN	12,986	12,987	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:20	LARGE	WLINGUN	12,999	13,000	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:19	LARGE	WLINGUN	13,016	13,017	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:18	LARGE	WLINGUN	13,029	13,030	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM Operating Company, LLC

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 43

Report For 06:00 AM 18-Feb-23

Perforation Information

Stage: 11 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 14:42	LARGE	WLINGUN	13,047	13,048	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:41	LARGE	WLINGUN	13,061	13,062	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:40	LARGE	WLINGUN	13,076	13,077	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:39	LARGE	WLINGUN	13,091	13,092	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:38	LARGE	WLINGUN	13,106	13,107	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:37	LARGE	WLINGUN	13,121	13,122	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:36	LARGE	WLINGUN	13,136	13,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:35	LARGE	WLINGUN	13,151	13,152	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:34	LARGE	WLINGUN	13,167	13,168	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:33	LARGE	WLINGUN	13,182	13,183	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:32	LARGE	WLINGUN	13,197	13,198	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:31	LARGE	WLINGUN	13,212	13,213	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 10 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 05:02	LARGE	WLINGUN	13,227	13,228	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:01	LARGE	WLINGUN	13,242	13,243	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:00	LARGE	WLINGUN	13,257	13,258	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:59	LARGE	WLINGUN	13,272	13,273	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:58	LARGE	WLINGUN	13,287	13,288	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:57	LARGE	WLINGUN	13,302	13,303	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:56	LARGE	WLINGUN	13,317	13,318	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:55	LARGE	WLINGUN	13,332	13,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:54	LARGE	WLINGUN	13,347	13,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:53	LARGE	WLINGUN	13,361	13,362	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:52	LARGE	WLINGUN	13,378	13,379	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:51	LARGE	WLINGUN	13,393	13,394	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM Operating Company, LLC

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 43

Report For 06:00 AM 18-Feb-23

Perforation Information

Stage: 9 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 19:15	LARGE	WLINGUN	13,409	13,410	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:14	LARGE	WLINGUN	13,423	13,424	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:13	LARGE	WLINGUN	13,438	13,439	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:12	LARGE	WLINGUN	13,453	13,454	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:11	LARGE	WLINGUN	13,468	13,469	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:10	LARGE	WLINGUN	13,483	13,484	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:09	LARGE	WLINGUN	13,498	13,499	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:08	LARGE	WLINGUN	13,513	13,514	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:07	LARGE	WLINGUN	13,529	13,530	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:06	LARGE	WLINGUN	13,543	13,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:05	LARGE	WLINGUN	13,559	13,560	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:04	LARGE	WLINGUN	13,574	13,575	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 8 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 09:47	LARGE	WLINGUN	13,589	13,590	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:46	LARGE	WLINGUN	13,607	13,608	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:45	LARGE	WLINGUN	13,619	13,620	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:44	LARGE	WLINGUN	13,634	13,635	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:43	LARGE	WLINGUN	13,649	13,650	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:42	LARGE	WLINGUN	13,662	13,663	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:41	LARGE	WLINGUN	13,679	13,680	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:40	LARGE	WLINGUN	13,694	13,695	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:39	LARGE	WLINGUN	13,709	13,710	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:38	LARGE	WLINGUN	13,727	13,728	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:37	LARGE	WLINGUN	13,739	13,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:36	LARGE	WLINGUN	13,755	13,756	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM Operating Company, LLC

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 43

Report For 06:00 AM 18-Feb-23

Perforation Information

Stage: 7 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 00:03	LARGE	OTHER	13,770	13,771	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:02	LARGE	OTHER	13,783	13,784	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:01	LARGE	OTHER	13,800	13,801	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:00	LARGE	OTHER	13,815	13,816	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:59	LARGE	OTHER	13,830	13,831	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:58	LARGE	OTHER	13,845	13,846	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:57	LARGE	OTHER	13,860	13,861	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:56	LARGE	OTHER	13,875	13,876	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:55	LARGE	OTHER	13,890	13,891	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:54	LARGE	OTHER	13,903	13,904	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:53	LARGE	OTHER	13,920	13,921	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:52	LARGE	OTHER	13,933	13,934	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 6 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 18:27	LARGE	OTHER	13,951	13,952	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:26	LARGE	OTHER	13,966	13,967	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:25	LARGE	OTHER	13,981	13,982	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:24	LARGE	OTHER	13,996	13,997	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:23	LARGE	OTHER	14,011	14,012	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:22	LARGE	OTHER	14,026	14,027	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:21	LARGE	OTHER	14,041	14,042	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:20	LARGE	OTHER	14,056	14,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:19	LARGE	OTHER	14,072	14,073	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:18	LARGE	OTHER	14,086	14,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:17	LARGE	OTHER	14,101	14,102	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:16	LARGE	OTHER	14,116	14,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM Operating Company, LLC

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 43

Report For 06:00 AM 18-Feb-23

Perforation Information

Stage: 5 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 08:32	LARGE	OTHER	14,131	14,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:31	LARGE	OTHER	14,147	14,148	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:30	LARGE	OTHER	14,162	14,163	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:29	LARGE	OTHER	14,177	14,178	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:28	LARGE	OTHER	14,194	14,195	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:27	LARGE	OTHER	14,207	14,208	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:26	LARGE	OTHER	14,222	14,223	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:25	LARGE	OTHER	14,237	14,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:24	LARGE	OTHER	14,252	14,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:23	LARGE	OTHER	14,267	14,268	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:22	LARGE	OTHER	14,282	14,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:21	LARGE	OTHER	14,297	14,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 4 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 01:37	LARGE	OTHER	14,315	14,316	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:36	LARGE	OTHER	14,327	14,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:35	LARGE	OTHER	14,343	14,344	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:34	LARGE	OTHER	14,358	14,359	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:33	LARGE	OTHER	14,373	14,374	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:32	LARGE	OTHER	14,388	14,389	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:31	LARGE	OTHER	14,403	14,404	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:30	LARGE	OTHER	14,418	14,419	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:29	LARGE	OTHER	14,435	14,436	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:28	LARGE	OTHER	14,448	14,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:27	LARGE	OTHER	14,463	14,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:26	LARGE	OTHER	14,478	14,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM Operating Company, LLC

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 43

Report For 06:00 AM 18-Feb-23

Perforation Information

Stage: 3 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
11-Feb-23 18:12	LARGE	OTHER	14,493	14,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:11	LARGE	OTHER	14,508	14,509	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:10	LARGE	OTHER	14,523	14,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:09	LARGE	OTHER	14,539	14,540	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:08	LARGE	OTHER	14,550	14,551	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:07	LARGE	OTHER	14,569	14,570	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:06	LARGE	OTHER	14,584	14,585	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:05	LARGE	OTHER	14,599	14,600	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:04	LARGE	OTHER	14,614	14,615	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:03	LARGE	OTHER	14,629	14,630	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:02	LARGE	OTHER	14,664	14,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:01	LARGE	OTHER	14,659	14,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 2 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
09-Feb-23 21:42	LARGE	OTHER	14,674	14,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:41	LARGE	OTHER	14,689	14,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:40	LARGE	OTHER	14,704	14,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:39	LARGE	OTHER	14,719	14,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:38	LARGE	OTHER	14,735	14,736	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:37	LARGE	OTHER	14,750	14,751	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:36	LARGE	OTHER	14,765	14,766	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:35	LARGE	OTHER	14,780	14,781	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:34	LARGE	OTHER	14,795	14,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:33	LARGE	OTHER	14,810	14,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:32	LARGE	OTHER	14,825	14,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:31	LARGE	OTHER	14,840	14,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM Operating Company, LLC

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 43

Report For 06:00 AM 18-Feb-23

Perforation Information

Stage: 1 of 16

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jan-23 15:10	LARGE	OTHER	14,855	14,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:09	LARGE	OTHER	14,870	14,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:08	LARGE	OTHER	14,885	14,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:07	LARGE	OTHER	14,900	14,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:06	LARGE	OTHER	14,915	14,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:05	LARGE	OTHER	14,931	14,932	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:04	LARGE	OTHER	14,946	14,947	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:03	LARGE	OTHER	14,961	14,962	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:02	LARGE	OTHER	14,976	14,977	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:01	LARGE	OTHER	14,991	14,992	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:00	LARGE	OTHER	15,013	15,021	8	TOE SLEEVE

Safety Information

First Aid Treatments:


Medical Treatments:

Lost Time Incidents:

Days Since LTI:

☐ BOP Test

☐ Crownamatic Check

	Daily Completion Report Well ID: 42-105-42524 Field: Barnyard						SEM Well Name: University 40 2109WB Sect: 21 County: Crockett State: TX	
	Report No: 44						Report For 06:00 AM 19-Feb-23	
	Operator: SEM OPERATOR		Rig: ICD 307		Wellbore: Original Wellbore		Daily Cost / Fluid (\$):	
Measured Depth (ft): 15129		Completion Days (act.): 7		Orig RKB Elev(ft): 2699		AFE No. AFE (\$) Actual (\$)		
Vertical Depth (ft): 6537				Last BOP Test: 05-Oct-22		B23003		
		Days On Location: 36						
Last Casing: 5.50 at 15,105		Spud Date:				Totals:		
Plug Back MD (ft): 6537						Well Cost (\$):		
Plug Back TVD (ft)		Pers/Hrs: Operator: 0 / 0		Contractor: 1 / 12		Service: 7 / 84 Other: 0 / 0 Total: 8 / 96		
Safety Summary: No incidents or events reported.								
Current Operations: PERF STAGE 22								
Planned Operations: PLUG & PERF ZIPPER STAGE FRAC								
Wellsite Supervisors: MOYE, DELEON, JOHNSON, , LUNSFORD						Tel No.: 432-217-9511		
Engineer(s): Larry Gillette								
Operations Summary								
From	To	Elapsed	End MD(ft)	Code	Operations Description		Non-Prod	
6:00	6:00	24.00		STIM	PLUG & PERF STAGES 20-21/ FRAC STAGES 19-21			
Management Summary								
PLUG & PERF STAGES 20-21 FRAC STAGES 19-21								
Cost/AFE Information								
AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent	
B23003	Drill and Complete a 7750' WB L	6,829,922.00	0.00	114,960.76	167,763.00	3,279,105.21	48.01%	
Totals \$:		6,829,922.00	0.00	114,961.00	167,763.00	3,279,105.00	48.01%	
Casing/Tubular Information								
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	LOT (lbs/gal)	
FULL	9.63	0		868		40.00	J-55	
FULL	5.50	0		15,105		17.00		
Perforation Information								
Stage: 18 of 18								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
18-Feb-23 15:26	LARGE	WLINGUN	11,779	11,780	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
18-Feb-23 15:25	LARGE	WLINGUN	11,795	11,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
18-Feb-23 15:24	LARGE	WLINGUN	11,810	11,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
18-Feb-23 15:23	LARGE	WLINGUN	11,825	11,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
18-Feb-23 15:22	LARGE	WLINGUN	11,840	11,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
18-Feb-23 15:21	LARGE	WLINGUN	11,855	11,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
18-Feb-23 15:20	LARGE	WLINGUN	11,870	11,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
18-Feb-23 15:19	LARGE	WLINGUN	11,885	11,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
18-Feb-23 15:18	LARGE	WLINGUN	11,900	11,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
18-Feb-23 15:17	LARGE	WLINGUN	11,915	11,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
18-Feb-23 15:16	LARGE	WLINGUN	11,930	11,931	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
18-Feb-23 15:15	LARGE	WLINGUN	11,945	11,946	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 44

Report For 06:00 AM 19-Feb-23

Perforation Information

Stage: 17 of 18

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Feb-23 06:12	LARGE	WLINGUN	11,960	11,961	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:11	LARGE	WLINGUN	11,975	11,976	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:10	LARGE	WLINGUN	11,987	11,988	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:09	LARGE	WLINGUN	12,006	12,007	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:08	LARGE	WLINGUN	12,021	12,022	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:07	LARGE	WLINGUN	12,036	12,037	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:06	LARGE	WLINGUN	12,051	12,052	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:05	LARGE	WLINGUN	12,066	12,067	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:04	LARGE	WLINGUN	12,081	12,082	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:03	LARGE	WLINGUN	12,096	12,097	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:02	LARGE	WLINGUN	12,108	12,109	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:01	LARGE	WLINGUN	12,126	12,127	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 16 of 18

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 23:06	LARGE	WLINGUN	12,141	12,142	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:05	LARGE	WLINGUN	12,156	12,157	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:04	LARGE	WLINGUN	12,171	12,172	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:03	LARGE	WLINGUN	12,186	12,187	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:02	LARGE	WLINGUN	12,202	12,203	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:01	LARGE	WLINGUN	12,217	12,218	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:00	LARGE	WLINGUN	12,231	12,232	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:59	LARGE	WLINGUN	12,247	12,248	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:58	LARGE	WLINGUN	12,262	12,263	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:57	LARGE	WLINGUN	12,277	12,278	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:56	LARGE	WLINGUN	12,292	12,293	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:55	LARGE	WLINGUN	12,307	12,308	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 44

Report For 06:00 AM 19-Feb-23

Perforation Information

Stage: 15 of 18

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:42	LARGE	WLINGUN	12,322	12,323	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:41	LARGE	WLINGUN	12,337	12,338	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:40	LARGE	WLINGUN	12,352	12,353	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:39	LARGE	WLINGUN	12,367	12,368	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:38	LARGE	WLINGUN	12,382	12,383	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:37	LARGE	WLINGUN	12,398	12,399	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:36	LARGE	WLINGUN	12,413	12,414	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:35	LARGE	WLINGUN	12,428	12,429	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:34	LARGE	WLINGUN	12,443	12,444	1	

Stage: 15 of 18

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:33	LARGE	WLINGUN	12,458	12,459	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:32	LARGE	WLINGUN	12,472	12,473	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:31	LARGE	WLINGUN	12,488	12,489	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 14 of 18

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 20:57	LARGE	WLINGUN	12,503	12,504	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:56	LARGE	WLINGUN	12,519	12,520	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:55	LARGE	WLINGUN	12,533	12,534	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:54	LARGE	WLINGUN	12,548	12,549	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:53	LARGE	WLINGUN	12,563	12,564	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:52	LARGE	WLINGUN	12,578	12,579	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:51	LARGE	WLINGUN	12,594	12,595	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:50	LARGE	WLINGUN	12,609	12,610	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:49	LARGE	WLINGUN	12,624	12,625	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:48	LARGE	WLINGUN	12,636	12,637	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:47	LARGE	WLINGUN	12,654	12,655	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:46	LARGE	WLINGUN	12,665	12,666	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 44

Report For 06:00 AM 19-Feb-23

Perforation Information

Stage: 13 of 18

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 11:45	LARGE	WLINGUN	12,684	12,685	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:34	LARGE	WLINGUN	12,699	12,700	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:33	LARGE	WLINGUN	12,714	12,715	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:32	LARGE	WLINGUN	12,729	12,730	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:31	LARGE	WLINGUN	12,744	12,745	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:30	LARGE	WLINGUN	12,758	12,759	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:29	LARGE	WLINGUN	12,775	12,776	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:28	LARGE	WLINGUN	12,790	12,791	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:27	LARGE	WLINGUN	12,805	12,806	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:26	LARGE	WLINGUN	12,820	12,821	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:25	LARGE	WLINGUN	12,835	12,836	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:24	LARGE	WLINGUN	12,850	12,851	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 12 of 18

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 01:29	LARGE	WLINGUN	12,865	12,866	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:28	LARGE	WLINGUN	12,877	12,878	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:27	LARGE	WLINGUN	12,895	12,896	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:26	LARGE	WLINGUN	12,910	12,911	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:25	LARGE	WLINGUN	12,925	12,926	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:24	LARGE	WLINGUN	12,940	12,941	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:23	LARGE	WLINGUN	12,955	12,956	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:22	LARGE	WLINGUN	12,971	12,972	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:21	LARGE	WLINGUN	12,986	12,987	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:20	LARGE	WLINGUN	12,999	13,000	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:19	LARGE	WLINGUN	13,016	13,017	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:18	LARGE	WLINGUN	13,029	13,030	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 44

Report For 06:00 AM 19-Feb-23

Perforation Information

Stage: 11 of 18

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 14:42	LARGE	WLINGUN	13,047	13,048	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:41	LARGE	WLINGUN	13,061	13,062	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:40	LARGE	WLINGUN	13,076	13,077	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:39	LARGE	WLINGUN	13,091	13,092	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:38	LARGE	WLINGUN	13,106	13,107	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:37	LARGE	WLINGUN	13,121	13,122	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:36	LARGE	WLINGUN	13,136	13,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:35	LARGE	WLINGUN	13,151	13,152	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:34	LARGE	WLINGUN	13,167	13,168	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:33	LARGE	WLINGUN	13,182	13,183	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:32	LARGE	WLINGUN	13,197	13,198	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:31	LARGE	WLINGUN	13,212	13,213	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 10 of 18

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 05:02	LARGE	WLINGUN	13,227	13,228	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:01	LARGE	WLINGUN	13,242	13,243	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:00	LARGE	WLINGUN	13,257	13,258	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:59	LARGE	WLINGUN	13,272	13,273	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:58	LARGE	WLINGUN	13,287	13,288	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:57	LARGE	WLINGUN	13,302	13,303	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:56	LARGE	WLINGUN	13,317	13,318	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:55	LARGE	WLINGUN	13,332	13,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:54	LARGE	WLINGUN	13,347	13,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:53	LARGE	WLINGUN	13,361	13,362	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:52	LARGE	WLINGUN	13,378	13,379	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:51	LARGE	WLINGUN	13,393	13,394	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 44

Report For 06:00 AM 19-Feb-23

Perforation Information

Stage: 9 of 18

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 19:15	LARGE	WLINGUN	13,409	13,410	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:14	LARGE	WLINGUN	13,423	13,424	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:13	LARGE	WLINGUN	13,438	13,439	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:12	LARGE	WLINGUN	13,453	13,454	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:11	LARGE	WLINGUN	13,468	13,469	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:10	LARGE	WLINGUN	13,483	13,484	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:09	LARGE	WLINGUN	13,498	13,499	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:08	LARGE	WLINGUN	13,513	13,514	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:07	LARGE	WLINGUN	13,529	13,530	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:06	LARGE	WLINGUN	13,543	13,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:05	LARGE	WLINGUN	13,559	13,560	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:04	LARGE	WLINGUN	13,574	13,575	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 8 of 18

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 09:47	LARGE	WLINGUN	13,589	13,590	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:46	LARGE	WLINGUN	13,607	13,608	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:45	LARGE	WLINGUN	13,619	13,620	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:44	LARGE	WLINGUN	13,634	13,635	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:43	LARGE	WLINGUN	13,649	13,650	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:42	LARGE	WLINGUN	13,662	13,663	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:41	LARGE	WLINGUN	13,679	13,680	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:40	LARGE	WLINGUN	13,694	13,695	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:39	LARGE	WLINGUN	13,709	13,710	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:38	LARGE	WLINGUN	13,727	13,728	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:37	LARGE	WLINGUN	13,739	13,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:36	LARGE	WLINGUN	13,755	13,756	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 44

Report For 06:00 AM 19-Feb-23

Perforation Information

Stage: 7 of 18

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 00:03	LARGE	OTHER	13,770	13,771	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:02	LARGE	OTHER	13,783	13,784	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:01	LARGE	OTHER	13,800	13,801	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:00	LARGE	OTHER	13,815	13,816	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:59	LARGE	OTHER	13,830	13,831	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:58	LARGE	OTHER	13,845	13,846	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:57	LARGE	OTHER	13,860	13,861	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:56	LARGE	OTHER	13,875	13,876	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:55	LARGE	OTHER	13,890	13,891	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:54	LARGE	OTHER	13,903	13,904	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:53	LARGE	OTHER	13,920	13,921	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:52	LARGE	OTHER	13,933	13,934	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 6 of 18

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 18:27	LARGE	OTHER	13,951	13,952	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:26	LARGE	OTHER	13,966	13,967	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:25	LARGE	OTHER	13,981	13,982	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:24	LARGE	OTHER	13,996	13,997	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:23	LARGE	OTHER	14,011	14,012	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:22	LARGE	OTHER	14,026	14,027	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:21	LARGE	OTHER	14,041	14,042	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:20	LARGE	OTHER	14,056	14,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:19	LARGE	OTHER	14,072	14,073	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:18	LARGE	OTHER	14,086	14,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:17	LARGE	OTHER	14,101	14,102	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:16	LARGE	OTHER	14,116	14,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 44

Report For 06:00 AM 19-Feb-23

Perforation Information

Stage: 5 of 18

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 08:32	LARGE	OTHER	14,131	14,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:31	LARGE	OTHER	14,147	14,148	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:30	LARGE	OTHER	14,162	14,163	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:29	LARGE	OTHER	14,177	14,178	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:28	LARGE	OTHER	14,194	14,195	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:27	LARGE	OTHER	14,207	14,208	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:26	LARGE	OTHER	14,222	14,223	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:25	LARGE	OTHER	14,237	14,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:24	LARGE	OTHER	14,252	14,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:23	LARGE	OTHER	14,267	14,268	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:22	LARGE	OTHER	14,282	14,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:21	LARGE	OTHER	14,297	14,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 4 of 18

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 01:37	LARGE	OTHER	14,315	14,316	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:36	LARGE	OTHER	14,327	14,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:35	LARGE	OTHER	14,343	14,344	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:34	LARGE	OTHER	14,358	14,359	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:33	LARGE	OTHER	14,373	14,374	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:32	LARGE	OTHER	14,388	14,389	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:31	LARGE	OTHER	14,403	14,404	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:30	LARGE	OTHER	14,418	14,419	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:29	LARGE	OTHER	14,435	14,436	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:28	LARGE	OTHER	14,448	14,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:27	LARGE	OTHER	14,463	14,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:26	LARGE	OTHER	14,478	14,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 44

Report For 06:00 AM 19-Feb-23

Perforation Information

Stage: 3 of 18

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
11-Feb-23 18:12	LARGE	OTHER	14,493	14,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:11	LARGE	OTHER	14,508	14,509	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:10	LARGE	OTHER	14,523	14,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:09	LARGE	OTHER	14,539	14,540	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:08	LARGE	OTHER	14,550	14,551	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:07	LARGE	OTHER	14,569	14,570	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:06	LARGE	OTHER	14,584	14,585	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:05	LARGE	OTHER	14,599	14,600	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:04	LARGE	OTHER	14,614	14,615	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:03	LARGE	OTHER	14,629	14,630	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:02	LARGE	OTHER	14,664	14,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:01	LARGE	OTHER	14,659	14,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 2 of 18

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
09-Feb-23 21:42	LARGE	OTHER	14,674	14,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:41	LARGE	OTHER	14,689	14,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:40	LARGE	OTHER	14,704	14,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:39	LARGE	OTHER	14,719	14,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:38	LARGE	OTHER	14,735	14,736	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:37	LARGE	OTHER	14,750	14,751	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:36	LARGE	OTHER	14,765	14,766	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:35	LARGE	OTHER	14,780	14,781	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:34	LARGE	OTHER	14,795	14,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:33	LARGE	OTHER	14,810	14,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:32	LARGE	OTHER	14,825	14,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:31	LARGE	OTHER	14,840	14,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 44

Report For 06:00 AM 19-Feb-23

Perforation Information

Stage: 1 of 18

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jan-23 15:10	LARGE	OTHER	14,855	14,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:09	LARGE	OTHER	14,870	14,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:08	LARGE	OTHER	14,885	14,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:07	LARGE	OTHER	14,900	14,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:06	LARGE	OTHER	14,915	14,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:05	LARGE	OTHER	14,931	14,932	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:04	LARGE	OTHER	14,946	14,947	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:03	LARGE	OTHER	14,961	14,962	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:02	LARGE	OTHER	14,976	14,977	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:01	LARGE	OTHER	14,991	14,992	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:00	LARGE	OTHER	15,013	15,021	8	TOE SLEEVE

Safety Information

First Aid Treatments:


Medical Treatments:

Lost Time Incidents:

Days Since LTI:

☐ BOP Test

☐ Crownamatic Check

	Daily Completion Report						SEM	
	Well ID: 42-105-42524 Field: Barnyard						Well Name: University 40 2109WB Sect: 21 County: Crockett State: TX	
	Report No: 45						Report For 06:00 AM 20-Feb-23	
Operator: SEM OPERATOR		Rig: ICD 307		Wellbore: Original Wellbore		Daily Cost / Fluid (\$):		
Measured Depth (ft): 15129		Completion Days (act.): 8		Orig RKB Elev(ft): 2699		AFE No. AFE (\$) Actual (\$)		
Vertical Depth (ft): 6537				Last BOP Test: 05-Oct-22		B23003		
		Days On Location: 37						
Last Casing: 5.50 at 15,105		Spud Date:				Totals:		
Plug Back MD (ft): 6537						Well Cost (\$):		
Plug Back TVD (ft)		Pers/Hrs: Operator: 0 / 0		Contractor: 1 / 12		Service: 7 / 84		Other: 0 / 0 Total: 8 / 96
Safety Summary: No incidents or events reported.								
Current Operations: CURRENTLY FRACING STAGE 24								
Planned Operations: PLUG & PERF ZIPPER STAGE FRAC								
Wellsite Supervisors: MOYE, DELEON, JOHNSON, , LUNSFORD						Tel No.: 432-217-9511		
Engineer(s): Larry Gillette								
Operations Summary								
From	To	Elapsed	End MD(ft)	Code	Operations Description			Non-Prod
6:00	6:00	24.00		STIM	PLUG & PERF STAGES 22-24 FRAC STAGES 22-23			
Management Summary								
PLUG & PERF STAGES 22-24 FRAC STAGES 22-23								
Cost/AFE Information								
AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent	
B23003	Drill and Complete a 7750' WB L	6,829,922.00	0.00	114,960.76	131,055.07	3,410,160.28	49.93%	
Totals \$:		6,829,922.00	0.00	114,961.00	131,055.00	3,410,160.00	49.93%	
Casing/Tubular Information								
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	9.63	0		868		40.00	J-55	
FULL	5.50	0		15,105		17.00		
Perforation Information								
Stage: 22 of 22								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
20-Feb-23 00:00	LARGE	WLINGUN	11,056	11,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
Stage: 21 of 22								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
19-Feb-23 19:12	LARGE	WLINGUN	11,237	11,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
19-Feb-23 19:11	LARGE	WLINGUN	11,252	11,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
19-Feb-23 19:10	LARGE	WLINGUN	11,265	11,266	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
19-Feb-23 19:09	LARGE	WLINGUN	11,282	11,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
19-Feb-23 19:08	LARGE	WLINGUN	11,297	11,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
19-Feb-23 19:07	LARGE	WLINGUN	11,312	11,313	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
19-Feb-23 19:06	LARGE	WLINGUN	11,327	11,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
19-Feb-23 19:05	LARGE	WLINGUN	11,342	11,343	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
19-Feb-23 19:04	LARGE	WLINGUN	11,357	11,358	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
19-Feb-23 19:03	LARGE	WLINGUN	11,372	11,373	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
19-Feb-23 19:02	LARGE	WLINGUN	11,387	11,388	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
19-Feb-23 19:01	LARGE	WLINGUN	11,402	11,403	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 45

Report For 06:00 AM 20-Feb-23

Perforation Information

Stage: 20 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 10:12	LARGE	WLINGUN	11,417	11,418	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:11	LARGE	WLINGUN	11,433	11,434	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:10	LARGE	WLINGUN	11,448	11,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:09	LARGE	WLINGUN	11,463	11,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:08	LARGE	WLINGUN	11,478	11,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:07	LARGE	WLINGUN	11,493	11,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:06	LARGE	WLINGUN	11,506	11,507	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:05	LARGE	WLINGUN	11,523	11,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:04	LARGE	WLINGUN	11,538	11,539	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:03	LARGE	WLINGUN	11,553	11,554	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:02	LARGE	WLINGUN	11,568	11,569	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:01	LARGE	WLINGUN	11,583	11,584	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 19 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 00:40	LARGE	WLINGUN	11,598	11,599	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:39	LARGE	WLINGUN	11,613	11,614	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:38	LARGE	WLINGUN	11,627	11,628	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:37	LARGE	WLINGUN	11,644	11,645	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:36	LARGE	WLINGUN	11,659	11,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:35	LARGE	WLINGUN	11,674	11,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:34	LARGE	WLINGUN	11,689	11,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:33	LARGE	WLINGUN	11,704	11,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:32	LARGE	WLINGUN	11,719	11,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:31	LARGE	WLINGUN	11,734	11,735	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:30	LARGE	WLINGUN	11,749	11,750	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:29	LARGE	WLINGUN	11,764	11,765	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 45

Report For 06:00 AM 20-Feb-23

Perforation Information

Stage: 18 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Feb-23 15:26	LARGE	WLINGUN	11,779	11,780	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:25	LARGE	WLINGUN	11,795	11,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:24	LARGE	WLINGUN	11,810	11,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:23	LARGE	WLINGUN	11,825	11,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:22	LARGE	WLINGUN	11,840	11,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:21	LARGE	WLINGUN	11,855	11,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:20	LARGE	WLINGUN	11,870	11,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:19	LARGE	WLINGUN	11,885	11,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:18	LARGE	WLINGUN	11,900	11,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:17	LARGE	WLINGUN	11,915	11,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:16	LARGE	WLINGUN	11,930	11,931	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:15	LARGE	WLINGUN	11,945	11,946	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 17 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Feb-23 06:12	LARGE	WLINGUN	11,960	11,961	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:11	LARGE	WLINGUN	11,975	11,976	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:10	LARGE	WLINGUN	11,987	11,988	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:09	LARGE	WLINGUN	12,006	12,007	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:08	LARGE	WLINGUN	12,021	12,022	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:07	LARGE	WLINGUN	12,036	12,037	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:06	LARGE	WLINGUN	12,051	12,052	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:05	LARGE	WLINGUN	12,066	12,067	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:04	LARGE	WLINGUN	12,081	12,082	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:03	LARGE	WLINGUN	12,096	12,097	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:02	LARGE	WLINGUN	12,108	12,109	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:01	LARGE	WLINGUN	12,126	12,127	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 45

Report For 06:00 AM 20-Feb-23

Perforation Information

Stage: 16 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 23:06	LARGE	WLINGUN	12,141	12,142	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:05	LARGE	WLINGUN	12,156	12,157	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:04	LARGE	WLINGUN	12,171	12,172	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:03	LARGE	WLINGUN	12,186	12,187	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:02	LARGE	WLINGUN	12,202	12,203	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:01	LARGE	WLINGUN	12,217	12,218	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:00	LARGE	WLINGUN	12,231	12,232	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:59	LARGE	WLINGUN	12,247	12,248	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:58	LARGE	WLINGUN	12,262	12,263	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:57	LARGE	WLINGUN	12,277	12,278	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:56	LARGE	WLINGUN	12,292	12,293	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:55	LARGE	WLINGUN	12,307	12,308	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 15 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:42	LARGE	WLINGUN	12,322	12,323	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:41	LARGE	WLINGUN	12,337	12,338	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:40	LARGE	WLINGUN	12,352	12,353	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:39	LARGE	WLINGUN	12,367	12,368	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:38	LARGE	WLINGUN	12,382	12,383	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:37	LARGE	WLINGUN	12,398	12,399	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:36	LARGE	WLINGUN	12,413	12,414	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:35	LARGE	WLINGUN	12,428	12,429	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:34	LARGE	WLINGUN	12,443	12,444	1	

Stage: 15 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:33	LARGE	WLINGUN	12,458	12,459	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:32	LARGE	WLINGUN	12,472	12,473	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:31	LARGE	WLINGUN	12,488	12,489	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 45

Report For 06:00 AM 20-Feb-23

Perforation Information

Stage: 14 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 20:57	LARGE	WLINGUN	12,503	12,504	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:56	LARGE	WLINGUN	12,519	12,520	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:55	LARGE	WLINGUN	12,533	12,534	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:54	LARGE	WLINGUN	12,548	12,549	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:53	LARGE	WLINGUN	12,563	12,564	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:52	LARGE	WLINGUN	12,578	12,579	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:51	LARGE	WLINGUN	12,594	12,595	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:50	LARGE	WLINGUN	12,609	12,610	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:49	LARGE	WLINGUN	12,624	12,625	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:48	LARGE	WLINGUN	12,636	12,637	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:47	LARGE	WLINGUN	12,654	12,655	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:46	LARGE	WLINGUN	12,665	12,666	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 13 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 11:45	LARGE	WLINGUN	12,684	12,685	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:34	LARGE	WLINGUN	12,699	12,700	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:33	LARGE	WLINGUN	12,714	12,715	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:32	LARGE	WLINGUN	12,729	12,730	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:31	LARGE	WLINGUN	12,744	12,745	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:30	LARGE	WLINGUN	12,758	12,759	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:29	LARGE	WLINGUN	12,775	12,776	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:28	LARGE	WLINGUN	12,790	12,791	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:27	LARGE	WLINGUN	12,805	12,806	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:26	LARGE	WLINGUN	12,820	12,821	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:25	LARGE	WLINGUN	12,835	12,836	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:24	LARGE	WLINGUN	12,850	12,851	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 45

Report For 06:00 AM 20-Feb-23

Perforation Information

Stage: 12 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 01:29	LARGE	WLINGUN	12,865	12,866	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:28	LARGE	WLINGUN	12,877	12,878	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:27	LARGE	WLINGUN	12,895	12,896	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:26	LARGE	WLINGUN	12,910	12,911	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:25	LARGE	WLINGUN	12,925	12,926	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:24	LARGE	WLINGUN	12,940	12,941	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:23	LARGE	WLINGUN	12,955	12,956	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:22	LARGE	WLINGUN	12,971	12,972	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:21	LARGE	WLINGUN	12,986	12,987	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:20	LARGE	WLINGUN	12,999	13,000	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:19	LARGE	WLINGUN	13,016	13,017	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:18	LARGE	WLINGUN	13,029	13,030	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 11 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 14:42	LARGE	WLINGUN	13,047	13,048	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:41	LARGE	WLINGUN	13,061	13,062	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:40	LARGE	WLINGUN	13,076	13,077	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:39	LARGE	WLINGUN	13,091	13,092	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:38	LARGE	WLINGUN	13,106	13,107	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:37	LARGE	WLINGUN	13,121	13,122	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:36	LARGE	WLINGUN	13,136	13,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:35	LARGE	WLINGUN	13,151	13,152	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:34	LARGE	WLINGUN	13,167	13,168	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:33	LARGE	WLINGUN	13,182	13,183	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:32	LARGE	WLINGUN	13,197	13,198	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:31	LARGE	WLINGUN	13,212	13,213	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 45

Report For 06:00 AM 20-Feb-23

Perforation Information

Stage: 10 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 05:02	LARGE	WLINGUN	13,227	13,228	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:01	LARGE	WLINGUN	13,242	13,243	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:00	LARGE	WLINGUN	13,257	13,258	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:59	LARGE	WLINGUN	13,272	13,273	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:58	LARGE	WLINGUN	13,287	13,288	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:57	LARGE	WLINGUN	13,302	13,303	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:56	LARGE	WLINGUN	13,317	13,318	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:55	LARGE	WLINGUN	13,332	13,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:54	LARGE	WLINGUN	13,347	13,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:53	LARGE	WLINGUN	13,361	13,362	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:52	LARGE	WLINGUN	13,378	13,379	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:51	LARGE	WLINGUN	13,393	13,394	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 9 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 19:15	LARGE	WLINGUN	13,409	13,410	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:14	LARGE	WLINGUN	13,423	13,424	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:13	LARGE	WLINGUN	13,438	13,439	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:12	LARGE	WLINGUN	13,453	13,454	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:11	LARGE	WLINGUN	13,468	13,469	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:10	LARGE	WLINGUN	13,483	13,484	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:09	LARGE	WLINGUN	13,498	13,499	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:08	LARGE	WLINGUN	13,513	13,514	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:07	LARGE	WLINGUN	13,529	13,530	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:06	LARGE	WLINGUN	13,543	13,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:05	LARGE	WLINGUN	13,559	13,560	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:04	LARGE	WLINGUN	13,574	13,575	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 45

Report For 06:00 AM 20-Feb-23

Perforation Information

Stage: 8 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 09:47	LARGE	WLINGUN	13,589	13,590	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:46	LARGE	WLINGUN	13,607	13,608	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:45	LARGE	WLINGUN	13,619	13,620	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:44	LARGE	WLINGUN	13,634	13,635	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:43	LARGE	WLINGUN	13,649	13,650	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:42	LARGE	WLINGUN	13,662	13,663	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:41	LARGE	WLINGUN	13,679	13,680	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:40	LARGE	WLINGUN	13,694	13,695	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:39	LARGE	WLINGUN	13,709	13,710	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:38	LARGE	WLINGUN	13,727	13,728	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:37	LARGE	WLINGUN	13,739	13,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:36	LARGE	WLINGUN	13,755	13,756	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 7 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 00:03	LARGE	OTHER	13,770	13,771	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:02	LARGE	OTHER	13,783	13,784	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:01	LARGE	OTHER	13,800	13,801	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:00	LARGE	OTHER	13,815	13,816	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:59	LARGE	OTHER	13,830	13,831	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:58	LARGE	OTHER	13,845	13,846	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:57	LARGE	OTHER	13,860	13,861	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:56	LARGE	OTHER	13,875	13,876	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:55	LARGE	OTHER	13,890	13,891	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:54	LARGE	OTHER	13,903	13,904	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:53	LARGE	OTHER	13,920	13,921	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:52	LARGE	OTHER	13,933	13,934	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 45

Report For 06:00 AM 20-Feb-23

Perforation Information

Stage: 6 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 18:27	LARGE	OTHER	13,951	13,952	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:26	LARGE	OTHER	13,966	13,967	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:25	LARGE	OTHER	13,981	13,982	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:24	LARGE	OTHER	13,996	13,997	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:23	LARGE	OTHER	14,011	14,012	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:22	LARGE	OTHER	14,026	14,027	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:21	LARGE	OTHER	14,041	14,042	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:20	LARGE	OTHER	14,056	14,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:19	LARGE	OTHER	14,072	14,073	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:18	LARGE	OTHER	14,086	14,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:17	LARGE	OTHER	14,101	14,102	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:16	LARGE	OTHER	14,116	14,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 5 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 08:32	LARGE	OTHER	14,131	14,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:31	LARGE	OTHER	14,147	14,148	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:30	LARGE	OTHER	14,162	14,163	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:29	LARGE	OTHER	14,177	14,178	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:28	LARGE	OTHER	14,194	14,195	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:27	LARGE	OTHER	14,207	14,208	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:26	LARGE	OTHER	14,222	14,223	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:25	LARGE	OTHER	14,237	14,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:24	LARGE	OTHER	14,252	14,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:23	LARGE	OTHER	14,267	14,268	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:22	LARGE	OTHER	14,282	14,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:21	LARGE	OTHER	14,297	14,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 45

Report For 06:00 AM 20-Feb-23

Perforation Information

Stage: 4 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 01:37	LARGE	OTHER	14,315	14,316	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:36	LARGE	OTHER	14,327	14,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:35	LARGE	OTHER	14,343	14,344	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:34	LARGE	OTHER	14,358	14,359	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:33	LARGE	OTHER	14,373	14,374	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:32	LARGE	OTHER	14,388	14,389	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:31	LARGE	OTHER	14,403	14,404	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:30	LARGE	OTHER	14,418	14,419	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:29	LARGE	OTHER	14,435	14,436	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:28	LARGE	OTHER	14,448	14,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:27	LARGE	OTHER	14,463	14,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:26	LARGE	OTHER	14,478	14,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 3 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
11-Feb-23 18:12	LARGE	OTHER	14,493	14,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:11	LARGE	OTHER	14,508	14,509	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:10	LARGE	OTHER	14,523	14,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:09	LARGE	OTHER	14,539	14,540	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:08	LARGE	OTHER	14,550	14,551	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:07	LARGE	OTHER	14,569	14,570	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:06	LARGE	OTHER	14,584	14,585	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:05	LARGE	OTHER	14,599	14,600	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:04	LARGE	OTHER	14,614	14,615	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:03	LARGE	OTHER	14,629	14,630	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:02	LARGE	OTHER	14,664	14,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:01	LARGE	OTHER	14,659	14,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 45

Report For 06:00 AM 20-Feb-23

Perforation Information

Stage: 2 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
09-Feb-23 21:42	LARGE	OTHER	14,674	14,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:41	LARGE	OTHER	14,689	14,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:40	LARGE	OTHER	14,704	14,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:39	LARGE	OTHER	14,719	14,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:38	LARGE	OTHER	14,735	14,736	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:37	LARGE	OTHER	14,750	14,751	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:36	LARGE	OTHER	14,765	14,766	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:35	LARGE	OTHER	14,780	14,781	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:34	LARGE	OTHER	14,795	14,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:33	LARGE	OTHER	14,810	14,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:32	LARGE	OTHER	14,825	14,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:31	LARGE	OTHER	14,840	14,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 1 of 22

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jan-23 15:10	LARGE	OTHER	14,855	14,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:09	LARGE	OTHER	14,870	14,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:08	LARGE	OTHER	14,885	14,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:07	LARGE	OTHER	14,900	14,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:06	LARGE	OTHER	14,915	14,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:05	LARGE	OTHER	14,931	14,932	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:04	LARGE	OTHER	14,946	14,947	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:03	LARGE	OTHER	14,961	14,962	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:02	LARGE	OTHER	14,976	14,977	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:01	LARGE	OTHER	14,991	14,992	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:00	LARGE	OTHER	15,013	15,021	8	TOE SLEEVE

Safety Information

First Aid Treatments:

Medical Treatments:

Lost Time Incidents:

Days Since LTI:

☐ BOP Test

☐ Crownamatic Check

	Daily Completion Report						SEM	
	Well ID: 42-105-42524 Field: Barnyard						Well Name: University 40 2109WB Sect: 21 County: Crockett State: TX	
	Report No: 46						Report For 06:00 AM 21-Feb-23	
Operator: SEM OPERATOR		Rig: ICD 307		Wellbore: Original Wellbore		Daily Cost / Fluid (\$):		
Measured Depth (ft): 15129		Completion Days (act.): 9		Orig RKB Elev(ft): 2699		AFE No. AFE (\$) Actual (\$)		
Vertical Depth (ft): 6537				Last BOP Test: 05-Oct-22		B23003		
		Days On Location: 38						
Last Casing: 5.50 at 15,105		Spud Date:				Totals:		
Plug Back MD (ft): 6537						Well Cost (\$):		
Plug Back TVD (ft)		Pers/Hrs: Operator: 0 / 0		Contractor: 1 / 12		Service: 7 / 84		Other: 0 / 0 Total: 8 / 96
Safety Summary: No incidents or events reported.								
Current Operations: CURRENTLY FRACING STAGE 27								
Planned Operations: PLUG & PERF ZIPPER STAGE FRAC								
Wellsite Supervisors: MOYE, DELEON, JOHNSON, , LUNSFORD						Tel No.: 432-217-9511		
Engineer(s): Larry Gillette								
Operations Summary								
From	To	Elapsed	End MD(ft)	Code	Operations Description			Non-Prod
6:00	6:00	24.00		STIM	PLUG & PERF STAGES 25-27 FRAC STAGES 24-26			
Management Summary								
PLUG & PERF STAGES 25-27 FRAC STAGES 24-26								
Cost/AFE Information								
AFE No	AFE Description		AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent
B23003	Drill and Complete a 7750' WB L		6,829,922.00	0.00	114,960.76	163,947.15	3,587,419.22	52.53%
Totals \$:			6,829,922.00	0.00	114,961.00	163,947.00	3,587,419.00	52.53%
Casing/Tubular Information								
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	9.63	0		868		40.00	J-55	
FULL	5.50	0		15,105		17.00		
Perforation Information								
Stage: 24 of 24								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
20-Feb-23 23:07	LARGE	WLINGUN	10,694	10,695	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
20-Feb-23 23:06	LARGE	WLINGUN	10,709	10,710	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
20-Feb-23 23:05	LARGE	WLINGUN	10,724	10,725	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
20-Feb-23 23:04	LARGE	WLINGUN	10,739	10,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
20-Feb-23 23:03	LARGE	WLINGUN	10,754	10,755	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
20-Feb-23 23:02	LARGE	WLINGUN	10,769	10,770	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
20-Feb-23 23:01	LARGE	WLINGUN	10,784	10,785	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
20-Feb-23 23:00	LARGE	WLINGUN	10,799	10,800	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
20-Feb-23 22:59	LARGE	WLINGUN	10,814	10,815	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
20-Feb-23 22:58	LARGE	WLINGUN	10,830	10,831	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
20-Feb-23 22:57	LARGE	WLINGUN	10,847	10,848	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
20-Feb-23 22:56	LARGE	WLINGUN	10,860	10,861	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 46

Report For 06:00 AM 21-Feb-23

Perforation Information

Stage: 23 of 24

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 14:12	LARGE	WLINGUN	10,875	10,876	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:11	LARGE	WLINGUN	10,890	10,891	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:10	LARGE	WLINGUN	10,905	10,906	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:09	LARGE	WLINGUN	10,921	10,922	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:08	LARGE	WLINGUN	10,935	10,936	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:07	LARGE	WLINGUN	10,950	10,951	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:06	LARGE	WLINGUN	10,967	10,968	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:05	LARGE	WLINGUN	10,980	10,981	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:04	LARGE	WLINGUN	10,995	10,996	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:03	LARGE	WLINGUN	11,010	11,011	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:02	LARGE	WLINGUN	11,026	11,027	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:01	LARGE	WLINGUN	11,041	11,042	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 22 of 24

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 05:51	LARGE	WLINGUN	11,071	11,072	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:50	LARGE	WLINGUN	11,086	11,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:49	LARGE	WLINGUN	11,101	11,102	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:48	LARGE	WLINGUN	11,116	11,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:47	LARGE	WLINGUN	11,131	11,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:46	LARGE	WLINGUN	11,145	11,146	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:45	LARGE	WLINGUN	11,161	11,162	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:44	LARGE	WLINGUN	11,176	11,177	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:43	LARGE	WLINGUN	11,191	11,192	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:41	LARGE	WLINGUN	11,206	11,207	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:40	LARGE	WLINGUN	11,222	11,223	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 00:00	LARGE	WLINGUN	11,056	11,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 46

Report For 06:00 AM 21-Feb-23

Perforation Information

Stage: 21 of 24

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 19:12	LARGE	WLINGUN	11,237	11,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:11	LARGE	WLINGUN	11,252	11,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:10	LARGE	WLINGUN	11,265	11,266	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:09	LARGE	WLINGUN	11,282	11,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:08	LARGE	WLINGUN	11,297	11,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:07	LARGE	WLINGUN	11,312	11,313	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:06	LARGE	WLINGUN	11,327	11,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:05	LARGE	WLINGUN	11,342	11,343	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:04	LARGE	WLINGUN	11,357	11,358	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:03	LARGE	WLINGUN	11,372	11,373	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:02	LARGE	WLINGUN	11,387	11,388	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:01	LARGE	WLINGUN	11,402	11,403	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 20 of 24

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 10:12	LARGE	WLINGUN	11,417	11,418	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:11	LARGE	WLINGUN	11,433	11,434	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:10	LARGE	WLINGUN	11,448	11,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:09	LARGE	WLINGUN	11,463	11,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:08	LARGE	WLINGUN	11,478	11,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:07	LARGE	WLINGUN	11,493	11,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:06	LARGE	WLINGUN	11,506	11,507	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:05	LARGE	WLINGUN	11,523	11,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:04	LARGE	WLINGUN	11,538	11,539	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:03	LARGE	WLINGUN	11,553	11,554	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:02	LARGE	WLINGUN	11,568	11,569	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:01	LARGE	WLINGUN	11,583	11,584	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 46

Report For 06:00 AM 21-Feb-23

Perforation Information

Stage: 19 of 24

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 00:40	LARGE	WLINGUN	11,598	11,599	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:39	LARGE	WLINGUN	11,613	11,614	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:38	LARGE	WLINGUN	11,627	11,628	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:37	LARGE	WLINGUN	11,644	11,645	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:36	LARGE	WLINGUN	11,659	11,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:35	LARGE	WLINGUN	11,674	11,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:34	LARGE	WLINGUN	11,689	11,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:33	LARGE	WLINGUN	11,704	11,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:32	LARGE	WLINGUN	11,719	11,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:31	LARGE	WLINGUN	11,734	11,735	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:30	LARGE	WLINGUN	11,749	11,750	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:29	LARGE	WLINGUN	11,764	11,765	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 18 of 24

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Feb-23 15:26	LARGE	WLINGUN	11,779	11,780	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:25	LARGE	WLINGUN	11,795	11,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:24	LARGE	WLINGUN	11,810	11,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:23	LARGE	WLINGUN	11,825	11,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:22	LARGE	WLINGUN	11,840	11,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:21	LARGE	WLINGUN	11,855	11,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:20	LARGE	WLINGUN	11,870	11,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:19	LARGE	WLINGUN	11,885	11,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:18	LARGE	WLINGUN	11,900	11,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:17	LARGE	WLINGUN	11,915	11,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:16	LARGE	WLINGUN	11,930	11,931	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:15	LARGE	WLINGUN	11,945	11,946	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 46

Report For 06:00 AM 21-Feb-23

Perforation Information

Stage: 17 of 24

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Feb-23 06:12	LARGE	WLINGUN	11,960	11,961	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:11	LARGE	WLINGUN	11,975	11,976	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:10	LARGE	WLINGUN	11,987	11,988	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:09	LARGE	WLINGUN	12,006	12,007	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:08	LARGE	WLINGUN	12,021	12,022	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:07	LARGE	WLINGUN	12,036	12,037	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:06	LARGE	WLINGUN	12,051	12,052	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:05	LARGE	WLINGUN	12,066	12,067	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:04	LARGE	WLINGUN	12,081	12,082	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:03	LARGE	WLINGUN	12,096	12,097	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:02	LARGE	WLINGUN	12,108	12,109	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:01	LARGE	WLINGUN	12,126	12,127	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 16 of 24

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 23:06	LARGE	WLINGUN	12,141	12,142	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:05	LARGE	WLINGUN	12,156	12,157	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:04	LARGE	WLINGUN	12,171	12,172	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:03	LARGE	WLINGUN	12,186	12,187	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:02	LARGE	WLINGUN	12,202	12,203	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:01	LARGE	WLINGUN	12,217	12,218	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:00	LARGE	WLINGUN	12,231	12,232	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:59	LARGE	WLINGUN	12,247	12,248	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:58	LARGE	WLINGUN	12,262	12,263	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:57	LARGE	WLINGUN	12,277	12,278	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:56	LARGE	WLINGUN	12,292	12,293	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:55	LARGE	WLINGUN	12,307	12,308	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 46

Report For 06:00 AM 21-Feb-23

Perforation Information

Stage: 15 of 24

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:42	LARGE	WLINGUN	12,322	12,323	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:41	LARGE	WLINGUN	12,337	12,338	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:40	LARGE	WLINGUN	12,352	12,353	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:39	LARGE	WLINGUN	12,367	12,368	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:38	LARGE	WLINGUN	12,382	12,383	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:37	LARGE	WLINGUN	12,398	12,399	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:36	LARGE	WLINGUN	12,413	12,414	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:35	LARGE	WLINGUN	12,428	12,429	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:34	LARGE	WLINGUN	12,443	12,444	1	

Stage: 15 of 24

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:33	LARGE	WLINGUN	12,458	12,459	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:32	LARGE	WLINGUN	12,472	12,473	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:31	LARGE	WLINGUN	12,488	12,489	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 14 of 24

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 20:57	LARGE	WLINGUN	12,503	12,504	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:56	LARGE	WLINGUN	12,519	12,520	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:55	LARGE	WLINGUN	12,533	12,534	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:54	LARGE	WLINGUN	12,548	12,549	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:53	LARGE	WLINGUN	12,563	12,564	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:52	LARGE	WLINGUN	12,578	12,579	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:51	LARGE	WLINGUN	12,594	12,595	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:50	LARGE	WLINGUN	12,609	12,610	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:49	LARGE	WLINGUN	12,624	12,625	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:48	LARGE	WLINGUN	12,636	12,637	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:47	LARGE	WLINGUN	12,654	12,655	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:46	LARGE	WLINGUN	12,665	12,666	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 46

Report For 06:00 AM 21-Feb-23

Perforation Information

Stage: 13 of 24

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 11:45	LARGE	WLINGUN	12,684	12,685	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:34	LARGE	WLINGUN	12,699	12,700	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:33	LARGE	WLINGUN	12,714	12,715	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:32	LARGE	WLINGUN	12,729	12,730	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:31	LARGE	WLINGUN	12,744	12,745	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:30	LARGE	WLINGUN	12,758	12,759	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:29	LARGE	WLINGUN	12,775	12,776	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:28	LARGE	WLINGUN	12,790	12,791	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:27	LARGE	WLINGUN	12,805	12,806	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:26	LARGE	WLINGUN	12,820	12,821	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:25	LARGE	WLINGUN	12,835	12,836	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:24	LARGE	WLINGUN	12,850	12,851	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 12 of 24

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 01:29	LARGE	WLINGUN	12,865	12,866	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:28	LARGE	WLINGUN	12,877	12,878	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:27	LARGE	WLINGUN	12,895	12,896	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:26	LARGE	WLINGUN	12,910	12,911	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:25	LARGE	WLINGUN	12,925	12,926	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:24	LARGE	WLINGUN	12,940	12,941	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:23	LARGE	WLINGUN	12,955	12,956	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:22	LARGE	WLINGUN	12,971	12,972	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:21	LARGE	WLINGUN	12,986	12,987	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:20	LARGE	WLINGUN	12,999	13,000	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:19	LARGE	WLINGUN	13,016	13,017	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:18	LARGE	WLINGUN	13,029	13,030	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 46

Report For 06:00 AM 21-Feb-23

Perforation Information

Stage: 11 of 24

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 14:42	LARGE	WLINGUN	13,047	13,048	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:41	LARGE	WLINGUN	13,061	13,062	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:40	LARGE	WLINGUN	13,076	13,077	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:39	LARGE	WLINGUN	13,091	13,092	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:38	LARGE	WLINGUN	13,106	13,107	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:37	LARGE	WLINGUN	13,121	13,122	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:36	LARGE	WLINGUN	13,136	13,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:35	LARGE	WLINGUN	13,151	13,152	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:34	LARGE	WLINGUN	13,167	13,168	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:33	LARGE	WLINGUN	13,182	13,183	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:32	LARGE	WLINGUN	13,197	13,198	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:31	LARGE	WLINGUN	13,212	13,213	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 10 of 24

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 05:02	LARGE	WLINGUN	13,227	13,228	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:01	LARGE	WLINGUN	13,242	13,243	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:00	LARGE	WLINGUN	13,257	13,258	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:59	LARGE	WLINGUN	13,272	13,273	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:58	LARGE	WLINGUN	13,287	13,288	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:57	LARGE	WLINGUN	13,302	13,303	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:56	LARGE	WLINGUN	13,317	13,318	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:55	LARGE	WLINGUN	13,332	13,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:54	LARGE	WLINGUN	13,347	13,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:53	LARGE	WLINGUN	13,361	13,362	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:52	LARGE	WLINGUN	13,378	13,379	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:51	LARGE	WLINGUN	13,393	13,394	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 46

Report For 06:00 AM 21-Feb-23

Perforation Information

Stage: 9 of 24

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 19:15	LARGE	WLINGUN	13,409	13,410	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:14	LARGE	WLINGUN	13,423	13,424	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:13	LARGE	WLINGUN	13,438	13,439	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:12	LARGE	WLINGUN	13,453	13,454	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:11	LARGE	WLINGUN	13,468	13,469	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:10	LARGE	WLINGUN	13,483	13,484	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:09	LARGE	WLINGUN	13,498	13,499	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:08	LARGE	WLINGUN	13,513	13,514	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:07	LARGE	WLINGUN	13,529	13,530	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:06	LARGE	WLINGUN	13,543	13,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:05	LARGE	WLINGUN	13,559	13,560	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:04	LARGE	WLINGUN	13,574	13,575	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 8 of 24

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 09:47	LARGE	WLINGUN	13,589	13,590	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:46	LARGE	WLINGUN	13,607	13,608	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:45	LARGE	WLINGUN	13,619	13,620	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:44	LARGE	WLINGUN	13,634	13,635	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:43	LARGE	WLINGUN	13,649	13,650	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:42	LARGE	WLINGUN	13,662	13,663	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:41	LARGE	WLINGUN	13,679	13,680	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:40	LARGE	WLINGUN	13,694	13,695	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:39	LARGE	WLINGUN	13,709	13,710	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:38	LARGE	WLINGUN	13,727	13,728	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:37	LARGE	WLINGUN	13,739	13,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:36	LARGE	WLINGUN	13,755	13,756	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 46

Report For 06:00 AM 21-Feb-23

Perforation Information

Stage: 7 of 24

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 00:03	LARGE	OTHER	13,770	13,771	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:02	LARGE	OTHER	13,783	13,784	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:01	LARGE	OTHER	13,800	13,801	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:00	LARGE	OTHER	13,815	13,816	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:59	LARGE	OTHER	13,830	13,831	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:58	LARGE	OTHER	13,845	13,846	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:57	LARGE	OTHER	13,860	13,861	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:56	LARGE	OTHER	13,875	13,876	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:55	LARGE	OTHER	13,890	13,891	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:54	LARGE	OTHER	13,903	13,904	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:53	LARGE	OTHER	13,920	13,921	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:52	LARGE	OTHER	13,933	13,934	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 6 of 24

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 18:27	LARGE	OTHER	13,951	13,952	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:26	LARGE	OTHER	13,966	13,967	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:25	LARGE	OTHER	13,981	13,982	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:24	LARGE	OTHER	13,996	13,997	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:23	LARGE	OTHER	14,011	14,012	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:22	LARGE	OTHER	14,026	14,027	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:21	LARGE	OTHER	14,041	14,042	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:20	LARGE	OTHER	14,056	14,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:19	LARGE	OTHER	14,072	14,073	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:18	LARGE	OTHER	14,086	14,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:17	LARGE	OTHER	14,101	14,102	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:16	LARGE	OTHER	14,116	14,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 46

Report For 06:00 AM 21-Feb-23

Perforation Information

Stage: 5 of 24

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 08:32	LARGE	OTHER	14,131	14,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:31	LARGE	OTHER	14,147	14,148	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:30	LARGE	OTHER	14,162	14,163	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:29	LARGE	OTHER	14,177	14,178	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:28	LARGE	OTHER	14,194	14,195	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:27	LARGE	OTHER	14,207	14,208	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:26	LARGE	OTHER	14,222	14,223	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:25	LARGE	OTHER	14,237	14,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:24	LARGE	OTHER	14,252	14,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:23	LARGE	OTHER	14,267	14,268	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:22	LARGE	OTHER	14,282	14,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:21	LARGE	OTHER	14,297	14,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 4 of 24

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 01:37	LARGE	OTHER	14,315	14,316	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:36	LARGE	OTHER	14,327	14,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:35	LARGE	OTHER	14,343	14,344	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:34	LARGE	OTHER	14,358	14,359	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:33	LARGE	OTHER	14,373	14,374	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:32	LARGE	OTHER	14,388	14,389	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:31	LARGE	OTHER	14,403	14,404	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:30	LARGE	OTHER	14,418	14,419	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:29	LARGE	OTHER	14,435	14,436	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:28	LARGE	OTHER	14,448	14,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:27	LARGE	OTHER	14,463	14,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:26	LARGE	OTHER	14,478	14,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 46

Report For 06:00 AM 21-Feb-23

Perforation Information

Stage: 3 of 24

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
11-Feb-23 18:12	LARGE	OTHER	14,493	14,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:11	LARGE	OTHER	14,508	14,509	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:10	LARGE	OTHER	14,523	14,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:09	LARGE	OTHER	14,539	14,540	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:08	LARGE	OTHER	14,550	14,551	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:07	LARGE	OTHER	14,569	14,570	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:06	LARGE	OTHER	14,584	14,585	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:05	LARGE	OTHER	14,599	14,600	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:04	LARGE	OTHER	14,614	14,615	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:03	LARGE	OTHER	14,629	14,630	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:02	LARGE	OTHER	14,664	14,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:01	LARGE	OTHER	14,659	14,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 2 of 24

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
09-Feb-23 21:42	LARGE	OTHER	14,674	14,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:41	LARGE	OTHER	14,689	14,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:40	LARGE	OTHER	14,704	14,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:39	LARGE	OTHER	14,719	14,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:38	LARGE	OTHER	14,735	14,736	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:37	LARGE	OTHER	14,750	14,751	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:36	LARGE	OTHER	14,765	14,766	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:35	LARGE	OTHER	14,780	14,781	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:34	LARGE	OTHER	14,795	14,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:33	LARGE	OTHER	14,810	14,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:32	LARGE	OTHER	14,825	14,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:31	LARGE	OTHER	14,840	14,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 46

Report For 06:00 AM 21-Feb-23

Perforation Information

Stage: 1 of 24

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jan-23 15:10	LARGE	OTHER	14,855	14,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:09	LARGE	OTHER	14,870	14,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:08	LARGE	OTHER	14,885	14,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:07	LARGE	OTHER	14,900	14,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:06	LARGE	OTHER	14,915	14,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:05	LARGE	OTHER	14,931	14,932	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:04	LARGE	OTHER	14,946	14,947	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:03	LARGE	OTHER	14,961	14,962	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:02	LARGE	OTHER	14,976	14,977	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:01	LARGE	OTHER	14,991	14,992	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:00	LARGE	OTHER	15,013	15,021	8	TOE SLEEVE

Safety Information

First Aid Treatments:


Medical Treatments:

Lost Time Incidents:

Days Since LTI:

☐ BOP Test

☐ Crownamatic Check

	Daily Completion Report						SEM	
	Well ID: 42-105-42524 Field: Barnyard						Well Name: University 40 2109WB Sect: 21 County: Crockett State: TX	
	Report No: 47						Report For 06:00 AM 22-Feb-23	
Operator: SEM OPERATOR		Rig: ICD 307		Wellbore: Original Wellbore		Daily Cost / Fluid (\$):		
Measured Depth (ft): 15129		Completion Days (act.): 10		Orig RKB Elev(ft): 2699		AFE No. AFE (\$) Actual (\$)		
Vertical Depth (ft): 6537				Last BOP Test: 05-Oct-22		B23003		
		Days On Location: 39						
Last Casing: 5.50 at 15,105		Spud Date:				Totals:		
Plug Back MD (ft): 6537						Well Cost (\$):		
Plug Back TVD (ft)		Pers/Hrs: Operator: 0 / 0		Contractor: 1 / 12		Service: 7 / 84		Other: 0 / 0 Total: 8 / 96
Safety Summary: No incidents or events reported.								
Current Operations: READY TO FRAC STAGE 30								
Planned Operations: PLUG & PERF ZIPPER STAGE FRAC								
Wellsite Supervisors: MOYE, DELEON, JOHNSON, , LUNSFORD						Tel No.: 432-217-9511		
Engineer(s): Larry Gillette								
Operations Summary								
From	To	Elapsed	End MD(ft)	Code	Operations Description			Non-Prod
6:00	6:00	24.00		STIM	PLUG & PERF STAGES 28-30 FRAC STAGES 27-29			
Management Summary								
PLUG & PERF STAGES 28-30 FRAC STAGES 27-29								
Cost/AFE Information								
AFE No	AFE Description		AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent
B23003	Drill and Complete a 7750' WB L		6,829,922.00	0.00	114,960.76	164,782.76	3,752,201.98	54.94%
Totals \$:			6,829,922.00	0.00	114,961.00	164,783.00	3,752,202.00	54.94%
Casing/Tubular Information								
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	9.63	0		868		40.00	J-55	
FULL	5.50	0		15,105		17.00		
Perforation Information								
Stage: 26 of 26								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
21-Feb-23 15:42	LARGE	WLINGUN	10,332	10,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
21-Feb-23 15:41	LARGE	WLINGUN	15,347	15,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
21-Feb-23 15:40	LARGE	WLINGUN	10,362	10,363	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
21-Feb-23 15:39	LARGE	WLINGUN	10,377	10,378	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
21-Feb-23 15:38	LARGE	WLINGUN	10,392	10,393	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
21-Feb-23 15:37	LARGE	WLINGUN	10,407	10,408	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
21-Feb-23 15:36	LARGE	WLINGUN	10,422	10,423	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
21-Feb-23 15:35	LARGE	WLINGUN	10,436	10,437	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
21-Feb-23 15:34	LARGE	WLINGUN	10,453	10,454	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
21-Feb-23 15:33	LARGE	WLINGUN	10,468	10,469	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
21-Feb-23 15:32	LARGE	WLINGUN	10,483	10,484	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
21-Feb-23 15:31	LARGE	WLINGUN	10,498	10,499	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 47

Report For 06:00 AM 22-Feb-23

Perforation Information

Stage: 25 of 26

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:49	LARGE	WLINGUN	10,513	10,514	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:48	LARGE	WLINGUN	10,528	10,529	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:47	LARGE	WLINGUN	10,543	10,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:46	LARGE	WLINGUN	10,556	10,557	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 24 of 26

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:45	LARGE	WLINGUN	10,573	10,574	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 25 of 26

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:44	LARGE	WLINGUN	10,588	10,589	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:43	LARGE	WLINGUN	10,603	10,604	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:42	LARGE	WLINGUN	10,618	10,619	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:41	LARGE	WLINGUN	10,634	10,635	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:15	LARGE	WLINGUN	10,649	10,650	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:14	LARGE	WLINGUN	10,664	10,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:13	LARGE	WLINGUN	10,675	10,676	1	

Stage: 24 of 26

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 23:07	LARGE	WLINGUN	10,694	10,695	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:06	LARGE	WLINGUN	10,709	10,710	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:05	LARGE	WLINGUN	10,724	10,725	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:04	LARGE	WLINGUN	10,739	10,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:03	LARGE	WLINGUN	10,754	10,755	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:02	LARGE	WLINGUN	10,769	10,770	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:01	LARGE	WLINGUN	10,784	10,785	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:00	LARGE	WLINGUN	10,799	10,800	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:59	LARGE	WLINGUN	10,814	10,815	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:58	LARGE	WLINGUN	10,830	10,831	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:57	LARGE	WLINGUN	10,847	10,848	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:56	LARGE	WLINGUN	10,860	10,861	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 47

Report For 06:00 AM 22-Feb-23

Perforation Information

Stage: 23 of 26

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 14:12	LARGE	WLINGUN	10,875	10,876	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:11	LARGE	WLINGUN	10,890	10,891	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:10	LARGE	WLINGUN	10,905	10,906	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:09	LARGE	WLINGUN	10,921	10,922	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:08	LARGE	WLINGUN	10,935	10,936	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:07	LARGE	WLINGUN	10,950	10,951	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:06	LARGE	WLINGUN	10,967	10,968	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:05	LARGE	WLINGUN	10,980	10,981	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:04	LARGE	WLINGUN	10,995	10,996	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:03	LARGE	WLINGUN	11,010	11,011	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:02	LARGE	WLINGUN	11,026	11,027	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:01	LARGE	WLINGUN	11,041	11,042	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 22 of 26

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 05:51	LARGE	WLINGUN	11,071	11,072	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:50	LARGE	WLINGUN	11,086	11,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:49	LARGE	WLINGUN	11,101	11,102	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:48	LARGE	WLINGUN	11,116	11,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:47	LARGE	WLINGUN	11,131	11,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:46	LARGE	WLINGUN	11,145	11,146	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:45	LARGE	WLINGUN	11,161	11,162	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:44	LARGE	WLINGUN	11,176	11,177	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:43	LARGE	WLINGUN	11,191	11,192	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:41	LARGE	WLINGUN	11,206	11,207	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:40	LARGE	WLINGUN	11,222	11,223	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 00:00	LARGE	WLINGUN	11,056	11,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 47

Report For 06:00 AM 22-Feb-23

Perforation Information

Stage: 21 of 26

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 19:12	LARGE	WLINGUN	11,237	11,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:11	LARGE	WLINGUN	11,252	11,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:10	LARGE	WLINGUN	11,265	11,266	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:09	LARGE	WLINGUN	11,282	11,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:08	LARGE	WLINGUN	11,297	11,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:07	LARGE	WLINGUN	11,312	11,313	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:06	LARGE	WLINGUN	11,327	11,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:05	LARGE	WLINGUN	11,342	11,343	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:04	LARGE	WLINGUN	11,357	11,358	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:03	LARGE	WLINGUN	11,372	11,373	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:02	LARGE	WLINGUN	11,387	11,388	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:01	LARGE	WLINGUN	11,402	11,403	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 20 of 26

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 10:12	LARGE	WLINGUN	11,417	11,418	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:11	LARGE	WLINGUN	11,433	11,434	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:10	LARGE	WLINGUN	11,448	11,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:09	LARGE	WLINGUN	11,463	11,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:08	LARGE	WLINGUN	11,478	11,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:07	LARGE	WLINGUN	11,493	11,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:06	LARGE	WLINGUN	11,506	11,507	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:05	LARGE	WLINGUN	11,523	11,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:04	LARGE	WLINGUN	11,538	11,539	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:03	LARGE	WLINGUN	11,553	11,554	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:02	LARGE	WLINGUN	11,568	11,569	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:01	LARGE	WLINGUN	11,583	11,584	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 47

Report For 06:00 AM 22-Feb-23

Perforation Information

Stage: 19 of 26

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 00:40	LARGE	WLINGUN	11,598	11,599	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:39	LARGE	WLINGUN	11,613	11,614	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:38	LARGE	WLINGUN	11,627	11,628	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:37	LARGE	WLINGUN	11,644	11,645	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:36	LARGE	WLINGUN	11,659	11,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:35	LARGE	WLINGUN	11,674	11,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:34	LARGE	WLINGUN	11,689	11,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:33	LARGE	WLINGUN	11,704	11,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:32	LARGE	WLINGUN	11,719	11,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:31	LARGE	WLINGUN	11,734	11,735	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:30	LARGE	WLINGUN	11,749	11,750	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:29	LARGE	WLINGUN	11,764	11,765	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 18 of 26

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Feb-23 15:26	LARGE	WLINGUN	11,779	11,780	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:25	LARGE	WLINGUN	11,795	11,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:24	LARGE	WLINGUN	11,810	11,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:23	LARGE	WLINGUN	11,825	11,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:22	LARGE	WLINGUN	11,840	11,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:21	LARGE	WLINGUN	11,855	11,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:20	LARGE	WLINGUN	11,870	11,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:19	LARGE	WLINGUN	11,885	11,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:18	LARGE	WLINGUN	11,900	11,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:17	LARGE	WLINGUN	11,915	11,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:16	LARGE	WLINGUN	11,930	11,931	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:15	LARGE	WLINGUN	11,945	11,946	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 47

Report For 06:00 AM 22-Feb-23

Perforation Information

Stage: 17 of 26

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Feb-23 06:12	LARGE	WLINGUN	11,960	11,961	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:11	LARGE	WLINGUN	11,975	11,976	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:10	LARGE	WLINGUN	11,987	11,988	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:09	LARGE	WLINGUN	12,006	12,007	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:08	LARGE	WLINGUN	12,021	12,022	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:07	LARGE	WLINGUN	12,036	12,037	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:06	LARGE	WLINGUN	12,051	12,052	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:05	LARGE	WLINGUN	12,066	12,067	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:04	LARGE	WLINGUN	12,081	12,082	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:03	LARGE	WLINGUN	12,096	12,097	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:02	LARGE	WLINGUN	12,108	12,109	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:01	LARGE	WLINGUN	12,126	12,127	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 16 of 26

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 23:06	LARGE	WLINGUN	12,141	12,142	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:05	LARGE	WLINGUN	12,156	12,157	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:04	LARGE	WLINGUN	12,171	12,172	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:03	LARGE	WLINGUN	12,186	12,187	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:02	LARGE	WLINGUN	12,202	12,203	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:01	LARGE	WLINGUN	12,217	12,218	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:00	LARGE	WLINGUN	12,231	12,232	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:59	LARGE	WLINGUN	12,247	12,248	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:58	LARGE	WLINGUN	12,262	12,263	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:57	LARGE	WLINGUN	12,277	12,278	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:56	LARGE	WLINGUN	12,292	12,293	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:55	LARGE	WLINGUN	12,307	12,308	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 47

Report For 06:00 AM 22-Feb-23

Perforation Information

Stage: 15 of 26

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:42	LARGE	WLINGUN	12,322	12,323	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:41	LARGE	WLINGUN	12,337	12,338	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:40	LARGE	WLINGUN	12,352	12,353	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:39	LARGE	WLINGUN	12,367	12,368	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:38	LARGE	WLINGUN	12,382	12,383	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:37	LARGE	WLINGUN	12,398	12,399	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:36	LARGE	WLINGUN	12,413	12,414	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:35	LARGE	WLINGUN	12,428	12,429	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:34	LARGE	WLINGUN	12,443	12,444	1	

Stage: 15 of 26

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:33	LARGE	WLINGUN	12,458	12,459	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:32	LARGE	WLINGUN	12,472	12,473	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:31	LARGE	WLINGUN	12,488	12,489	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 14 of 26

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 20:57	LARGE	WLINGUN	12,503	12,504	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:56	LARGE	WLINGUN	12,519	12,520	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:55	LARGE	WLINGUN	12,533	12,534	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:54	LARGE	WLINGUN	12,548	12,549	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:53	LARGE	WLINGUN	12,563	12,564	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:52	LARGE	WLINGUN	12,578	12,579	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:51	LARGE	WLINGUN	12,594	12,595	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:50	LARGE	WLINGUN	12,609	12,610	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:49	LARGE	WLINGUN	12,624	12,625	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:48	LARGE	WLINGUN	12,636	12,637	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:47	LARGE	WLINGUN	12,654	12,655	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:46	LARGE	WLINGUN	12,665	12,666	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 47

Report For 06:00 AM 22-Feb-23

Perforation Information

Stage: 13 of 26

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 11:45	LARGE	WLINGUN	12,684	12,685	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:34	LARGE	WLINGUN	12,699	12,700	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:33	LARGE	WLINGUN	12,714	12,715	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:32	LARGE	WLINGUN	12,729	12,730	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:31	LARGE	WLINGUN	12,744	12,745	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:30	LARGE	WLINGUN	12,758	12,759	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:29	LARGE	WLINGUN	12,775	12,776	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:28	LARGE	WLINGUN	12,790	12,791	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:27	LARGE	WLINGUN	12,805	12,806	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:26	LARGE	WLINGUN	12,820	12,821	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:25	LARGE	WLINGUN	12,835	12,836	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:24	LARGE	WLINGUN	12,850	12,851	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 12 of 26

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 01:29	LARGE	WLINGUN	12,865	12,866	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:28	LARGE	WLINGUN	12,877	12,878	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:27	LARGE	WLINGUN	12,895	12,896	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:26	LARGE	WLINGUN	12,910	12,911	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:25	LARGE	WLINGUN	12,925	12,926	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:24	LARGE	WLINGUN	12,940	12,941	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:23	LARGE	WLINGUN	12,955	12,956	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:22	LARGE	WLINGUN	12,971	12,972	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:21	LARGE	WLINGUN	12,986	12,987	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:20	LARGE	WLINGUN	12,999	13,000	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:19	LARGE	WLINGUN	13,016	13,017	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:18	LARGE	WLINGUN	13,029	13,030	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 47

Report For 06:00 AM 22-Feb-23

Perforation Information

Stage: 11 of 26

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 14:42	LARGE	WLINGUN	13,047	13,048	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:41	LARGE	WLINGUN	13,061	13,062	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:40	LARGE	WLINGUN	13,076	13,077	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:39	LARGE	WLINGUN	13,091	13,092	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:38	LARGE	WLINGUN	13,106	13,107	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:37	LARGE	WLINGUN	13,121	13,122	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:36	LARGE	WLINGUN	13,136	13,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:35	LARGE	WLINGUN	13,151	13,152	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:34	LARGE	WLINGUN	13,167	13,168	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:33	LARGE	WLINGUN	13,182	13,183	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:32	LARGE	WLINGUN	13,197	13,198	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:31	LARGE	WLINGUN	13,212	13,213	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 10 of 26

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 05:02	LARGE	WLINGUN	13,227	13,228	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:01	LARGE	WLINGUN	13,242	13,243	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:00	LARGE	WLINGUN	13,257	13,258	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:59	LARGE	WLINGUN	13,272	13,273	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:58	LARGE	WLINGUN	13,287	13,288	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:57	LARGE	WLINGUN	13,302	13,303	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:56	LARGE	WLINGUN	13,317	13,318	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:55	LARGE	WLINGUN	13,332	13,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:54	LARGE	WLINGUN	13,347	13,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:53	LARGE	WLINGUN	13,361	13,362	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:52	LARGE	WLINGUN	13,378	13,379	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:51	LARGE	WLINGUN	13,393	13,394	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 47

Report For 06:00 AM 22-Feb-23

Perforation Information

Stage: 9 of 26

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 19:15	LARGE	WLINGUN	13,409	13,410	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:14	LARGE	WLINGUN	13,423	13,424	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:13	LARGE	WLINGUN	13,438	13,439	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:12	LARGE	WLINGUN	13,453	13,454	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:11	LARGE	WLINGUN	13,468	13,469	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:10	LARGE	WLINGUN	13,483	13,484	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:09	LARGE	WLINGUN	13,498	13,499	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:08	LARGE	WLINGUN	13,513	13,514	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:07	LARGE	WLINGUN	13,529	13,530	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:06	LARGE	WLINGUN	13,543	13,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:05	LARGE	WLINGUN	13,559	13,560	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:04	LARGE	WLINGUN	13,574	13,575	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 8 of 26

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 09:47	LARGE	WLINGUN	13,589	13,590	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:46	LARGE	WLINGUN	13,607	13,608	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:45	LARGE	WLINGUN	13,619	13,620	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:44	LARGE	WLINGUN	13,634	13,635	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:43	LARGE	WLINGUN	13,649	13,650	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:42	LARGE	WLINGUN	13,662	13,663	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:41	LARGE	WLINGUN	13,679	13,680	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:40	LARGE	WLINGUN	13,694	13,695	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:39	LARGE	WLINGUN	13,709	13,710	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:38	LARGE	WLINGUN	13,727	13,728	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:37	LARGE	WLINGUN	13,739	13,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:36	LARGE	WLINGUN	13,755	13,756	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 47

Report For 06:00 AM 22-Feb-23

Perforation Information

Stage: 7 of 26

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 00:03	LARGE	OTHER	13,770	13,771	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:02	LARGE	OTHER	13,783	13,784	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:01	LARGE	OTHER	13,800	13,801	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:00	LARGE	OTHER	13,815	13,816	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:59	LARGE	OTHER	13,830	13,831	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:58	LARGE	OTHER	13,845	13,846	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:57	LARGE	OTHER	13,860	13,861	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:56	LARGE	OTHER	13,875	13,876	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:55	LARGE	OTHER	13,890	13,891	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:54	LARGE	OTHER	13,903	13,904	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:53	LARGE	OTHER	13,920	13,921	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:52	LARGE	OTHER	13,933	13,934	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 6 of 26

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 18:27	LARGE	OTHER	13,951	13,952	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:26	LARGE	OTHER	13,966	13,967	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:25	LARGE	OTHER	13,981	13,982	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:24	LARGE	OTHER	13,996	13,997	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:23	LARGE	OTHER	14,011	14,012	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:22	LARGE	OTHER	14,026	14,027	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:21	LARGE	OTHER	14,041	14,042	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:20	LARGE	OTHER	14,056	14,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:19	LARGE	OTHER	14,072	14,073	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:18	LARGE	OTHER	14,086	14,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:17	LARGE	OTHER	14,101	14,102	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:16	LARGE	OTHER	14,116	14,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 47

Report For 06:00 AM 22-Feb-23

Perforation Information

Stage: 5 of 26

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 08:32	LARGE	OTHER	14,131	14,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:31	LARGE	OTHER	14,147	14,148	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:30	LARGE	OTHER	14,162	14,163	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:29	LARGE	OTHER	14,177	14,178	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:28	LARGE	OTHER	14,194	14,195	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:27	LARGE	OTHER	14,207	14,208	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:26	LARGE	OTHER	14,222	14,223	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:25	LARGE	OTHER	14,237	14,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:24	LARGE	OTHER	14,252	14,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:23	LARGE	OTHER	14,267	14,268	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:22	LARGE	OTHER	14,282	14,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:21	LARGE	OTHER	14,297	14,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 4 of 26

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 01:37	LARGE	OTHER	14,315	14,316	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:36	LARGE	OTHER	14,327	14,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:35	LARGE	OTHER	14,343	14,344	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:34	LARGE	OTHER	14,358	14,359	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:33	LARGE	OTHER	14,373	14,374	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:32	LARGE	OTHER	14,388	14,389	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:31	LARGE	OTHER	14,403	14,404	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:30	LARGE	OTHER	14,418	14,419	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:29	LARGE	OTHER	14,435	14,436	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:28	LARGE	OTHER	14,448	14,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:27	LARGE	OTHER	14,463	14,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:26	LARGE	OTHER	14,478	14,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 47

Report For 06:00 AM 22-Feb-23

Perforation Information

Stage: 3 of 26

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
11-Feb-23 18:12	LARGE	OTHER	14,493	14,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:11	LARGE	OTHER	14,508	14,509	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:10	LARGE	OTHER	14,523	14,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:09	LARGE	OTHER	14,539	14,540	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:08	LARGE	OTHER	14,550	14,551	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:07	LARGE	OTHER	14,569	14,570	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:06	LARGE	OTHER	14,584	14,585	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:05	LARGE	OTHER	14,599	14,600	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:04	LARGE	OTHER	14,614	14,615	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:03	LARGE	OTHER	14,629	14,630	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:02	LARGE	OTHER	14,664	14,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:01	LARGE	OTHER	14,659	14,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 2 of 26

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
09-Feb-23 21:42	LARGE	OTHER	14,674	14,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:41	LARGE	OTHER	14,689	14,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:40	LARGE	OTHER	14,704	14,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:39	LARGE	OTHER	14,719	14,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:38	LARGE	OTHER	14,735	14,736	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:37	LARGE	OTHER	14,750	14,751	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:36	LARGE	OTHER	14,765	14,766	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:35	LARGE	OTHER	14,780	14,781	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:34	LARGE	OTHER	14,795	14,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:33	LARGE	OTHER	14,810	14,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:32	LARGE	OTHER	14,825	14,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:31	LARGE	OTHER	14,840	14,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 47

Report For 06:00 AM 22-Feb-23

Perforation Information

Stage: 1 of 26

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jan-23 15:10	LARGE	OTHER	14,855	14,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:09	LARGE	OTHER	14,870	14,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:08	LARGE	OTHER	14,885	14,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:07	LARGE	OTHER	14,900	14,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:06	LARGE	OTHER	14,915	14,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:05	LARGE	OTHER	14,931	14,932	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:04	LARGE	OTHER	14,946	14,947	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:03	LARGE	OTHER	14,961	14,962	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:02	LARGE	OTHER	14,976	14,977	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:01	LARGE	OTHER	14,991	14,992	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:00	LARGE	OTHER	15,013	15,021	8	TOE SLEEVE

Safety Information

First Aid Treatments:


Medical Treatments:

Lost Time Incidents:

Days Since LTI:

☐ BOP Test

☐ Crownamatic Check

	Daily Completion Report Well ID: 42-105-42524 Field: Barnyard						SEM Well Name: University 40 2109WB Sect: 21 County: Crockett State: TX	
	Report No: 48						Report For 06:00 AM 23-Feb-23	
	Operator: SEM OPERATOR		Rig: ICD 307		Wellbore: Original Wellbore		Daily Cost / Fluid (\$):	
Measured Depth (ft): 15129		Completion Days (act.): 11		Orig RKB Elev(ft): 2699		AFE No. AFE (\$) Actual (\$)		
Vertical Depth (ft): 6537				Last BOP Test: 05-Oct-22		B23003		
		Days On Location: 40						
Last Casing: 5.50 at 15,105		Spud Date:				Totals:		
Plug Back MD (ft): 6537						Well Cost (\$):		
Plug Back TVD (ft)		Pers/Hrs: Operator: 0 / 0		Contractor: 4 / 0		Service: 25 / 0 Other: 0 / 0 Total: 29 / 0		
Safety Summary: No incidents or events reported.								
Current Operations: READY TO FRAC STAGE 32								
Planned Operations: PLUG & PERF STAGES 31-32 FRAC STAGES 30 - 31								
Wellsite Supervisors: MOYE, DELEON, OWENS, , MAYNARD						Tel No.: 432-217-9511		
Engineer(s): Larry Gillette								
Operations Summary								
From	To	Elapsed	End MD(ft)	Code	Operations Description		Non-Prod	
6:00	6:00	24.00		STIM	PLUG & PERF STAGES 31-32 FRAC STAGES 30 - 31			
Management Summary								
PLUG & PERF ZIPPER STAGE FRAC OPERATION								
Cost/AFE Information								
AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent	
B23003	Drill and Complete a 7750' WB L	6,829,922.00	0.00	114,960.76	124,447.81	3,891,197.79	56.97%	
Totals \$:		6,829,922.00	0.00	114,961.00	124,448.00	3,891,198.00	56.97%	
Casing/Tubular Information								
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	LOT (lbs/gal)	
FULL	9.63	0		868		40.00	J-55	
FULL	5.50	0		15,105		17.00		
Perforation Information								
Stage: 29 of 29								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
22-Feb-23 18:24	LARGE	WLINGUN	9,789	9,790	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
22-Feb-23 18:23	LARGE	WLINGUN	9,804	9,805	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
22-Feb-23 18:22	LARGE	WLINGUN	9,819	9,820	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
22-Feb-23 18:21	LARGE	WLINGUN	9,834	9,835	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
22-Feb-23 18:20	LARGE	WLINGUN	9,849	9,850	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
22-Feb-23 18:19	LARGE	WLINGUN	9,865	9,866	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
22-Feb-23 18:18	LARGE	WLINGUN	9,880	9,881	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
22-Feb-23 18:17	LARGE	WLINGUN	9,895	9,896	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
22-Feb-23 18:16	LARGE	WLINGUN	9,913	9,914	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
22-Feb-23 18:15	LARGE	WLINGUN	9,925	9,926	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
22-Feb-23 18:14	LARGE	WLINGUN	9,940	9,941	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
22-Feb-23 18:13	LARGE	WLINGUN	9,955	9,956	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 48

Report For 06:00 AM 23-Feb-23

Perforation Information

Stage: 28 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 09:32	LARGE	WLINGUN	9,970	9,971	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:31	LARGE	WLINGUN	9,985	9,986	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:30	LARGE	WLINGUN	10,000	10,001	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:29	LARGE	WLINGUN	10,015	10,016	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:28	LARGE	WLINGUN	10,033	10,034	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:27	LARGE	WLINGUN	10,045	10,046	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:26	LARGE	WLINGUN	10,061	10,062	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:25	LARGE	WLINGUN	10,076	10,077	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 09:24	LARGE	WLINGUN	10,019	10,020	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 28 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 09:23	LARGE	WLINGUN	10,106	10,107	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:22	LARGE	WLINGUN	10,121	10,122	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:21	LARGE	WLINGUN	10,136	10,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 27 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 00:27	LARGE	WLINGUN	10,150	10,151	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:26	LARGE	WLINGUN	10,166	10,167	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:25	LARGE	WLINGUN	10,181	10,182	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:24	LARGE	WLINGUN	10,199	10,200	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:23	LARGE	WLINGUN	10,211	10,212	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:22	LARGE	WLINGUN	10,226	10,227	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:21	LARGE	WLINGUN	10,241	10,242	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:20	LARGE	WLINGUN	10,257	10,258	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:19	LARGE	WLINGUN	10,272	10,273	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:18	LARGE	WLINGUN	10,287	10,288	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:17	LARGE	WLINGUN	10,302	10,303	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:16	LARGE	WLINGUN	10,314	10,315	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 48

Report For 06:00 AM 23-Feb-23

Perforation Information

Stage: 26 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 15:42	LARGE	WLINGUN	10,332	10,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:41	LARGE	WLINGUN	15,347	15,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:40	LARGE	WLINGUN	10,362	10,363	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:39	LARGE	WLINGUN	10,377	10,378	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:38	LARGE	WLINGUN	10,392	10,393	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:37	LARGE	WLINGUN	10,407	10,408	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:36	LARGE	WLINGUN	10,422	10,423	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:35	LARGE	WLINGUN	10,436	10,437	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:34	LARGE	WLINGUN	10,453	10,454	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:33	LARGE	WLINGUN	10,468	10,469	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:32	LARGE	WLINGUN	10,483	10,484	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:31	LARGE	WLINGUN	10,498	10,499	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 25 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:49	LARGE	WLINGUN	10,513	10,514	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:48	LARGE	WLINGUN	10,528	10,529	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:47	LARGE	WLINGUN	10,543	10,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:46	LARGE	WLINGUN	10,556	10,557	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 24 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:45	LARGE	WLINGUN	10,573	10,574	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 25 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:44	LARGE	WLINGUN	10,588	10,589	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:43	LARGE	WLINGUN	10,603	10,604	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:42	LARGE	WLINGUN	10,618	10,619	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:41	LARGE	WLINGUN	10,634	10,635	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:15	LARGE	WLINGUN	10,649	10,650	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:14	LARGE	WLINGUN	10,664	10,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:13	LARGE	WLINGUN	10,675	10,676	1	



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 48

Report For 06:00 AM 23-Feb-23

Perforation Information

Stage: 24 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 23:07	LARGE	WLINGUN	10,694	10,695	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:06	LARGE	WLINGUN	10,709	10,710	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:05	LARGE	WLINGUN	10,724	10,725	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:04	LARGE	WLINGUN	10,739	10,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:03	LARGE	WLINGUN	10,754	10,755	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:02	LARGE	WLINGUN	10,769	10,770	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:01	LARGE	WLINGUN	10,784	10,785	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:00	LARGE	WLINGUN	10,799	10,800	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:59	LARGE	WLINGUN	10,814	10,815	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:58	LARGE	WLINGUN	10,830	10,831	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:57	LARGE	WLINGUN	10,847	10,848	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:56	LARGE	WLINGUN	10,860	10,861	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 23 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 14:12	LARGE	WLINGUN	10,875	10,876	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:11	LARGE	WLINGUN	10,890	10,891	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:10	LARGE	WLINGUN	10,905	10,906	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:09	LARGE	WLINGUN	10,921	10,922	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:08	LARGE	WLINGUN	10,935	10,936	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:07	LARGE	WLINGUN	10,950	10,951	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:06	LARGE	WLINGUN	10,967	10,968	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:05	LARGE	WLINGUN	10,980	10,981	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:04	LARGE	WLINGUN	10,995	10,996	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:03	LARGE	WLINGUN	11,010	11,011	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:02	LARGE	WLINGUN	11,026	11,027	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:01	LARGE	WLINGUN	11,041	11,042	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 48

Report For 06:00 AM 23-Feb-23

Perforation Information

Stage: 22 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 05:51	LARGE	WLINGUN	11,071	11,072	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:50	LARGE	WLINGUN	11,086	11,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:49	LARGE	WLINGUN	11,101	11,102	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:48	LARGE	WLINGUN	11,116	11,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:47	LARGE	WLINGUN	11,131	11,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:46	LARGE	WLINGUN	11,145	11,146	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:45	LARGE	WLINGUN	11,161	11,162	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:44	LARGE	WLINGUN	11,176	11,177	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:43	LARGE	WLINGUN	11,191	11,192	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:41	LARGE	WLINGUN	11,206	11,207	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:40	LARGE	WLINGUN	11,222	11,223	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 00:00	LARGE	WLINGUN	11,056	11,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 21 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 19:12	LARGE	WLINGUN	11,237	11,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:11	LARGE	WLINGUN	11,252	11,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:10	LARGE	WLINGUN	11,265	11,266	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:09	LARGE	WLINGUN	11,282	11,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:08	LARGE	WLINGUN	11,297	11,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:07	LARGE	WLINGUN	11,312	11,313	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:06	LARGE	WLINGUN	11,327	11,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:05	LARGE	WLINGUN	11,342	11,343	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:04	LARGE	WLINGUN	11,357	11,358	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:03	LARGE	WLINGUN	11,372	11,373	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:02	LARGE	WLINGUN	11,387	11,388	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:01	LARGE	WLINGUN	11,402	11,403	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 48

Report For 06:00 AM 23-Feb-23

Perforation Information

Stage: 20 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 10:12	LARGE	WLINGUN	11,417	11,418	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:11	LARGE	WLINGUN	11,433	11,434	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:10	LARGE	WLINGUN	11,448	11,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:09	LARGE	WLINGUN	11,463	11,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:08	LARGE	WLINGUN	11,478	11,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:07	LARGE	WLINGUN	11,493	11,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:06	LARGE	WLINGUN	11,506	11,507	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:05	LARGE	WLINGUN	11,523	11,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:04	LARGE	WLINGUN	11,538	11,539	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:03	LARGE	WLINGUN	11,553	11,554	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:02	LARGE	WLINGUN	11,568	11,569	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:01	LARGE	WLINGUN	11,583	11,584	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 19 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 00:40	LARGE	WLINGUN	11,598	11,599	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:39	LARGE	WLINGUN	11,613	11,614	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:38	LARGE	WLINGUN	11,627	11,628	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:37	LARGE	WLINGUN	11,644	11,645	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:36	LARGE	WLINGUN	11,659	11,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:35	LARGE	WLINGUN	11,674	11,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:34	LARGE	WLINGUN	11,689	11,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:33	LARGE	WLINGUN	11,704	11,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:32	LARGE	WLINGUN	11,719	11,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:31	LARGE	WLINGUN	11,734	11,735	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:30	LARGE	WLINGUN	11,749	11,750	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:29	LARGE	WLINGUN	11,764	11,765	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 48

Report For 06:00 AM 23-Feb-23

Perforation Information

Stage: 18 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Feb-23 15:26	LARGE	WLINGUN	11,779	11,780	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:25	LARGE	WLINGUN	11,795	11,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:24	LARGE	WLINGUN	11,810	11,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:23	LARGE	WLINGUN	11,825	11,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:22	LARGE	WLINGUN	11,840	11,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:21	LARGE	WLINGUN	11,855	11,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:20	LARGE	WLINGUN	11,870	11,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:19	LARGE	WLINGUN	11,885	11,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:18	LARGE	WLINGUN	11,900	11,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:17	LARGE	WLINGUN	11,915	11,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:16	LARGE	WLINGUN	11,930	11,931	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:15	LARGE	WLINGUN	11,945	11,946	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 17 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Feb-23 06:12	LARGE	WLINGUN	11,960	11,961	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:11	LARGE	WLINGUN	11,975	11,976	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:10	LARGE	WLINGUN	11,987	11,988	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:09	LARGE	WLINGUN	12,006	12,007	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:08	LARGE	WLINGUN	12,021	12,022	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:07	LARGE	WLINGUN	12,036	12,037	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:06	LARGE	WLINGUN	12,051	12,052	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:05	LARGE	WLINGUN	12,066	12,067	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:04	LARGE	WLINGUN	12,081	12,082	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:03	LARGE	WLINGUN	12,096	12,097	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:02	LARGE	WLINGUN	12,108	12,109	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:01	LARGE	WLINGUN	12,126	12,127	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 48

Report For 06:00 AM 23-Feb-23

Perforation Information

Stage: 16 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 23:06	LARGE	WLINGUN	12,141	12,142	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:05	LARGE	WLINGUN	12,156	12,157	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:04	LARGE	WLINGUN	12,171	12,172	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:03	LARGE	WLINGUN	12,186	12,187	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:02	LARGE	WLINGUN	12,202	12,203	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:01	LARGE	WLINGUN	12,217	12,218	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:00	LARGE	WLINGUN	12,231	12,232	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:59	LARGE	WLINGUN	12,247	12,248	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:58	LARGE	WLINGUN	12,262	12,263	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:57	LARGE	WLINGUN	12,277	12,278	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:56	LARGE	WLINGUN	12,292	12,293	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:55	LARGE	WLINGUN	12,307	12,308	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 15 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:42	LARGE	WLINGUN	12,322	12,323	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:41	LARGE	WLINGUN	12,337	12,338	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:40	LARGE	WLINGUN	12,352	12,353	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:39	LARGE	WLINGUN	12,367	12,368	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:38	LARGE	WLINGUN	12,382	12,383	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:37	LARGE	WLINGUN	12,398	12,399	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:36	LARGE	WLINGUN	12,413	12,414	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:35	LARGE	WLINGUN	12,428	12,429	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:34	LARGE	WLINGUN	12,443	12,444	1	

Stage: 15 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:33	LARGE	WLINGUN	12,458	12,459	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:32	LARGE	WLINGUN	12,472	12,473	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:31	LARGE	WLINGUN	12,488	12,489	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 48

Report For 06:00 AM 23-Feb-23

Perforation Information

Stage: 14 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 20:57	LARGE	WLINGUN	12,503	12,504	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:56	LARGE	WLINGUN	12,519	12,520	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:55	LARGE	WLINGUN	12,533	12,534	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:54	LARGE	WLINGUN	12,548	12,549	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:53	LARGE	WLINGUN	12,563	12,564	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:52	LARGE	WLINGUN	12,578	12,579	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:51	LARGE	WLINGUN	12,594	12,595	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:50	LARGE	WLINGUN	12,609	12,610	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:49	LARGE	WLINGUN	12,624	12,625	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:48	LARGE	WLINGUN	12,636	12,637	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:47	LARGE	WLINGUN	12,654	12,655	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:46	LARGE	WLINGUN	12,665	12,666	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 13 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 11:45	LARGE	WLINGUN	12,684	12,685	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:34	LARGE	WLINGUN	12,699	12,700	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:33	LARGE	WLINGUN	12,714	12,715	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:32	LARGE	WLINGUN	12,729	12,730	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:31	LARGE	WLINGUN	12,744	12,745	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:30	LARGE	WLINGUN	12,758	12,759	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:29	LARGE	WLINGUN	12,775	12,776	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:28	LARGE	WLINGUN	12,790	12,791	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:27	LARGE	WLINGUN	12,805	12,806	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:26	LARGE	WLINGUN	12,820	12,821	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:25	LARGE	WLINGUN	12,835	12,836	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:24	LARGE	WLINGUN	12,850	12,851	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 48

Report For 06:00 AM 23-Feb-23

Perforation Information

Stage: 12 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 01:29	LARGE	WLINGUN	12,865	12,866	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:28	LARGE	WLINGUN	12,877	12,878	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:27	LARGE	WLINGUN	12,895	12,896	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:26	LARGE	WLINGUN	12,910	12,911	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:25	LARGE	WLINGUN	12,925	12,926	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:24	LARGE	WLINGUN	12,940	12,941	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:23	LARGE	WLINGUN	12,955	12,956	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:22	LARGE	WLINGUN	12,971	12,972	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:21	LARGE	WLINGUN	12,986	12,987	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:20	LARGE	WLINGUN	12,999	13,000	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:19	LARGE	WLINGUN	13,016	13,017	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:18	LARGE	WLINGUN	13,029	13,030	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 11 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 14:42	LARGE	WLINGUN	13,047	13,048	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:41	LARGE	WLINGUN	13,061	13,062	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:40	LARGE	WLINGUN	13,076	13,077	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:39	LARGE	WLINGUN	13,091	13,092	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:38	LARGE	WLINGUN	13,106	13,107	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:37	LARGE	WLINGUN	13,121	13,122	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:36	LARGE	WLINGUN	13,136	13,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:35	LARGE	WLINGUN	13,151	13,152	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:34	LARGE	WLINGUN	13,167	13,168	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:33	LARGE	WLINGUN	13,182	13,183	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:32	LARGE	WLINGUN	13,197	13,198	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:31	LARGE	WLINGUN	13,212	13,213	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 48

Report For 06:00 AM 23-Feb-23

Perforation Information

Stage: 10 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 05:02	LARGE	WLINGUN	13,227	13,228	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:01	LARGE	WLINGUN	13,242	13,243	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:00	LARGE	WLINGUN	13,257	13,258	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:59	LARGE	WLINGUN	13,272	13,273	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:58	LARGE	WLINGUN	13,287	13,288	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:57	LARGE	WLINGUN	13,302	13,303	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:56	LARGE	WLINGUN	13,317	13,318	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:55	LARGE	WLINGUN	13,332	13,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:54	LARGE	WLINGUN	13,347	13,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:53	LARGE	WLINGUN	13,361	13,362	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:52	LARGE	WLINGUN	13,378	13,379	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:51	LARGE	WLINGUN	13,393	13,394	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 9 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 19:15	LARGE	WLINGUN	13,409	13,410	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:14	LARGE	WLINGUN	13,423	13,424	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:13	LARGE	WLINGUN	13,438	13,439	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:12	LARGE	WLINGUN	13,453	13,454	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:11	LARGE	WLINGUN	13,468	13,469	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:10	LARGE	WLINGUN	13,483	13,484	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:09	LARGE	WLINGUN	13,498	13,499	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:08	LARGE	WLINGUN	13,513	13,514	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:07	LARGE	WLINGUN	13,529	13,530	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:06	LARGE	WLINGUN	13,543	13,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:05	LARGE	WLINGUN	13,559	13,560	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:04	LARGE	WLINGUN	13,574	13,575	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 48

Report For 06:00 AM 23-Feb-23

Perforation Information

Stage: 8 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 09:47	LARGE	WLINGUN	13,589	13,590	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:46	LARGE	WLINGUN	13,607	13,608	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:45	LARGE	WLINGUN	13,619	13,620	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:44	LARGE	WLINGUN	13,634	13,635	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:43	LARGE	WLINGUN	13,649	13,650	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:42	LARGE	WLINGUN	13,662	13,663	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:41	LARGE	WLINGUN	13,679	13,680	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:40	LARGE	WLINGUN	13,694	13,695	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:39	LARGE	WLINGUN	13,709	13,710	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:38	LARGE	WLINGUN	13,727	13,728	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:37	LARGE	WLINGUN	13,739	13,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:36	LARGE	WLINGUN	13,755	13,756	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 7 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 00:03	LARGE	OTHER	13,770	13,771	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:02	LARGE	OTHER	13,783	13,784	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:01	LARGE	OTHER	13,800	13,801	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:00	LARGE	OTHER	13,815	13,816	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:59	LARGE	OTHER	13,830	13,831	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:58	LARGE	OTHER	13,845	13,846	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:57	LARGE	OTHER	13,860	13,861	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:56	LARGE	OTHER	13,875	13,876	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:55	LARGE	OTHER	13,890	13,891	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:54	LARGE	OTHER	13,903	13,904	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:53	LARGE	OTHER	13,920	13,921	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:52	LARGE	OTHER	13,933	13,934	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 48

Report For 06:00 AM 23-Feb-23

Perforation Information

Stage: 6 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 18:27	LARGE	OTHER	13,951	13,952	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:26	LARGE	OTHER	13,966	13,967	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:25	LARGE	OTHER	13,981	13,982	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:24	LARGE	OTHER	13,996	13,997	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:23	LARGE	OTHER	14,011	14,012	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:22	LARGE	OTHER	14,026	14,027	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:21	LARGE	OTHER	14,041	14,042	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:20	LARGE	OTHER	14,056	14,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:19	LARGE	OTHER	14,072	14,073	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:18	LARGE	OTHER	14,086	14,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:17	LARGE	OTHER	14,101	14,102	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:16	LARGE	OTHER	14,116	14,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 5 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 08:32	LARGE	OTHER	14,131	14,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:31	LARGE	OTHER	14,147	14,148	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:30	LARGE	OTHER	14,162	14,163	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:29	LARGE	OTHER	14,177	14,178	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:28	LARGE	OTHER	14,194	14,195	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:27	LARGE	OTHER	14,207	14,208	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:26	LARGE	OTHER	14,222	14,223	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:25	LARGE	OTHER	14,237	14,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:24	LARGE	OTHER	14,252	14,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:23	LARGE	OTHER	14,267	14,268	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:22	LARGE	OTHER	14,282	14,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:21	LARGE	OTHER	14,297	14,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 48

Report For 06:00 AM 23-Feb-23

Perforation Information

Stage: 4 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 01:37	LARGE	OTHER	14,315	14,316	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:36	LARGE	OTHER	14,327	14,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:35	LARGE	OTHER	14,343	14,344	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:34	LARGE	OTHER	14,358	14,359	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:33	LARGE	OTHER	14,373	14,374	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:32	LARGE	OTHER	14,388	14,389	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:31	LARGE	OTHER	14,403	14,404	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:30	LARGE	OTHER	14,418	14,419	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:29	LARGE	OTHER	14,435	14,436	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:28	LARGE	OTHER	14,448	14,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:27	LARGE	OTHER	14,463	14,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:26	LARGE	OTHER	14,478	14,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 3 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
11-Feb-23 18:12	LARGE	OTHER	14,493	14,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:11	LARGE	OTHER	14,508	14,509	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:10	LARGE	OTHER	14,523	14,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:09	LARGE	OTHER	14,539	14,540	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:08	LARGE	OTHER	14,550	14,551	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:07	LARGE	OTHER	14,569	14,570	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:06	LARGE	OTHER	14,584	14,585	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:05	LARGE	OTHER	14,599	14,600	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:04	LARGE	OTHER	14,614	14,615	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:03	LARGE	OTHER	14,629	14,630	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:02	LARGE	OTHER	14,664	14,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:01	LARGE	OTHER	14,659	14,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 48

Report For 06:00 AM 23-Feb-23

Perforation Information

Stage: 2 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
09-Feb-23 21:42	LARGE	OTHER	14,674	14,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:41	LARGE	OTHER	14,689	14,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:40	LARGE	OTHER	14,704	14,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:39	LARGE	OTHER	14,719	14,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:38	LARGE	OTHER	14,735	14,736	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:37	LARGE	OTHER	14,750	14,751	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:36	LARGE	OTHER	14,765	14,766	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:35	LARGE	OTHER	14,780	14,781	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:34	LARGE	OTHER	14,795	14,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:33	LARGE	OTHER	14,810	14,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:32	LARGE	OTHER	14,825	14,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:31	LARGE	OTHER	14,840	14,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 1 of 29

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jan-23 15:10	LARGE	OTHER	14,855	14,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:09	LARGE	OTHER	14,870	14,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:08	LARGE	OTHER	14,885	14,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:07	LARGE	OTHER	14,900	14,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:06	LARGE	OTHER	14,915	14,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:05	LARGE	OTHER	14,931	14,932	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:04	LARGE	OTHER	14,946	14,947	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:03	LARGE	OTHER	14,961	14,962	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:02	LARGE	OTHER	14,976	14,977	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:01	LARGE	OTHER	14,991	14,992	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:00	LARGE	OTHER	15,013	15,021	8	TOE SLEEVE

Safety Information

First Aid Treatments:


Medical Treatments:

Lost Time Incidents:

Days Since LTI:

☐ BOP Test

☐ Crownamatic Check

	Daily Completion Report Well ID: 42-105-42524 Field: Barnyard						SEM Well Name: University 40 2109WB Sect: 21 County: Crockett State: TX	
	Report No: 49						Report For 06:00 AM 24-Feb-23	
	Operator: SEM OPERATOR		Rig: ICD 307		Wellbore: Original Wellbore		Daily Cost / Fluid (\$):	
Measured Depth (ft): 15129		Completion Days (act.): 12		Orig RKB Elev(ft): 2699		AFE No. AFE (\$) Actual (\$)		
Vertical Depth (ft): 6537				Last BOP Test: 05-Oct-22		B23003		
		Days On Location: 41						
Last Casing: 5.50 at 15,105		Spud Date:				Totals:		
Plug Back MD (ft): 6537						Well Cost (\$):		
Plug Back TVD (ft)		Pers/Hrs: Operator: 0 / 0		Contractor: 4 / 0		Service: 25 / 0 Other: 0 / 0 Total: 29 / 0		
Safety Summary: No incidents or events reported.								
Current Operations: READY TO FRAC STAGE 35								
Planned Operations: PLUG & PERF STAGES 33-35 /FRAC STAGES 32 - 34								
Wellsite Supervisors: MOYE, DELEON,OWENS, , MAYNARD						Tel No.: 432-217-9511		
Engineer(s): Larry Gillette								
Operations Summary								
From	To	Elapsed	End MD(ft)	Code	Operations Description		Non-Prod	
6:00	6:00	24.00		STIM	PLUG & PERF STAGES 33-35 /FRAC STAGES 32 - 34			
Management Summary								
PLUG & PERF ZIPPER STAGE FRAC OPERATION								
Cost/AFE Information								
AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent	
B23003	Drill and Complete a 7750' WB L	6,829,922.00	0.00	114,960.76	170,888.35	4,065,721.64	59.53%	
Totals \$:		6,829,922.00	0.00	114,961.00	170,888.00	4,065,722.00	59.53%	
Casing/Tubular Information								
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	LOT (lbs/gal)	
FULL	9.63	0		868		40.00	J-55	
FULL	5.50	0		15,105		17.00		
Perforation Information								
Stage: 32 of 32								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
23-Feb-23 19:30	LARGE	WLINGUN	9,246	9,247	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
23-Feb-23 19:29	LARGE	WLINGUN	9,263	9,264	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
23-Feb-23 19:28	LARGE	WLINGUN	9,276	9,277	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
23-Feb-23 19:27	LARGE	WLINGUN	9,292	9,293	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
23-Feb-23 19:26	LARGE	WLINGUN	9,307	9,308	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
23-Feb-23 19:25	LARGE	WLINGUN	9,322	9,323	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
23-Feb-23 19:24	LARGE	WLINGUN	9,337	9,338	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
23-Feb-23 19:23	LARGE	WLINGUN	9,352	9,353	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
23-Feb-23 19:22	LARGE	WLINGUN	9,367	9,368	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
23-Feb-23 19:21	LARGE	WLINGUN	9,379	9,380	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
23-Feb-23 19:20	LARGE	WLINGUN	9,397	9,398	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
23-Feb-23 19:19	LARGE	WLINGUN	9,407	9,408	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 49

Report For 06:00 AM 24-Feb-23

Perforation Information

Stage: 31 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Feb-23 10:53	LARGE	WLINGUN	9,427	9,428	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:52	LARGE	WLINGUN	9,442	9,443	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:51	LARGE	WLINGUN	9,457	9,458	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:50	LARGE	WLINGUN	9,473	9,474	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:49	LARGE	WLINGUN	9,488	9,489	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:48	LARGE	WLINGUN	9,501	9,502	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:46	LARGE	WLINGUN	9,518	9,519	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:45	LARGE	WLINGUN	9,533	9,534	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:44	LARGE	WLINGUN	9,548	9,549	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:43	LARGE	WLINGUN	9,563	9,564	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:42	LARGE	WLINGUN	9,578	9,579	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:41	LARGE	WLINGUN	9,593	9,594	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 30 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Feb-23 02:57	LARGE	WLINGUN	9,608	9,609	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:56	LARGE	WLINGUN	9,622	9,623	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:55	LARGE	WLINGUN	9,638	9,639	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:54	LARGE	WLINGUN	9,653	9,654	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:53	LARGE	WLINGUN	9,669	9,670	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:52	LARGE	WLINGUN	9,684	9,685	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:51	LARGE	WLINGUN	9,699	9,700	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:50	LARGE	WLINGUN	9,714	9,715	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:49	LARGE	WLINGUN	9,729	9,730	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:48	LARGE	WLINGUN	9,743	9,744	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:47	LARGE	WLINGUN	9,759	9,760	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:46	LARGE	WLINGUN	9,774	9,775	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 49

Report For 06:00 AM 24-Feb-23

Perforation Information

Stage: 29 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 18:24	LARGE	WLINGUN	9,789	9,790	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:23	LARGE	WLINGUN	9,804	9,805	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:22	LARGE	WLINGUN	9,819	9,820	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:21	LARGE	WLINGUN	9,834	9,835	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:20	LARGE	WLINGUN	9,849	9,850	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:19	LARGE	WLINGUN	9,865	9,866	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:18	LARGE	WLINGUN	9,880	9,881	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:17	LARGE	WLINGUN	9,895	9,896	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:16	LARGE	WLINGUN	9,913	9,914	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:15	LARGE	WLINGUN	9,925	9,926	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:14	LARGE	WLINGUN	9,940	9,941	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:13	LARGE	WLINGUN	9,955	9,956	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 28 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 09:32	LARGE	WLINGUN	9,970	9,971	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:31	LARGE	WLINGUN	9,985	9,986	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:30	LARGE	WLINGUN	10,000	10,001	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:29	LARGE	WLINGUN	10,015	10,016	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:28	LARGE	WLINGUN	10,033	10,034	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:27	LARGE	WLINGUN	10,045	10,046	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:26	LARGE	WLINGUN	10,061	10,062	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:25	LARGE	WLINGUN	10,076	10,077	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
------------------	------	--------	----------	-------------	-------------	----------

22-Feb-23 09:24	LARGE	WLINGUN	10,019	10,020	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
-----------------	-------	---------	--------	--------	---	--

Stage: 28 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 09:23	LARGE	WLINGUN	10,106	10,107	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:22	LARGE	WLINGUN	10,121	10,122	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:21	LARGE	WLINGUN	10,136	10,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 49

Report For 06:00 AM 24-Feb-23

Perforation Information

Stage: 27 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 00:27	LARGE	WLINGUN	10,150	10,151	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:26	LARGE	WLINGUN	10,166	10,167	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:25	LARGE	WLINGUN	10,181	10,182	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:24	LARGE	WLINGUN	10,199	10,200	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:23	LARGE	WLINGUN	10,211	10,212	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:22	LARGE	WLINGUN	10,226	10,227	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:21	LARGE	WLINGUN	10,241	10,242	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:20	LARGE	WLINGUN	10,257	10,258	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:19	LARGE	WLINGUN	10,272	10,273	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:18	LARGE	WLINGUN	10,287	10,288	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:17	LARGE	WLINGUN	10,302	10,303	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:16	LARGE	WLINGUN	10,314	10,315	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 26 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 15:42	LARGE	WLINGUN	10,332	10,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:41	LARGE	WLINGUN	15,347	15,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:40	LARGE	WLINGUN	10,362	10,363	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:39	LARGE	WLINGUN	10,377	10,378	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:38	LARGE	WLINGUN	10,392	10,393	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:37	LARGE	WLINGUN	10,407	10,408	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:36	LARGE	WLINGUN	10,422	10,423	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:35	LARGE	WLINGUN	10,436	10,437	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:34	LARGE	WLINGUN	10,453	10,454	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:33	LARGE	WLINGUN	10,468	10,469	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:32	LARGE	WLINGUN	10,483	10,484	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:31	LARGE	WLINGUN	10,498	10,499	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 25 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:49	LARGE	WLINGUN	10,513	10,514	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:48	LARGE	WLINGUN	10,528	10,529	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:47	LARGE	WLINGUN	10,543	10,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:46	LARGE	WLINGUN	10,556	10,557	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 49

Report For 06:00 AM 24-Feb-23

Perforation Information

Stage: 24 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:45	LARGE	WLINGUN	10,573	10,574	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 25 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:44	LARGE	WLINGUN	10,588	10,589	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:43	LARGE	WLINGUN	10,603	10,604	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:42	LARGE	WLINGUN	10,618	10,619	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:41	LARGE	WLINGUN	10,634	10,635	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:15	LARGE	WLINGUN	10,649	10,650	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:14	LARGE	WLINGUN	10,664	10,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:13	LARGE	WLINGUN	10,675	10,676	1	

Stage: 24 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 23:07	LARGE	WLINGUN	10,694	10,695	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:06	LARGE	WLINGUN	10,709	10,710	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:05	LARGE	WLINGUN	10,724	10,725	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:04	LARGE	WLINGUN	10,739	10,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:03	LARGE	WLINGUN	10,754	10,755	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:02	LARGE	WLINGUN	10,769	10,770	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:01	LARGE	WLINGUN	10,784	10,785	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:00	LARGE	WLINGUN	10,799	10,800	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:59	LARGE	WLINGUN	10,814	10,815	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:58	LARGE	WLINGUN	10,830	10,831	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:57	LARGE	WLINGUN	10,847	10,848	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:56	LARGE	WLINGUN	10,860	10,861	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 49

Report For 06:00 AM 24-Feb-23

Perforation Information

Stage: 23 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 14:12	LARGE	WLINGUN	10,875	10,876	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:11	LARGE	WLINGUN	10,890	10,891	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:10	LARGE	WLINGUN	10,905	10,906	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:09	LARGE	WLINGUN	10,921	10,922	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:08	LARGE	WLINGUN	10,935	10,936	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:07	LARGE	WLINGUN	10,950	10,951	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:06	LARGE	WLINGUN	10,967	10,968	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:05	LARGE	WLINGUN	10,980	10,981	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:04	LARGE	WLINGUN	10,995	10,996	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:03	LARGE	WLINGUN	11,010	11,011	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:02	LARGE	WLINGUN	11,026	11,027	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:01	LARGE	WLINGUN	11,041	11,042	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 22 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 05:51	LARGE	WLINGUN	11,071	11,072	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:50	LARGE	WLINGUN	11,086	11,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:49	LARGE	WLINGUN	11,101	11,102	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:48	LARGE	WLINGUN	11,116	11,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:47	LARGE	WLINGUN	11,131	11,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:46	LARGE	WLINGUN	11,145	11,146	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:45	LARGE	WLINGUN	11,161	11,162	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:44	LARGE	WLINGUN	11,176	11,177	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:43	LARGE	WLINGUN	11,191	11,192	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:41	LARGE	WLINGUN	11,206	11,207	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:40	LARGE	WLINGUN	11,222	11,223	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 00:00	LARGE	WLINGUN	11,056	11,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 49

Report For 06:00 AM 24-Feb-23

Perforation Information

Stage: 21 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 19:12	LARGE	WLINGUN	11,237	11,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:11	LARGE	WLINGUN	11,252	11,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:10	LARGE	WLINGUN	11,265	11,266	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:09	LARGE	WLINGUN	11,282	11,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:08	LARGE	WLINGUN	11,297	11,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:07	LARGE	WLINGUN	11,312	11,313	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:06	LARGE	WLINGUN	11,327	11,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:05	LARGE	WLINGUN	11,342	11,343	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:04	LARGE	WLINGUN	11,357	11,358	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:03	LARGE	WLINGUN	11,372	11,373	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:02	LARGE	WLINGUN	11,387	11,388	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:01	LARGE	WLINGUN	11,402	11,403	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 20 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 10:12	LARGE	WLINGUN	11,417	11,418	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:11	LARGE	WLINGUN	11,433	11,434	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:10	LARGE	WLINGUN	11,448	11,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:09	LARGE	WLINGUN	11,463	11,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:08	LARGE	WLINGUN	11,478	11,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:07	LARGE	WLINGUN	11,493	11,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:06	LARGE	WLINGUN	11,506	11,507	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:05	LARGE	WLINGUN	11,523	11,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:04	LARGE	WLINGUN	11,538	11,539	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:03	LARGE	WLINGUN	11,553	11,554	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:02	LARGE	WLINGUN	11,568	11,569	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:01	LARGE	WLINGUN	11,583	11,584	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 49

Report For 06:00 AM 24-Feb-23

Perforation Information

Stage: 19 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 00:40	LARGE	WLINGUN	11,598	11,599	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:39	LARGE	WLINGUN	11,613	11,614	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:38	LARGE	WLINGUN	11,627	11,628	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:37	LARGE	WLINGUN	11,644	11,645	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:36	LARGE	WLINGUN	11,659	11,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:35	LARGE	WLINGUN	11,674	11,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:34	LARGE	WLINGUN	11,689	11,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:33	LARGE	WLINGUN	11,704	11,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:32	LARGE	WLINGUN	11,719	11,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:31	LARGE	WLINGUN	11,734	11,735	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:30	LARGE	WLINGUN	11,749	11,750	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:29	LARGE	WLINGUN	11,764	11,765	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 18 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Feb-23 15:26	LARGE	WLINGUN	11,779	11,780	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:25	LARGE	WLINGUN	11,795	11,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:24	LARGE	WLINGUN	11,810	11,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:23	LARGE	WLINGUN	11,825	11,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:22	LARGE	WLINGUN	11,840	11,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:21	LARGE	WLINGUN	11,855	11,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:20	LARGE	WLINGUN	11,870	11,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:19	LARGE	WLINGUN	11,885	11,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:18	LARGE	WLINGUN	11,900	11,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:17	LARGE	WLINGUN	11,915	11,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:16	LARGE	WLINGUN	11,930	11,931	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:15	LARGE	WLINGUN	11,945	11,946	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 49

Report For 06:00 AM 24-Feb-23

Perforation Information

Stage: 17 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Feb-23 06:12	LARGE	WLINGUN	11,960	11,961	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:11	LARGE	WLINGUN	11,975	11,976	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:10	LARGE	WLINGUN	11,987	11,988	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:09	LARGE	WLINGUN	12,006	12,007	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:08	LARGE	WLINGUN	12,021	12,022	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:07	LARGE	WLINGUN	12,036	12,037	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:06	LARGE	WLINGUN	12,051	12,052	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:05	LARGE	WLINGUN	12,066	12,067	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:04	LARGE	WLINGUN	12,081	12,082	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:03	LARGE	WLINGUN	12,096	12,097	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:02	LARGE	WLINGUN	12,108	12,109	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:01	LARGE	WLINGUN	12,126	12,127	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 16 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 23:06	LARGE	WLINGUN	12,141	12,142	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:05	LARGE	WLINGUN	12,156	12,157	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:04	LARGE	WLINGUN	12,171	12,172	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:03	LARGE	WLINGUN	12,186	12,187	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:02	LARGE	WLINGUN	12,202	12,203	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:01	LARGE	WLINGUN	12,217	12,218	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:00	LARGE	WLINGUN	12,231	12,232	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:59	LARGE	WLINGUN	12,247	12,248	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:58	LARGE	WLINGUN	12,262	12,263	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:57	LARGE	WLINGUN	12,277	12,278	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:56	LARGE	WLINGUN	12,292	12,293	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:55	LARGE	WLINGUN	12,307	12,308	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 49

Report For 06:00 AM 24-Feb-23

Perforation Information

Stage: 15 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:42	LARGE	WLINGUN	12,322	12,323	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:41	LARGE	WLINGUN	12,337	12,338	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:40	LARGE	WLINGUN	12,352	12,353	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:39	LARGE	WLINGUN	12,367	12,368	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:38	LARGE	WLINGUN	12,382	12,383	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:37	LARGE	WLINGUN	12,398	12,399	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:36	LARGE	WLINGUN	12,413	12,414	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:35	LARGE	WLINGUN	12,428	12,429	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:34	LARGE	WLINGUN	12,443	12,444	1	

Stage: 15 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:33	LARGE	WLINGUN	12,458	12,459	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:32	LARGE	WLINGUN	12,472	12,473	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:31	LARGE	WLINGUN	12,488	12,489	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 14 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 20:57	LARGE	WLINGUN	12,503	12,504	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:56	LARGE	WLINGUN	12,519	12,520	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:55	LARGE	WLINGUN	12,533	12,534	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:54	LARGE	WLINGUN	12,548	12,549	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:53	LARGE	WLINGUN	12,563	12,564	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:52	LARGE	WLINGUN	12,578	12,579	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:51	LARGE	WLINGUN	12,594	12,595	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:50	LARGE	WLINGUN	12,609	12,610	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:49	LARGE	WLINGUN	12,624	12,625	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:48	LARGE	WLINGUN	12,636	12,637	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:47	LARGE	WLINGUN	12,654	12,655	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:46	LARGE	WLINGUN	12,665	12,666	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 49

Report For 06:00 AM 24-Feb-23

Perforation Information

Stage: 13 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 11:45	LARGE	WLINGUN	12,684	12,685	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:34	LARGE	WLINGUN	12,699	12,700	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:33	LARGE	WLINGUN	12,714	12,715	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:32	LARGE	WLINGUN	12,729	12,730	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:31	LARGE	WLINGUN	12,744	12,745	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:30	LARGE	WLINGUN	12,758	12,759	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:29	LARGE	WLINGUN	12,775	12,776	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:28	LARGE	WLINGUN	12,790	12,791	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:27	LARGE	WLINGUN	12,805	12,806	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:26	LARGE	WLINGUN	12,820	12,821	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:25	LARGE	WLINGUN	12,835	12,836	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:24	LARGE	WLINGUN	12,850	12,851	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 12 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 01:29	LARGE	WLINGUN	12,865	12,866	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:28	LARGE	WLINGUN	12,877	12,878	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:27	LARGE	WLINGUN	12,895	12,896	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:26	LARGE	WLINGUN	12,910	12,911	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:25	LARGE	WLINGUN	12,925	12,926	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:24	LARGE	WLINGUN	12,940	12,941	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:23	LARGE	WLINGUN	12,955	12,956	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:22	LARGE	WLINGUN	12,971	12,972	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:21	LARGE	WLINGUN	12,986	12,987	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:20	LARGE	WLINGUN	12,999	13,000	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:19	LARGE	WLINGUN	13,016	13,017	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:18	LARGE	WLINGUN	13,029	13,030	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 49

Report For 06:00 AM 24-Feb-23

Perforation Information

Stage: 11 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 14:42	LARGE	WLINGUN	13,047	13,048	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:41	LARGE	WLINGUN	13,061	13,062	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:40	LARGE	WLINGUN	13,076	13,077	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:39	LARGE	WLINGUN	13,091	13,092	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:38	LARGE	WLINGUN	13,106	13,107	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:37	LARGE	WLINGUN	13,121	13,122	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:36	LARGE	WLINGUN	13,136	13,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:35	LARGE	WLINGUN	13,151	13,152	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:34	LARGE	WLINGUN	13,167	13,168	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:33	LARGE	WLINGUN	13,182	13,183	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:32	LARGE	WLINGUN	13,197	13,198	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:31	LARGE	WLINGUN	13,212	13,213	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 10 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 05:02	LARGE	WLINGUN	13,227	13,228	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:01	LARGE	WLINGUN	13,242	13,243	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:00	LARGE	WLINGUN	13,257	13,258	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:59	LARGE	WLINGUN	13,272	13,273	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:58	LARGE	WLINGUN	13,287	13,288	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:57	LARGE	WLINGUN	13,302	13,303	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:56	LARGE	WLINGUN	13,317	13,318	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:55	LARGE	WLINGUN	13,332	13,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:54	LARGE	WLINGUN	13,347	13,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:53	LARGE	WLINGUN	13,361	13,362	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:52	LARGE	WLINGUN	13,378	13,379	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:51	LARGE	WLINGUN	13,393	13,394	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 49

Report For 06:00 AM 24-Feb-23

Perforation Information

Stage: 9 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 19:15	LARGE	WLINGUN	13,409	13,410	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:14	LARGE	WLINGUN	13,423	13,424	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:13	LARGE	WLINGUN	13,438	13,439	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:12	LARGE	WLINGUN	13,453	13,454	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:11	LARGE	WLINGUN	13,468	13,469	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:10	LARGE	WLINGUN	13,483	13,484	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:09	LARGE	WLINGUN	13,498	13,499	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:08	LARGE	WLINGUN	13,513	13,514	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:07	LARGE	WLINGUN	13,529	13,530	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:06	LARGE	WLINGUN	13,543	13,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:05	LARGE	WLINGUN	13,559	13,560	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:04	LARGE	WLINGUN	13,574	13,575	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 8 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 09:47	LARGE	WLINGUN	13,589	13,590	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:46	LARGE	WLINGUN	13,607	13,608	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:45	LARGE	WLINGUN	13,619	13,620	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:44	LARGE	WLINGUN	13,634	13,635	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:43	LARGE	WLINGUN	13,649	13,650	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:42	LARGE	WLINGUN	13,662	13,663	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:41	LARGE	WLINGUN	13,679	13,680	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:40	LARGE	WLINGUN	13,694	13,695	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:39	LARGE	WLINGUN	13,709	13,710	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:38	LARGE	WLINGUN	13,727	13,728	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:37	LARGE	WLINGUN	13,739	13,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:36	LARGE	WLINGUN	13,755	13,756	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 49

Report For 06:00 AM 24-Feb-23

Perforation Information

Stage: 7 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 00:03	LARGE	OTHER	13,770	13,771	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:02	LARGE	OTHER	13,783	13,784	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:01	LARGE	OTHER	13,800	13,801	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:00	LARGE	OTHER	13,815	13,816	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:59	LARGE	OTHER	13,830	13,831	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:58	LARGE	OTHER	13,845	13,846	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:57	LARGE	OTHER	13,860	13,861	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:56	LARGE	OTHER	13,875	13,876	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:55	LARGE	OTHER	13,890	13,891	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:54	LARGE	OTHER	13,903	13,904	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:53	LARGE	OTHER	13,920	13,921	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:52	LARGE	OTHER	13,933	13,934	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 6 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 18:27	LARGE	OTHER	13,951	13,952	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:26	LARGE	OTHER	13,966	13,967	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:25	LARGE	OTHER	13,981	13,982	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:24	LARGE	OTHER	13,996	13,997	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:23	LARGE	OTHER	14,011	14,012	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:22	LARGE	OTHER	14,026	14,027	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:21	LARGE	OTHER	14,041	14,042	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:20	LARGE	OTHER	14,056	14,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:19	LARGE	OTHER	14,072	14,073	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:18	LARGE	OTHER	14,086	14,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:17	LARGE	OTHER	14,101	14,102	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:16	LARGE	OTHER	14,116	14,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 49

Report For 06:00 AM 24-Feb-23

Perforation Information

Stage: 5 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 08:32	LARGE	OTHER	14,131	14,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:31	LARGE	OTHER	14,147	14,148	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:30	LARGE	OTHER	14,162	14,163	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:29	LARGE	OTHER	14,177	14,178	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:28	LARGE	OTHER	14,194	14,195	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:27	LARGE	OTHER	14,207	14,208	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:26	LARGE	OTHER	14,222	14,223	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:25	LARGE	OTHER	14,237	14,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:24	LARGE	OTHER	14,252	14,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:23	LARGE	OTHER	14,267	14,268	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:22	LARGE	OTHER	14,282	14,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:21	LARGE	OTHER	14,297	14,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 4 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 01:37	LARGE	OTHER	14,315	14,316	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:36	LARGE	OTHER	14,327	14,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:35	LARGE	OTHER	14,343	14,344	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:34	LARGE	OTHER	14,358	14,359	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:33	LARGE	OTHER	14,373	14,374	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:32	LARGE	OTHER	14,388	14,389	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:31	LARGE	OTHER	14,403	14,404	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:30	LARGE	OTHER	14,418	14,419	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:29	LARGE	OTHER	14,435	14,436	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:28	LARGE	OTHER	14,448	14,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:27	LARGE	OTHER	14,463	14,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:26	LARGE	OTHER	14,478	14,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 49

Report For 06:00 AM 24-Feb-23

Perforation Information

Stage: 3 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
11-Feb-23 18:12	LARGE	OTHER	14,493	14,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:11	LARGE	OTHER	14,508	14,509	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:10	LARGE	OTHER	14,523	14,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:09	LARGE	OTHER	14,539	14,540	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:08	LARGE	OTHER	14,550	14,551	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:07	LARGE	OTHER	14,569	14,570	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:06	LARGE	OTHER	14,584	14,585	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:05	LARGE	OTHER	14,599	14,600	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:04	LARGE	OTHER	14,614	14,615	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:03	LARGE	OTHER	14,629	14,630	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:02	LARGE	OTHER	14,664	14,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:01	LARGE	OTHER	14,659	14,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 2 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
09-Feb-23 21:42	LARGE	OTHER	14,674	14,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:41	LARGE	OTHER	14,689	14,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:40	LARGE	OTHER	14,704	14,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:39	LARGE	OTHER	14,719	14,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:38	LARGE	OTHER	14,735	14,736	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:37	LARGE	OTHER	14,750	14,751	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:36	LARGE	OTHER	14,765	14,766	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:35	LARGE	OTHER	14,780	14,781	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:34	LARGE	OTHER	14,795	14,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:33	LARGE	OTHER	14,810	14,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:32	LARGE	OTHER	14,825	14,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:31	LARGE	OTHER	14,840	14,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 49

Report For 06:00 AM 24-Feb-23

Perforation Information

Stage: 1 of 32

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jan-23 15:10	LARGE	OTHER	14,855	14,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:09	LARGE	OTHER	14,870	14,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:08	LARGE	OTHER	14,885	14,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:07	LARGE	OTHER	14,900	14,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:06	LARGE	OTHER	14,915	14,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:05	LARGE	OTHER	14,931	14,932	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:04	LARGE	OTHER	14,946	14,947	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:03	LARGE	OTHER	14,961	14,962	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:02	LARGE	OTHER	14,976	14,977	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:01	LARGE	OTHER	14,991	14,992	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:00	LARGE	OTHER	15,013	15,021	8	TOE SLEEVE

Safety Information

First Aid Treatments:


Medical Treatments:

Lost Time Incidents:

Days Since LTI:

☐ BOP Test

☐ Crownamatic Check

	Daily Completion Report Well ID: 42-105-42524 Field: Barnyard						SEM Well Name: University 40 2109WB Sect: 21 County: Crockett State: TX		
	Report No: 50						Report For 06:00 AM 25-Feb-23		
	Operator: SEM OPERATOR		Rig: ICD 307		Wellbore: Original Wellbore		Daily Cost / Fluid (\$):		
Measured Depth (ft): 15129		Completion Days (act.): 13		Orig RKB Elev(ft): 2699		AFE No.		AFE (\$)	Actual (\$)
Vertical Depth (ft): 6537		Days On Location: 42		Last BOP Test: 05-Oct-22		B23003			
Last Casing: 5.50 at 15,105		Spud Date:		Totals:					
Plug Back MD (ft): 6537		Well Cost (\$):							
Plug Back TVD (ft)		Pers/Hrs:	Operator: 0 / 0	Contractor: 4 / 0	Service: 25 / 0	Other: 0 / 0	Total: 29 / 0		
Safety Summary: No incidents or events reported.									
Current Operations: READY TO FRAC STAGE 38									
Planned Operations: PLUG & PERF STAGES 36 -38/FRAC STAGES 35 - 37									
Wellsite Supervisors: MOYE, DELEON,OWENS, , MAYNARD							Tel No.: 432-217-9511		
Engineer(s): Larry Gillette									
Operations Summary									
From	To	Elapsed	End MD(ft)	Code	Operations Description				Non-Prod
6:00	6:00	24.00		STIM	PLUG & PERF STAGES 36 -38/FRAC STAGES 35 - 37				
Management Summary									
PLUG & PERF ZIPPER STAGE FRAC OPERATION									
Cost/AFE Information									
AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent		
B23003	Drill and Complete a 7750' WB L	6,829,922.00	0.00	114,960.76	131,325.00	4,197,046.64	61.45%		
Totals \$:		6,829,922.00	0.00	114,961.00	131,325.00	4,197,047.00	61.45%		
Casing/Tubular Information									
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)	
FULL	9.63	0		868		40.00	J-55		
FULL	5.50	0		15,105		17.00			
Perforation Information									
Stage: 34 of 34									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
24-Feb-23 15:53	LARGE	WLINGUN	8,884	8,885	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
24-Feb-23 15:52	LARGE	WLINGUN	8,900	8,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
24-Feb-23 15:51	LARGE	WLINGUN	8,915	8,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
24-Feb-23 15:50	LARGE	WLINGUN	8,930	8,931	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
24-Feb-23 15:49	LARGE	WLINGUN	8,945	8,946	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
24-Feb-23 15:48	LARGE	WLINGUN	8,960	8,961	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
24-Feb-23 15:47	LARGE	WLINGUN	8,977	8,978	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
24-Feb-23 15:46	LARGE	WLINGUN	8,990	8,991	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
24-Feb-23 15:45	LARGE	WLINGUN	9,005	9,006	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
24-Feb-23 15:44	LARGE	WLINGUN	9,020	9,021	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
24-Feb-23 15:43	LARGE	WLINGUN	935	9,036	8,101	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
24-Feb-23 15:42	LARGE	WLINGUN	9,050	9,051	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 50

Report For 06:00 AM 25-Feb-23

Perforation Information

Stage: 33 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Feb-23 08:55	LARGE	WLINGUN	9,068	9,069	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:54	LARGE	WLINGUN	9,080	9,081	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:53	LARGE	WLINGUN	9,096	9,097	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:52	LARGE	WLINGUN	9,111	9,112	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:51	LARGE	WLINGUN	9,126	9,127	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:50	LARGE	WLINGUN	9,141	9,142	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:49	LARGE	WLINGUN	9,156	9,157	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:48	LARGE	WLINGUN	9,171	9,172	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:47	LARGE	WLINGUN	9,186	9,187	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:46	LARGE	WLINGUN	9,201	9,202	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:45	LARGE	WLINGUN	9,216	9,217	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:44	LARGE	WLINGUN	9,231	9,232	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 32 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Feb-23 19:30	LARGE	WLINGUN	9,246	9,247	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:29	LARGE	WLINGUN	9,263	9,264	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:28	LARGE	WLINGUN	9,276	9,277	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:27	LARGE	WLINGUN	9,292	9,293	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:26	LARGE	WLINGUN	9,307	9,308	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:25	LARGE	WLINGUN	9,322	9,323	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:24	LARGE	WLINGUN	9,337	9,338	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:23	LARGE	WLINGUN	9,352	9,353	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:22	LARGE	WLINGUN	9,367	9,368	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:21	LARGE	WLINGUN	9,379	9,380	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:20	LARGE	WLINGUN	9,397	9,398	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:19	LARGE	WLINGUN	9,407	9,408	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 50

Report For 06:00 AM 25-Feb-23

Perforation Information

Stage: 31 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Feb-23 10:53	LARGE	WLINGUN	9,427	9,428	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:52	LARGE	WLINGUN	9,442	9,443	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:51	LARGE	WLINGUN	9,457	9,458	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:50	LARGE	WLINGUN	9,473	9,474	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:49	LARGE	WLINGUN	9,488	9,489	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:48	LARGE	WLINGUN	9,501	9,502	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:46	LARGE	WLINGUN	9,518	9,519	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:45	LARGE	WLINGUN	9,533	9,534	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:44	LARGE	WLINGUN	9,548	9,549	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:43	LARGE	WLINGUN	9,563	9,564	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:42	LARGE	WLINGUN	9,578	9,579	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:41	LARGE	WLINGUN	9,593	9,594	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 30 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Feb-23 02:57	LARGE	WLINGUN	9,608	9,609	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:56	LARGE	WLINGUN	9,622	9,623	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:55	LARGE	WLINGUN	9,638	9,639	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:54	LARGE	WLINGUN	9,653	9,654	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:53	LARGE	WLINGUN	9,669	9,670	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:52	LARGE	WLINGUN	9,684	9,685	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:51	LARGE	WLINGUN	9,699	9,700	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:50	LARGE	WLINGUN	9,714	9,715	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:49	LARGE	WLINGUN	9,729	9,730	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:48	LARGE	WLINGUN	9,743	9,744	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:47	LARGE	WLINGUN	9,759	9,760	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:46	LARGE	WLINGUN	9,774	9,775	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 50

Report For 06:00 AM 25-Feb-23

Perforation Information

Stage: 29 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 18:24	LARGE	WLINGUN	9,789	9,790	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:23	LARGE	WLINGUN	9,804	9,805	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:22	LARGE	WLINGUN	9,819	9,820	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:21	LARGE	WLINGUN	9,834	9,835	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:20	LARGE	WLINGUN	9,849	9,850	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:19	LARGE	WLINGUN	9,865	9,866	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:18	LARGE	WLINGUN	9,880	9,881	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:17	LARGE	WLINGUN	9,895	9,896	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:16	LARGE	WLINGUN	9,913	9,914	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:15	LARGE	WLINGUN	9,925	9,926	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:14	LARGE	WLINGUN	9,940	9,941	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:13	LARGE	WLINGUN	9,955	9,956	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 28 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 09:32	LARGE	WLINGUN	9,970	9,971	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:31	LARGE	WLINGUN	9,985	9,986	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:30	LARGE	WLINGUN	10,000	10,001	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:29	LARGE	WLINGUN	10,015	10,016	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:28	LARGE	WLINGUN	10,033	10,034	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:27	LARGE	WLINGUN	10,045	10,046	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:26	LARGE	WLINGUN	10,061	10,062	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:25	LARGE	WLINGUN	10,076	10,077	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 09:24	LARGE	WLINGUN	10,019	10,020	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 28 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 09:23	LARGE	WLINGUN	10,106	10,107	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:22	LARGE	WLINGUN	10,121	10,122	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:21	LARGE	WLINGUN	10,136	10,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 50

Report For 06:00 AM 25-Feb-23

Perforation Information

Stage: 27 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 00:27	LARGE	WLINGUN	10,150	10,151	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:26	LARGE	WLINGUN	10,166	10,167	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:25	LARGE	WLINGUN	10,181	10,182	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:24	LARGE	WLINGUN	10,199	10,200	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:23	LARGE	WLINGUN	10,211	10,212	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:22	LARGE	WLINGUN	10,226	10,227	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:21	LARGE	WLINGUN	10,241	10,242	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:20	LARGE	WLINGUN	10,257	10,258	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:19	LARGE	WLINGUN	10,272	10,273	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:18	LARGE	WLINGUN	10,287	10,288	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:17	LARGE	WLINGUN	10,302	10,303	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:16	LARGE	WLINGUN	10,314	10,315	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 26 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 15:42	LARGE	WLINGUN	10,332	10,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:41	LARGE	WLINGUN	15,347	15,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:40	LARGE	WLINGUN	10,362	10,363	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:39	LARGE	WLINGUN	10,377	10,378	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:38	LARGE	WLINGUN	10,392	10,393	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:37	LARGE	WLINGUN	10,407	10,408	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:36	LARGE	WLINGUN	10,422	10,423	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:35	LARGE	WLINGUN	10,436	10,437	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:34	LARGE	WLINGUN	10,453	10,454	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:33	LARGE	WLINGUN	10,468	10,469	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:32	LARGE	WLINGUN	10,483	10,484	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:31	LARGE	WLINGUN	10,498	10,499	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 25 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:49	LARGE	WLINGUN	10,513	10,514	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:48	LARGE	WLINGUN	10,528	10,529	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:47	LARGE	WLINGUN	10,543	10,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:46	LARGE	WLINGUN	10,556	10,557	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 50

Report For 06:00 AM 25-Feb-23

Perforation Information

Stage: 24 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:45	LARGE	WLINGUN	10,573	10,574	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 25 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:44	LARGE	WLINGUN	10,588	10,589	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:43	LARGE	WLINGUN	10,603	10,604	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:42	LARGE	WLINGUN	10,618	10,619	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:41	LARGE	WLINGUN	10,634	10,635	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:15	LARGE	WLINGUN	10,649	10,650	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:14	LARGE	WLINGUN	10,664	10,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:13	LARGE	WLINGUN	10,675	10,676	1	

Stage: 24 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 23:07	LARGE	WLINGUN	10,694	10,695	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:06	LARGE	WLINGUN	10,709	10,710	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:05	LARGE	WLINGUN	10,724	10,725	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:04	LARGE	WLINGUN	10,739	10,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:03	LARGE	WLINGUN	10,754	10,755	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:02	LARGE	WLINGUN	10,769	10,770	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:01	LARGE	WLINGUN	10,784	10,785	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:00	LARGE	WLINGUN	10,799	10,800	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:59	LARGE	WLINGUN	10,814	10,815	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:58	LARGE	WLINGUN	10,830	10,831	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:57	LARGE	WLINGUN	10,847	10,848	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:56	LARGE	WLINGUN	10,860	10,861	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 50

Report For 06:00 AM 25-Feb-23

Perforation Information

Stage: 23 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 14:12	LARGE	WLINGUN	10,875	10,876	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:11	LARGE	WLINGUN	10,890	10,891	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:10	LARGE	WLINGUN	10,905	10,906	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:09	LARGE	WLINGUN	10,921	10,922	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:08	LARGE	WLINGUN	10,935	10,936	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:07	LARGE	WLINGUN	10,950	10,951	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:06	LARGE	WLINGUN	10,967	10,968	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:05	LARGE	WLINGUN	10,980	10,981	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:04	LARGE	WLINGUN	10,995	10,996	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:03	LARGE	WLINGUN	11,010	11,011	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:02	LARGE	WLINGUN	11,026	11,027	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:01	LARGE	WLINGUN	11,041	11,042	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 22 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 05:51	LARGE	WLINGUN	11,071	11,072	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:50	LARGE	WLINGUN	11,086	11,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:49	LARGE	WLINGUN	11,101	11,102	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:48	LARGE	WLINGUN	11,116	11,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:47	LARGE	WLINGUN	11,131	11,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:46	LARGE	WLINGUN	11,145	11,146	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:45	LARGE	WLINGUN	11,161	11,162	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:44	LARGE	WLINGUN	11,176	11,177	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:43	LARGE	WLINGUN	11,191	11,192	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:41	LARGE	WLINGUN	11,206	11,207	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:40	LARGE	WLINGUN	11,222	11,223	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 00:00	LARGE	WLINGUN	11,056	11,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 50

Report For 06:00 AM 25-Feb-23

Perforation Information

Stage: 21 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 19:12	LARGE	WLINGUN	11,237	11,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:11	LARGE	WLINGUN	11,252	11,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:10	LARGE	WLINGUN	11,265	11,266	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:09	LARGE	WLINGUN	11,282	11,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:08	LARGE	WLINGUN	11,297	11,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:07	LARGE	WLINGUN	11,312	11,313	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:06	LARGE	WLINGUN	11,327	11,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:05	LARGE	WLINGUN	11,342	11,343	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:04	LARGE	WLINGUN	11,357	11,358	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:03	LARGE	WLINGUN	11,372	11,373	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:02	LARGE	WLINGUN	11,387	11,388	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:01	LARGE	WLINGUN	11,402	11,403	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 20 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 10:12	LARGE	WLINGUN	11,417	11,418	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:11	LARGE	WLINGUN	11,433	11,434	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:10	LARGE	WLINGUN	11,448	11,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:09	LARGE	WLINGUN	11,463	11,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:08	LARGE	WLINGUN	11,478	11,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:07	LARGE	WLINGUN	11,493	11,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:06	LARGE	WLINGUN	11,506	11,507	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:05	LARGE	WLINGUN	11,523	11,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:04	LARGE	WLINGUN	11,538	11,539	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:03	LARGE	WLINGUN	11,553	11,554	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:02	LARGE	WLINGUN	11,568	11,569	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:01	LARGE	WLINGUN	11,583	11,584	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 50

Report For 06:00 AM 25-Feb-23

Perforation Information

Stage: 19 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 00:40	LARGE	WLINGUN	11,598	11,599	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:39	LARGE	WLINGUN	11,613	11,614	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:38	LARGE	WLINGUN	11,627	11,628	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:37	LARGE	WLINGUN	11,644	11,645	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:36	LARGE	WLINGUN	11,659	11,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:35	LARGE	WLINGUN	11,674	11,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:34	LARGE	WLINGUN	11,689	11,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:33	LARGE	WLINGUN	11,704	11,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:32	LARGE	WLINGUN	11,719	11,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:31	LARGE	WLINGUN	11,734	11,735	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:30	LARGE	WLINGUN	11,749	11,750	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:29	LARGE	WLINGUN	11,764	11,765	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 18 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Feb-23 15:26	LARGE	WLINGUN	11,779	11,780	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:25	LARGE	WLINGUN	11,795	11,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:24	LARGE	WLINGUN	11,810	11,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:23	LARGE	WLINGUN	11,825	11,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:22	LARGE	WLINGUN	11,840	11,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:21	LARGE	WLINGUN	11,855	11,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:20	LARGE	WLINGUN	11,870	11,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:19	LARGE	WLINGUN	11,885	11,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:18	LARGE	WLINGUN	11,900	11,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:17	LARGE	WLINGUN	11,915	11,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:16	LARGE	WLINGUN	11,930	11,931	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:15	LARGE	WLINGUN	11,945	11,946	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 50

Report For 06:00 AM 25-Feb-23

Perforation Information

Stage: 17 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Feb-23 06:12	LARGE	WLINGUN	11,960	11,961	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:11	LARGE	WLINGUN	11,975	11,976	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:10	LARGE	WLINGUN	11,987	11,988	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:09	LARGE	WLINGUN	12,006	12,007	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:08	LARGE	WLINGUN	12,021	12,022	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:07	LARGE	WLINGUN	12,036	12,037	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:06	LARGE	WLINGUN	12,051	12,052	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:05	LARGE	WLINGUN	12,066	12,067	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:04	LARGE	WLINGUN	12,081	12,082	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:03	LARGE	WLINGUN	12,096	12,097	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:02	LARGE	WLINGUN	12,108	12,109	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:01	LARGE	WLINGUN	12,126	12,127	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 16 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 23:06	LARGE	WLINGUN	12,141	12,142	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:05	LARGE	WLINGUN	12,156	12,157	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:04	LARGE	WLINGUN	12,171	12,172	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:03	LARGE	WLINGUN	12,186	12,187	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:02	LARGE	WLINGUN	12,202	12,203	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:01	LARGE	WLINGUN	12,217	12,218	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:00	LARGE	WLINGUN	12,231	12,232	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:59	LARGE	WLINGUN	12,247	12,248	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:58	LARGE	WLINGUN	12,262	12,263	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:57	LARGE	WLINGUN	12,277	12,278	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:56	LARGE	WLINGUN	12,292	12,293	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:55	LARGE	WLINGUN	12,307	12,308	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 50

Report For 06:00 AM 25-Feb-23

Perforation Information

Stage: 15 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:42	LARGE	WLINGUN	12,322	12,323	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:41	LARGE	WLINGUN	12,337	12,338	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:40	LARGE	WLINGUN	12,352	12,353	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:39	LARGE	WLINGUN	12,367	12,368	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:38	LARGE	WLINGUN	12,382	12,383	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:37	LARGE	WLINGUN	12,398	12,399	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:36	LARGE	WLINGUN	12,413	12,414	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:35	LARGE	WLINGUN	12,428	12,429	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:34	LARGE	WLINGUN	12,443	12,444	1	

Stage: 15 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:33	LARGE	WLINGUN	12,458	12,459	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:32	LARGE	WLINGUN	12,472	12,473	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:31	LARGE	WLINGUN	12,488	12,489	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 14 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 20:57	LARGE	WLINGUN	12,503	12,504	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:56	LARGE	WLINGUN	12,519	12,520	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:55	LARGE	WLINGUN	12,533	12,534	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:54	LARGE	WLINGUN	12,548	12,549	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:53	LARGE	WLINGUN	12,563	12,564	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:52	LARGE	WLINGUN	12,578	12,579	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:51	LARGE	WLINGUN	12,594	12,595	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:50	LARGE	WLINGUN	12,609	12,610	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:49	LARGE	WLINGUN	12,624	12,625	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:48	LARGE	WLINGUN	12,636	12,637	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:47	LARGE	WLINGUN	12,654	12,655	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:46	LARGE	WLINGUN	12,665	12,666	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 50

Report For 06:00 AM 25-Feb-23

Perforation Information

Stage: 13 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 11:45	LARGE	WLINGUN	12,684	12,685	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:34	LARGE	WLINGUN	12,699	12,700	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:33	LARGE	WLINGUN	12,714	12,715	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:32	LARGE	WLINGUN	12,729	12,730	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:31	LARGE	WLINGUN	12,744	12,745	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:30	LARGE	WLINGUN	12,758	12,759	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:29	LARGE	WLINGUN	12,775	12,776	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:28	LARGE	WLINGUN	12,790	12,791	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:27	LARGE	WLINGUN	12,805	12,806	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:26	LARGE	WLINGUN	12,820	12,821	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:25	LARGE	WLINGUN	12,835	12,836	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:24	LARGE	WLINGUN	12,850	12,851	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 12 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 01:29	LARGE	WLINGUN	12,865	12,866	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:28	LARGE	WLINGUN	12,877	12,878	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:27	LARGE	WLINGUN	12,895	12,896	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:26	LARGE	WLINGUN	12,910	12,911	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:25	LARGE	WLINGUN	12,925	12,926	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:24	LARGE	WLINGUN	12,940	12,941	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:23	LARGE	WLINGUN	12,955	12,956	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:22	LARGE	WLINGUN	12,971	12,972	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:21	LARGE	WLINGUN	12,986	12,987	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:20	LARGE	WLINGUN	12,999	13,000	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:19	LARGE	WLINGUN	13,016	13,017	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:18	LARGE	WLINGUN	13,029	13,030	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 50

Report For 06:00 AM 25-Feb-23

Perforation Information

Stage: 11 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 14:42	LARGE	WLINGUN	13,047	13,048	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:41	LARGE	WLINGUN	13,061	13,062	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:40	LARGE	WLINGUN	13,076	13,077	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:39	LARGE	WLINGUN	13,091	13,092	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:38	LARGE	WLINGUN	13,106	13,107	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:37	LARGE	WLINGUN	13,121	13,122	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:36	LARGE	WLINGUN	13,136	13,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:35	LARGE	WLINGUN	13,151	13,152	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:34	LARGE	WLINGUN	13,167	13,168	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:33	LARGE	WLINGUN	13,182	13,183	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:32	LARGE	WLINGUN	13,197	13,198	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:31	LARGE	WLINGUN	13,212	13,213	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 10 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 05:02	LARGE	WLINGUN	13,227	13,228	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:01	LARGE	WLINGUN	13,242	13,243	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:00	LARGE	WLINGUN	13,257	13,258	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:59	LARGE	WLINGUN	13,272	13,273	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:58	LARGE	WLINGUN	13,287	13,288	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:57	LARGE	WLINGUN	13,302	13,303	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:56	LARGE	WLINGUN	13,317	13,318	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:55	LARGE	WLINGUN	13,332	13,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:54	LARGE	WLINGUN	13,347	13,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:53	LARGE	WLINGUN	13,361	13,362	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:52	LARGE	WLINGUN	13,378	13,379	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:51	LARGE	WLINGUN	13,393	13,394	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 50

Report For 06:00 AM 25-Feb-23

Perforation Information

Stage: 9 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 19:15	LARGE	WLINGUN	13,409	13,410	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:14	LARGE	WLINGUN	13,423	13,424	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:13	LARGE	WLINGUN	13,438	13,439	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:12	LARGE	WLINGUN	13,453	13,454	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:11	LARGE	WLINGUN	13,468	13,469	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:10	LARGE	WLINGUN	13,483	13,484	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:09	LARGE	WLINGUN	13,498	13,499	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:08	LARGE	WLINGUN	13,513	13,514	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:07	LARGE	WLINGUN	13,529	13,530	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:06	LARGE	WLINGUN	13,543	13,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:05	LARGE	WLINGUN	13,559	13,560	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:04	LARGE	WLINGUN	13,574	13,575	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 8 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 09:47	LARGE	WLINGUN	13,589	13,590	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:46	LARGE	WLINGUN	13,607	13,608	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:45	LARGE	WLINGUN	13,619	13,620	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:44	LARGE	WLINGUN	13,634	13,635	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:43	LARGE	WLINGUN	13,649	13,650	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:42	LARGE	WLINGUN	13,662	13,663	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:41	LARGE	WLINGUN	13,679	13,680	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:40	LARGE	WLINGUN	13,694	13,695	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:39	LARGE	WLINGUN	13,709	13,710	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:38	LARGE	WLINGUN	13,727	13,728	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:37	LARGE	WLINGUN	13,739	13,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:36	LARGE	WLINGUN	13,755	13,756	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 50

Report For 06:00 AM 25-Feb-23

Perforation Information

Stage: 7 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 00:03	LARGE	OTHER	13,770	13,771	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:02	LARGE	OTHER	13,783	13,784	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:01	LARGE	OTHER	13,800	13,801	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:00	LARGE	OTHER	13,815	13,816	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:59	LARGE	OTHER	13,830	13,831	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:58	LARGE	OTHER	13,845	13,846	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:57	LARGE	OTHER	13,860	13,861	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:56	LARGE	OTHER	13,875	13,876	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:55	LARGE	OTHER	13,890	13,891	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:54	LARGE	OTHER	13,903	13,904	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:53	LARGE	OTHER	13,920	13,921	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:52	LARGE	OTHER	13,933	13,934	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 6 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 18:27	LARGE	OTHER	13,951	13,952	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:26	LARGE	OTHER	13,966	13,967	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:25	LARGE	OTHER	13,981	13,982	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:24	LARGE	OTHER	13,996	13,997	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:23	LARGE	OTHER	14,011	14,012	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:22	LARGE	OTHER	14,026	14,027	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:21	LARGE	OTHER	14,041	14,042	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:20	LARGE	OTHER	14,056	14,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:19	LARGE	OTHER	14,072	14,073	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:18	LARGE	OTHER	14,086	14,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:17	LARGE	OTHER	14,101	14,102	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:16	LARGE	OTHER	14,116	14,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 50

Report For 06:00 AM 25-Feb-23

Perforation Information

Stage: 5 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 08:32	LARGE	OTHER	14,131	14,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:31	LARGE	OTHER	14,147	14,148	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:30	LARGE	OTHER	14,162	14,163	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:29	LARGE	OTHER	14,177	14,178	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:28	LARGE	OTHER	14,194	14,195	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:27	LARGE	OTHER	14,207	14,208	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:26	LARGE	OTHER	14,222	14,223	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:25	LARGE	OTHER	14,237	14,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:24	LARGE	OTHER	14,252	14,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:23	LARGE	OTHER	14,267	14,268	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:22	LARGE	OTHER	14,282	14,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:21	LARGE	OTHER	14,297	14,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 4 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 01:37	LARGE	OTHER	14,315	14,316	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:36	LARGE	OTHER	14,327	14,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:35	LARGE	OTHER	14,343	14,344	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:34	LARGE	OTHER	14,358	14,359	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:33	LARGE	OTHER	14,373	14,374	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:32	LARGE	OTHER	14,388	14,389	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:31	LARGE	OTHER	14,403	14,404	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:30	LARGE	OTHER	14,418	14,419	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:29	LARGE	OTHER	14,435	14,436	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:28	LARGE	OTHER	14,448	14,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:27	LARGE	OTHER	14,463	14,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:26	LARGE	OTHER	14,478	14,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 50

Report For 06:00 AM 25-Feb-23

Perforation Information

Stage: 3 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
11-Feb-23 18:12	LARGE	OTHER	14,493	14,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:11	LARGE	OTHER	14,508	14,509	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:10	LARGE	OTHER	14,523	14,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:09	LARGE	OTHER	14,539	14,540	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:08	LARGE	OTHER	14,550	14,551	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:07	LARGE	OTHER	14,569	14,570	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:06	LARGE	OTHER	14,584	14,585	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:05	LARGE	OTHER	14,599	14,600	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:04	LARGE	OTHER	14,614	14,615	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:03	LARGE	OTHER	14,629	14,630	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:02	LARGE	OTHER	14,664	14,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:01	LARGE	OTHER	14,659	14,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 2 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
09-Feb-23 21:42	LARGE	OTHER	14,674	14,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:41	LARGE	OTHER	14,689	14,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:40	LARGE	OTHER	14,704	14,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:39	LARGE	OTHER	14,719	14,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:38	LARGE	OTHER	14,735	14,736	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:37	LARGE	OTHER	14,750	14,751	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:36	LARGE	OTHER	14,765	14,766	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:35	LARGE	OTHER	14,780	14,781	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:34	LARGE	OTHER	14,795	14,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:33	LARGE	OTHER	14,810	14,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:32	LARGE	OTHER	14,825	14,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:31	LARGE	OTHER	14,840	14,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 50

Report For 06:00 AM 25-Feb-23

Perforation Information

Stage: 1 of 34

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jan-23 15:10	LARGE	OTHER	14,855	14,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:09	LARGE	OTHER	14,870	14,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:08	LARGE	OTHER	14,885	14,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:07	LARGE	OTHER	14,900	14,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:06	LARGE	OTHER	14,915	14,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:05	LARGE	OTHER	14,931	14,932	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:04	LARGE	OTHER	14,946	14,947	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:03	LARGE	OTHER	14,961	14,962	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:02	LARGE	OTHER	14,976	14,977	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:01	LARGE	OTHER	14,991	14,992	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:00	LARGE	OTHER	15,013	15,021	8	TOE SLEEVE

Safety Information

First Aid Treatments:

Medical Treatments:

Lost Time Incidents:

Days Since LTI:

☐ BOP Test

☐ Crownamatic Check



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 51

Report For 06:00 AM 26-Feb-23

Operator:	SEM OPERATOR	Rig:	ICD 307	Wellbore:	Original Wellbore	Daily Cost / Fluid (\$):		
Measured Depth (ft):	15129	Completion Days (act.):	14	Orig RKB Elev(ft):	2699	AFE No.	AFE (\$)	Actual (\$)
Vertical Depth (ft):	6537			Last BOP Test:	05-Oct-22	B23003		
		Days On Location:	43					
Last Casing:	5.50 at 15,105	Spud Date:				Totals:		
Plug Back MD (ft):	6537					Well Cost (\$):		
Plug Back TVD (ft)		Pers/Hrs:	Operator: 0 / 0	Contractor:	4 / 0	Service:	25 / 0	Other: 0 / 0
						Total:	29 / 0	

Safety Summary: No incidents or events reported.

Current Operations: STAGE 42 READY TO FRAC

Planned Operations: PLUG & PERF STAGES 39 -42 / FRAC STAGES 38 - 41

Wellsite Supervisors: MOYE, DELEON, OWENS, , MAYNARD

Tel No.: 432-217-9511

Engineer(s): Larry Gillette

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	6:00	24.00		STIM	PLUG & PERF STAGES 39 -3X/FRAC STAGES 38 - 3X	

Management Summary

PLUG & PERF ZIPPER STAGE FRAC OPERATION

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent
B23003	Drill and Complete a 7750' WB L	6,829,922.00	0.00	114,960.76	255,977.00	4,453,023.64	65.20%
Totals \$:		6,829,922.00	0.00	114,961.00	255,977.00	4,453,024.00	65.20%

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	9.63	0		868		40.00	J-55	
FULL	5.50	0		15,105		17.00		

Perforation Information

Stage: 37 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Feb-23 16:37	LARGE	WLINGUN	8,342	8,343	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:36	LARGE	WLINGUN	8,357	8,358	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:35	LARGE	WLINGUN	8,372	8,373	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:34	LARGE	WLINGUN	8,387	8,388	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:33	LARGE	WLINGUN	8,402	8,403	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:32	LARGE	WLINGUN	8,417	8,418	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:31	LARGE	WLINGUN	8,432	8,433	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:30	LARGE	WLINGUN	8,446	8,447	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:29	LARGE	WLINGUN	8,462	8,463	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:28	LARGE	WLINGUN	8,477	8,478	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:27	LARGE	WLINGUN	8,493	8,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:26	LARGE	WLINGUN	8,508	8,509	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 51

Report For 06:00 AM 26-Feb-23

Perforation Information

Stage: 36 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Feb-23 07:34	LARGE	WLINGUN	8,523	8,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:33	LARGE	WLINGUN	8,538	8,539	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:32	LARGE	WLINGUN	8,553	8,554	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:31	LARGE	WLINGUN	8,568	8,569	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:30	LARGE	WLINGUN	8,583	8,584	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:29	LARGE	WLINGUN	8,598	8,599	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:28	LARGE	WLINGUN	8,614	8,615	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:27	LARGE	WLINGUN	8,628	8,629	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:26	LARGE	WLINGUN	8,643	8,644	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:25	LARGE	WLINGUN	8,658	8,659	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:24	LARGE	WLINGUN	8,673	8,674	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:23	LARGE	WLINGUN	8,689	8,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 35 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Feb-23 00:17	LARGE	WLINGUN	8,704	8,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:16	LARGE	WLINGUN	8,719	8,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:15	LARGE	WLINGUN	8,734	8,735	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:14	LARGE	WLINGUN	8,749	8,750	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:13	LARGE	WLINGUN	8,764	8,765	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:12	LARGE	WLINGUN	8,779	8,780	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:11	LARGE	WLINGUN	8,794	8,795	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:10	LARGE	WLINGUN	8,809	8,810	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:09	LARGE	WLINGUN	8,824	8,825	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:08	LARGE	WLINGUN	8,839	8,840	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:07	LARGE	WLINGUN	8,852	8,853	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:06	LARGE	WLINGUN	8,869	8,870	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 51

Report For 06:00 AM 26-Feb-23

Perforation Information

Stage: 34 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Feb-23 15:53	LARGE	WLINGUN	8,884	8,885	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:52	LARGE	WLINGUN	8,900	8,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:51	LARGE	WLINGUN	8,915	8,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:50	LARGE	WLINGUN	8,930	8,931	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:49	LARGE	WLINGUN	8,945	8,946	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:48	LARGE	WLINGUN	8,960	8,961	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:47	LARGE	WLINGUN	8,977	8,978	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:46	LARGE	WLINGUN	8,990	8,991	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:45	LARGE	WLINGUN	9,005	9,006	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:44	LARGE	WLINGUN	9,020	9,021	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:43	LARGE	WLINGUN	935	9,036	8,101	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:42	LARGE	WLINGUN	9,050	9,051	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 33 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Feb-23 08:55	LARGE	WLINGUN	9,068	9,069	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:54	LARGE	WLINGUN	9,080	9,081	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:53	LARGE	WLINGUN	9,096	9,097	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:52	LARGE	WLINGUN	9,111	9,112	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:51	LARGE	WLINGUN	9,126	9,127	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:50	LARGE	WLINGUN	9,141	9,142	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:49	LARGE	WLINGUN	9,156	9,157	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:48	LARGE	WLINGUN	9,171	9,172	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:47	LARGE	WLINGUN	9,186	9,187	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:46	LARGE	WLINGUN	9,201	9,202	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:45	LARGE	WLINGUN	9,216	9,217	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:44	LARGE	WLINGUN	9,231	9,232	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 51

Report For 06:00 AM 26-Feb-23

Perforation Information

Stage: 32 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Feb-23 19:30	LARGE	WLINGUN	9,246	9,247	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:29	LARGE	WLINGUN	9,263	9,264	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:28	LARGE	WLINGUN	9,276	9,277	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:27	LARGE	WLINGUN	9,292	9,293	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:26	LARGE	WLINGUN	9,307	9,308	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:25	LARGE	WLINGUN	9,322	9,323	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:24	LARGE	WLINGUN	9,337	9,338	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:23	LARGE	WLINGUN	9,352	9,353	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:22	LARGE	WLINGUN	9,367	9,368	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:21	LARGE	WLINGUN	9,379	9,380	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:20	LARGE	WLINGUN	9,397	9,398	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:19	LARGE	WLINGUN	9,407	9,408	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 31 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Feb-23 10:53	LARGE	WLINGUN	9,427	9,428	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:52	LARGE	WLINGUN	9,442	9,443	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:51	LARGE	WLINGUN	9,457	9,458	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:50	LARGE	WLINGUN	9,473	9,474	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:49	LARGE	WLINGUN	9,488	9,489	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:48	LARGE	WLINGUN	9,501	9,502	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:46	LARGE	WLINGUN	9,518	9,519	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:45	LARGE	WLINGUN	9,533	9,534	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:44	LARGE	WLINGUN	9,548	9,549	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:43	LARGE	WLINGUN	9,563	9,564	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:42	LARGE	WLINGUN	9,578	9,579	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:41	LARGE	WLINGUN	9,593	9,594	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 51

Report For 06:00 AM 26-Feb-23

Perforation Information

Stage: 30 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Feb-23 02:57	LARGE	WLINGUN	9,608	9,609	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:56	LARGE	WLINGUN	9,622	9,623	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:55	LARGE	WLINGUN	9,638	9,639	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:54	LARGE	WLINGUN	9,653	9,654	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:53	LARGE	WLINGUN	9,669	9,670	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:52	LARGE	WLINGUN	9,684	9,685	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:51	LARGE	WLINGUN	9,699	9,700	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:50	LARGE	WLINGUN	9,714	9,715	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:49	LARGE	WLINGUN	9,729	9,730	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:48	LARGE	WLINGUN	9,743	9,744	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:47	LARGE	WLINGUN	9,759	9,760	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:46	LARGE	WLINGUN	9,774	9,775	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 29 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 18:24	LARGE	WLINGUN	9,789	9,790	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:23	LARGE	WLINGUN	9,804	9,805	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:22	LARGE	WLINGUN	9,819	9,820	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:21	LARGE	WLINGUN	9,834	9,835	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:20	LARGE	WLINGUN	9,849	9,850	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:19	LARGE	WLINGUN	9,865	9,866	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:18	LARGE	WLINGUN	9,880	9,881	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:17	LARGE	WLINGUN	9,895	9,896	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:16	LARGE	WLINGUN	9,913	9,914	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:15	LARGE	WLINGUN	9,925	9,926	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:14	LARGE	WLINGUN	9,940	9,941	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:13	LARGE	WLINGUN	9,955	9,956	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 51

Report For 06:00 AM 26-Feb-23

Perforation Information

Stage: 28 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 09:32	LARGE	WLINGUN	9,970	9,971	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:31	LARGE	WLINGUN	9,985	9,986	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:30	LARGE	WLINGUN	10,000	10,001	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:29	LARGE	WLINGUN	10,015	10,016	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:28	LARGE	WLINGUN	10,033	10,034	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:27	LARGE	WLINGUN	10,045	10,046	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:26	LARGE	WLINGUN	10,061	10,062	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:25	LARGE	WLINGUN	10,076	10,077	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 09:24	LARGE	WLINGUN	10,019	10,020	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 28 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 09:23	LARGE	WLINGUN	10,106	10,107	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:22	LARGE	WLINGUN	10,121	10,122	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:21	LARGE	WLINGUN	10,136	10,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 27 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 00:27	LARGE	WLINGUN	10,150	10,151	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:26	LARGE	WLINGUN	10,166	10,167	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:25	LARGE	WLINGUN	10,181	10,182	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:24	LARGE	WLINGUN	10,199	10,200	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:23	LARGE	WLINGUN	10,211	10,212	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:22	LARGE	WLINGUN	10,226	10,227	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:21	LARGE	WLINGUN	10,241	10,242	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:20	LARGE	WLINGUN	10,257	10,258	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:19	LARGE	WLINGUN	10,272	10,273	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:18	LARGE	WLINGUN	10,287	10,288	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:17	LARGE	WLINGUN	10,302	10,303	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:16	LARGE	WLINGUN	10,314	10,315	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 51

Report For 06:00 AM 26-Feb-23

Perforation Information

Stage: 26 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 15:42	LARGE	WLINGUN	10,332	10,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:41	LARGE	WLINGUN	15,347	15,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:40	LARGE	WLINGUN	10,362	10,363	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:39	LARGE	WLINGUN	10,377	10,378	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:38	LARGE	WLINGUN	10,392	10,393	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:37	LARGE	WLINGUN	10,407	10,408	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:36	LARGE	WLINGUN	10,422	10,423	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:35	LARGE	WLINGUN	10,436	10,437	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:34	LARGE	WLINGUN	10,453	10,454	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:33	LARGE	WLINGUN	10,468	10,469	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:32	LARGE	WLINGUN	10,483	10,484	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:31	LARGE	WLINGUN	10,498	10,499	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 25 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:49	LARGE	WLINGUN	10,513	10,514	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:48	LARGE	WLINGUN	10,528	10,529	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:47	LARGE	WLINGUN	10,543	10,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:46	LARGE	WLINGUN	10,556	10,557	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 24 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:45	LARGE	WLINGUN	10,573	10,574	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 25 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:44	LARGE	WLINGUN	10,588	10,589	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:43	LARGE	WLINGUN	10,603	10,604	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:42	LARGE	WLINGUN	10,618	10,619	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:41	LARGE	WLINGUN	10,634	10,635	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:15	LARGE	WLINGUN	10,649	10,650	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:14	LARGE	WLINGUN	10,664	10,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:13	LARGE	WLINGUN	10,675	10,676	1	



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 51

Report For 06:00 AM 26-Feb-23

Perforation Information

Stage: 24 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 23:07	LARGE	WLINGUN	10,694	10,695	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:06	LARGE	WLINGUN	10,709	10,710	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:05	LARGE	WLINGUN	10,724	10,725	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:04	LARGE	WLINGUN	10,739	10,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:03	LARGE	WLINGUN	10,754	10,755	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:02	LARGE	WLINGUN	10,769	10,770	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:01	LARGE	WLINGUN	10,784	10,785	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:00	LARGE	WLINGUN	10,799	10,800	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:59	LARGE	WLINGUN	10,814	10,815	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:58	LARGE	WLINGUN	10,830	10,831	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:57	LARGE	WLINGUN	10,847	10,848	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:56	LARGE	WLINGUN	10,860	10,861	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 23 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 14:12	LARGE	WLINGUN	10,875	10,876	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:11	LARGE	WLINGUN	10,890	10,891	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:10	LARGE	WLINGUN	10,905	10,906	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:09	LARGE	WLINGUN	10,921	10,922	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:08	LARGE	WLINGUN	10,935	10,936	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:07	LARGE	WLINGUN	10,950	10,951	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:06	LARGE	WLINGUN	10,967	10,968	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:05	LARGE	WLINGUN	10,980	10,981	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:04	LARGE	WLINGUN	10,995	10,996	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:03	LARGE	WLINGUN	11,010	11,011	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:02	LARGE	WLINGUN	11,026	11,027	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:01	LARGE	WLINGUN	11,041	11,042	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 51

Report For 06:00 AM 26-Feb-23

Perforation Information

Stage: 22 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 05:51	LARGE	WLINGUN	11,071	11,072	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:50	LARGE	WLINGUN	11,086	11,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:49	LARGE	WLINGUN	11,101	11,102	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:48	LARGE	WLINGUN	11,116	11,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:47	LARGE	WLINGUN	11,131	11,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:46	LARGE	WLINGUN	11,145	11,146	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:45	LARGE	WLINGUN	11,161	11,162	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:44	LARGE	WLINGUN	11,176	11,177	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:43	LARGE	WLINGUN	11,191	11,192	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:41	LARGE	WLINGUN	11,206	11,207	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:40	LARGE	WLINGUN	11,222	11,223	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 00:00	LARGE	WLINGUN	11,056	11,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 21 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 19:12	LARGE	WLINGUN	11,237	11,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:11	LARGE	WLINGUN	11,252	11,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:10	LARGE	WLINGUN	11,265	11,266	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:09	LARGE	WLINGUN	11,282	11,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:08	LARGE	WLINGUN	11,297	11,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:07	LARGE	WLINGUN	11,312	11,313	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:06	LARGE	WLINGUN	11,327	11,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:05	LARGE	WLINGUN	11,342	11,343	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:04	LARGE	WLINGUN	11,357	11,358	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:03	LARGE	WLINGUN	11,372	11,373	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:02	LARGE	WLINGUN	11,387	11,388	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:01	LARGE	WLINGUN	11,402	11,403	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 51

Report For 06:00 AM 26-Feb-23

Perforation Information

Stage: 20 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 10:12	LARGE	WLINGUN	11,417	11,418	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:11	LARGE	WLINGUN	11,433	11,434	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:10	LARGE	WLINGUN	11,448	11,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:09	LARGE	WLINGUN	11,463	11,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:08	LARGE	WLINGUN	11,478	11,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:07	LARGE	WLINGUN	11,493	11,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:06	LARGE	WLINGUN	11,506	11,507	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:05	LARGE	WLINGUN	11,523	11,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:04	LARGE	WLINGUN	11,538	11,539	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:03	LARGE	WLINGUN	11,553	11,554	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:02	LARGE	WLINGUN	11,568	11,569	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:01	LARGE	WLINGUN	11,583	11,584	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 19 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 00:40	LARGE	WLINGUN	11,598	11,599	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:39	LARGE	WLINGUN	11,613	11,614	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:38	LARGE	WLINGUN	11,627	11,628	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:37	LARGE	WLINGUN	11,644	11,645	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:36	LARGE	WLINGUN	11,659	11,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:35	LARGE	WLINGUN	11,674	11,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:34	LARGE	WLINGUN	11,689	11,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:33	LARGE	WLINGUN	11,704	11,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:32	LARGE	WLINGUN	11,719	11,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:31	LARGE	WLINGUN	11,734	11,735	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:30	LARGE	WLINGUN	11,749	11,750	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:29	LARGE	WLINGUN	11,764	11,765	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 51

Report For 06:00 AM 26-Feb-23

Perforation Information

Stage: 18 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Feb-23 15:26	LARGE	WLINGUN	11,779	11,780	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:25	LARGE	WLINGUN	11,795	11,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:24	LARGE	WLINGUN	11,810	11,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:23	LARGE	WLINGUN	11,825	11,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:22	LARGE	WLINGUN	11,840	11,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:21	LARGE	WLINGUN	11,855	11,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:20	LARGE	WLINGUN	11,870	11,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:19	LARGE	WLINGUN	11,885	11,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:18	LARGE	WLINGUN	11,900	11,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:17	LARGE	WLINGUN	11,915	11,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:16	LARGE	WLINGUN	11,930	11,931	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:15	LARGE	WLINGUN	11,945	11,946	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 17 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Feb-23 06:12	LARGE	WLINGUN	11,960	11,961	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:11	LARGE	WLINGUN	11,975	11,976	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:10	LARGE	WLINGUN	11,987	11,988	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:09	LARGE	WLINGUN	12,006	12,007	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:08	LARGE	WLINGUN	12,021	12,022	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:07	LARGE	WLINGUN	12,036	12,037	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:06	LARGE	WLINGUN	12,051	12,052	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:05	LARGE	WLINGUN	12,066	12,067	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:04	LARGE	WLINGUN	12,081	12,082	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:03	LARGE	WLINGUN	12,096	12,097	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:02	LARGE	WLINGUN	12,108	12,109	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:01	LARGE	WLINGUN	12,126	12,127	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 51

Report For 06:00 AM 26-Feb-23

Perforation Information

Stage: 16 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 23:06	LARGE	WLINGUN	12,141	12,142	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:05	LARGE	WLINGUN	12,156	12,157	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:04	LARGE	WLINGUN	12,171	12,172	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:03	LARGE	WLINGUN	12,186	12,187	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:02	LARGE	WLINGUN	12,202	12,203	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:01	LARGE	WLINGUN	12,217	12,218	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:00	LARGE	WLINGUN	12,231	12,232	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:59	LARGE	WLINGUN	12,247	12,248	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:58	LARGE	WLINGUN	12,262	12,263	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:57	LARGE	WLINGUN	12,277	12,278	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:56	LARGE	WLINGUN	12,292	12,293	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:55	LARGE	WLINGUN	12,307	12,308	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 15 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:42	LARGE	WLINGUN	12,322	12,323	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:41	LARGE	WLINGUN	12,337	12,338	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:40	LARGE	WLINGUN	12,352	12,353	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:39	LARGE	WLINGUN	12,367	12,368	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:38	LARGE	WLINGUN	12,382	12,383	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:37	LARGE	WLINGUN	12,398	12,399	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:36	LARGE	WLINGUN	12,413	12,414	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:35	LARGE	WLINGUN	12,428	12,429	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:34	LARGE	WLINGUN	12,443	12,444	1	

Stage: 15 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:33	LARGE	WLINGUN	12,458	12,459	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:32	LARGE	WLINGUN	12,472	12,473	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:31	LARGE	WLINGUN	12,488	12,489	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 51

Report For 06:00 AM 26-Feb-23

Perforation Information

Stage: 14 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 20:57	LARGE	WLINGUN	12,503	12,504	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:56	LARGE	WLINGUN	12,519	12,520	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:55	LARGE	WLINGUN	12,533	12,534	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:54	LARGE	WLINGUN	12,548	12,549	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:53	LARGE	WLINGUN	12,563	12,564	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:52	LARGE	WLINGUN	12,578	12,579	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:51	LARGE	WLINGUN	12,594	12,595	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:50	LARGE	WLINGUN	12,609	12,610	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:49	LARGE	WLINGUN	12,624	12,625	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:48	LARGE	WLINGUN	12,636	12,637	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:47	LARGE	WLINGUN	12,654	12,655	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:46	LARGE	WLINGUN	12,665	12,666	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 13 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 11:45	LARGE	WLINGUN	12,684	12,685	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:34	LARGE	WLINGUN	12,699	12,700	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:33	LARGE	WLINGUN	12,714	12,715	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:32	LARGE	WLINGUN	12,729	12,730	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:31	LARGE	WLINGUN	12,744	12,745	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:30	LARGE	WLINGUN	12,758	12,759	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:29	LARGE	WLINGUN	12,775	12,776	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:28	LARGE	WLINGUN	12,790	12,791	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:27	LARGE	WLINGUN	12,805	12,806	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:26	LARGE	WLINGUN	12,820	12,821	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:25	LARGE	WLINGUN	12,835	12,836	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:24	LARGE	WLINGUN	12,850	12,851	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 51

Report For 06:00 AM 26-Feb-23

Perforation Information

Stage: 12 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 01:29	LARGE	WLINGUN	12,865	12,866	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:28	LARGE	WLINGUN	12,877	12,878	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:27	LARGE	WLINGUN	12,895	12,896	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:26	LARGE	WLINGUN	12,910	12,911	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:25	LARGE	WLINGUN	12,925	12,926	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:24	LARGE	WLINGUN	12,940	12,941	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:23	LARGE	WLINGUN	12,955	12,956	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:22	LARGE	WLINGUN	12,971	12,972	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:21	LARGE	WLINGUN	12,986	12,987	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:20	LARGE	WLINGUN	12,999	13,000	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:19	LARGE	WLINGUN	13,016	13,017	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:18	LARGE	WLINGUN	13,029	13,030	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 11 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 14:42	LARGE	WLINGUN	13,047	13,048	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:41	LARGE	WLINGUN	13,061	13,062	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:40	LARGE	WLINGUN	13,076	13,077	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:39	LARGE	WLINGUN	13,091	13,092	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:38	LARGE	WLINGUN	13,106	13,107	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:37	LARGE	WLINGUN	13,121	13,122	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:36	LARGE	WLINGUN	13,136	13,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:35	LARGE	WLINGUN	13,151	13,152	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:34	LARGE	WLINGUN	13,167	13,168	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:33	LARGE	WLINGUN	13,182	13,183	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:32	LARGE	WLINGUN	13,197	13,198	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:31	LARGE	WLINGUN	13,212	13,213	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 51

Report For 06:00 AM 26-Feb-23

Perforation Information

Stage: 10 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 05:02	LARGE	WLINGUN	13,227	13,228	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:01	LARGE	WLINGUN	13,242	13,243	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:00	LARGE	WLINGUN	13,257	13,258	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:59	LARGE	WLINGUN	13,272	13,273	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:58	LARGE	WLINGUN	13,287	13,288	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:57	LARGE	WLINGUN	13,302	13,303	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:56	LARGE	WLINGUN	13,317	13,318	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:55	LARGE	WLINGUN	13,332	13,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:54	LARGE	WLINGUN	13,347	13,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:53	LARGE	WLINGUN	13,361	13,362	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:52	LARGE	WLINGUN	13,378	13,379	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:51	LARGE	WLINGUN	13,393	13,394	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 9 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 19:15	LARGE	WLINGUN	13,409	13,410	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:14	LARGE	WLINGUN	13,423	13,424	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:13	LARGE	WLINGUN	13,438	13,439	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:12	LARGE	WLINGUN	13,453	13,454	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:11	LARGE	WLINGUN	13,468	13,469	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:10	LARGE	WLINGUN	13,483	13,484	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:09	LARGE	WLINGUN	13,498	13,499	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:08	LARGE	WLINGUN	13,513	13,514	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:07	LARGE	WLINGUN	13,529	13,530	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:06	LARGE	WLINGUN	13,543	13,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:05	LARGE	WLINGUN	13,559	13,560	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:04	LARGE	WLINGUN	13,574	13,575	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 51

Report For 06:00 AM 26-Feb-23

Perforation Information

Stage: 8 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 09:47	LARGE	WLINGUN	13,589	13,590	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:46	LARGE	WLINGUN	13,607	13,608	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:45	LARGE	WLINGUN	13,619	13,620	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:44	LARGE	WLINGUN	13,634	13,635	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:43	LARGE	WLINGUN	13,649	13,650	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:42	LARGE	WLINGUN	13,662	13,663	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:41	LARGE	WLINGUN	13,679	13,680	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:40	LARGE	WLINGUN	13,694	13,695	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:39	LARGE	WLINGUN	13,709	13,710	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:38	LARGE	WLINGUN	13,727	13,728	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:37	LARGE	WLINGUN	13,739	13,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:36	LARGE	WLINGUN	13,755	13,756	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 7 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 00:03	LARGE	OTHER	13,770	13,771	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:02	LARGE	OTHER	13,783	13,784	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:01	LARGE	OTHER	13,800	13,801	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:00	LARGE	OTHER	13,815	13,816	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:59	LARGE	OTHER	13,830	13,831	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:58	LARGE	OTHER	13,845	13,846	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:57	LARGE	OTHER	13,860	13,861	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:56	LARGE	OTHER	13,875	13,876	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:55	LARGE	OTHER	13,890	13,891	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:54	LARGE	OTHER	13,903	13,904	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:53	LARGE	OTHER	13,920	13,921	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:52	LARGE	OTHER	13,933	13,934	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 51

Report For 06:00 AM 26-Feb-23

Perforation Information

Stage: 6 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 18:27	LARGE	OTHER	13,951	13,952	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:26	LARGE	OTHER	13,966	13,967	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:25	LARGE	OTHER	13,981	13,982	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:24	LARGE	OTHER	13,996	13,997	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:23	LARGE	OTHER	14,011	14,012	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:22	LARGE	OTHER	14,026	14,027	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:21	LARGE	OTHER	14,041	14,042	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:20	LARGE	OTHER	14,056	14,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:19	LARGE	OTHER	14,072	14,073	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:18	LARGE	OTHER	14,086	14,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:17	LARGE	OTHER	14,101	14,102	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:16	LARGE	OTHER	14,116	14,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 5 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 08:32	LARGE	OTHER	14,131	14,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:31	LARGE	OTHER	14,147	14,148	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:30	LARGE	OTHER	14,162	14,163	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:29	LARGE	OTHER	14,177	14,178	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:28	LARGE	OTHER	14,194	14,195	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:27	LARGE	OTHER	14,207	14,208	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:26	LARGE	OTHER	14,222	14,223	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:25	LARGE	OTHER	14,237	14,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:24	LARGE	OTHER	14,252	14,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:23	LARGE	OTHER	14,267	14,268	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:22	LARGE	OTHER	14,282	14,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:21	LARGE	OTHER	14,297	14,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 51

Report For 06:00 AM 26-Feb-23

Perforation Information

Stage: 4 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 01:37	LARGE	OTHER	14,315	14,316	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:36	LARGE	OTHER	14,327	14,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:35	LARGE	OTHER	14,343	14,344	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:34	LARGE	OTHER	14,358	14,359	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:33	LARGE	OTHER	14,373	14,374	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:32	LARGE	OTHER	14,388	14,389	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:31	LARGE	OTHER	14,403	14,404	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:30	LARGE	OTHER	14,418	14,419	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:29	LARGE	OTHER	14,435	14,436	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:28	LARGE	OTHER	14,448	14,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:27	LARGE	OTHER	14,463	14,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:26	LARGE	OTHER	14,478	14,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 3 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
11-Feb-23 18:12	LARGE	OTHER	14,493	14,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:11	LARGE	OTHER	14,508	14,509	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:10	LARGE	OTHER	14,523	14,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:09	LARGE	OTHER	14,539	14,540	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:08	LARGE	OTHER	14,550	14,551	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:07	LARGE	OTHER	14,569	14,570	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:06	LARGE	OTHER	14,584	14,585	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:05	LARGE	OTHER	14,599	14,600	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:04	LARGE	OTHER	14,614	14,615	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:03	LARGE	OTHER	14,629	14,630	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:02	LARGE	OTHER	14,664	14,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:01	LARGE	OTHER	14,659	14,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 51

Report For 06:00 AM 26-Feb-23

Perforation Information

Stage: 2 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
09-Feb-23 21:42	LARGE	OTHER	14,674	14,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:41	LARGE	OTHER	14,689	14,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:40	LARGE	OTHER	14,704	14,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:39	LARGE	OTHER	14,719	14,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:38	LARGE	OTHER	14,735	14,736	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:37	LARGE	OTHER	14,750	14,751	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:36	LARGE	OTHER	14,765	14,766	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:35	LARGE	OTHER	14,780	14,781	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:34	LARGE	OTHER	14,795	14,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:33	LARGE	OTHER	14,810	14,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:32	LARGE	OTHER	14,825	14,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:31	LARGE	OTHER	14,840	14,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 1 of 37

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jan-23 15:10	LARGE	OTHER	14,855	14,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:09	LARGE	OTHER	14,870	14,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:08	LARGE	OTHER	14,885	14,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:07	LARGE	OTHER	14,900	14,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:06	LARGE	OTHER	14,915	14,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:05	LARGE	OTHER	14,931	14,932	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:04	LARGE	OTHER	14,946	14,947	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:03	LARGE	OTHER	14,961	14,962	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:02	LARGE	OTHER	14,976	14,977	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:01	LARGE	OTHER	14,991	14,992	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:00	LARGE	OTHER	15,013	15,021	8	TOE SLEEVE

Safety Information

First Aid Treatments:


Medical Treatments:

Lost Time Incidents:

Days Since LTI:

☐ BOP Test

☐ Crownamatic Check

	Daily Completion Report						SEM	
	Well ID: 42-105-42524 Field: Barnyard						Well Name: University 40 2109WB Sect: 21 County: Crockett State: TX	
	Report No: 52						Report For 06:00 AM 27-Feb-23	
Operator: SEM OPERATOR		Rig: ICD 307		Wellbore: Original Wellbore		Daily Cost / Fluid (\$):		
Measured Depth (ft): 15129		Completion Days (act.): 15		Orig RKB Elev(ft): 2699		AFE No. AFE (\$) Actual (\$)		
Vertical Depth (ft): 6537				Last BOP Test: 05-Oct-22		B23003		
		Days On Location: 44						
Last Casing: 5.50 at 15,105		Spud Date:				Totals:		
Plug Back MD (ft): 6537						Well Cost (\$):		
Plug Back TVD (ft)		Pers/Hrs: Operator: 0 / 0		Contractor: 4 / 0		Service: 25 / 0		Other: 0 / 0 Total: 29 / 0
Safety Summary: No incidents or events reported.								
Current Operations: PLUG & PERF STAGES 43 -44 / FRAC STAGES 42 - 44/ SET KILL PLUG @5875'								
Planned Operations: PLUG & PERF STAGES 43 -44 / FRAC STAGES 42 - 44								
Wellsite Supervisors: MOYE, DELEON,OWENS, , MAYNARD						Tel No.: 432-217-9511		
Engineer(s): Larry Gillette								
Operations Summary								
From	To	Elapsed	End MD(ft)	Code	Operations Description			Non-Prod
6:00	6:00	24.00		STIM	SET KILL PLUG @ 5875'. TEST PLUG TO 4500 PSI / NEGATIVE TEST. GOOD TEST. WAIT ON OFF SET WELL OPERATIONS PLUG & PERF STAGES 43 -44/ FRAC STAGES 42 - 44,			
Management Summary								
PLUG & PERF ZIPPER STAGE FRAC OPERATION								
Cost/AFE Information								
AFE No	AFE Description		AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent
B23003	Drill and Complete a 7750' WB L		6,829,922.00	0.00	114,960.76	172,804.00	4,625,827.64	67.73%
Totals \$:			6,829,922.00	0.00	114,961.00	172,804.00	4,625,828.00	67.73%
Casing/Tubular Information								
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	9.63	0		868		40.00	J-55	
FULL	5.50	0		15,105		17.00		
Perforation Information								
Stage: 40 of 40								
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments		
26-Feb-23 19:20	LARGE	WLINGUN	7,799	7,800	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
26-Feb-23 19:19	LARGE	WLINGUN	7,814	7,815	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
26-Feb-23 19:18	LARGE	WLINGUN	7,829	7,830	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
26-Feb-23 19:17	LARGE	WLINGUN	7,844	7,845	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
26-Feb-23 19:16	LARGE	WLINGUN	7,859	7,860	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
26-Feb-23 19:15	LARGE	WLINGUN	7,874	7,875	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
26-Feb-23 19:14	LARGE	WLINGUN	7,889	7,890	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
26-Feb-23 19:13	LARGE	WLINGUN	7,904	7,905	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
26-Feb-23 19:12	LARGE	WLINGUN	7,921	7,922	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
26-Feb-23 19:11	LARGE	WLINGUN	7,935	7,936	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
26-Feb-23 19:10	LARGE	WLINGUN	7,950	7,951	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		
26-Feb-23 19:09	LARGE	WLINGUN	7,965	7,966	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B		



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 52

Report For 06:00 AM 27-Feb-23

Perforation Information

Stage: 39 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Feb-23 14:10	LARGE	WLINGUN	7,980	7,981	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:09	LARGE	WLINGUN	7,995	7,996	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:08	LARGE	WLINGUN	8,010	8,011	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:07	LARGE	WLINGUN	8,025	8,026	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:06	LARGE	WLINGUN	8,037	8,038	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:05	LARGE	WLINGUN	8,055	8,056	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:04	LARGE	WLINGUN	8,070	8,071	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:03	LARGE	WLINGUN	8,086	8,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:02	LARGE	WLINGUN	8,100	8,101	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:01	LARGE	WLINGUN	8,116	8,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:00	LARGE	WLINGUN	8,131	8,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 13:59	LARGE	WLINGUN	8,146	8,147	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 38 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Feb-23 06:01	LARGE	WLINGUN	8,161	8,162	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 06:00	LARGE	WLINGUN	8,176	8,177	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:59	LARGE	WLINGUN	8,191	8,192	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:58	LARGE	WLINGUN	8,207	8,208	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:57	LARGE	WLINGUN	8,221	8,222	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:56	LARGE	WLINGUN	8,236	8,237	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:55	LARGE	WLINGUN	8,251	8,252	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:54	LARGE	WLINGUN	8,266	8,267	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:53	LARGE	WLINGUN	8,281	8,282	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:52	LARGE	WLINGUN	8,297	8,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:51	LARGE	WLINGUN	8,312	8,313	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:50	LARGE	WLINGUN	8,324	8,325	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 52

Report For 06:00 AM 27-Feb-23

Perforation Information

Stage: 37 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Feb-23 16:37	LARGE	WLINGUN	8,342	8,343	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:36	LARGE	WLINGUN	8,357	8,358	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:35	LARGE	WLINGUN	8,372	8,373	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:34	LARGE	WLINGUN	8,387	8,388	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:33	LARGE	WLINGUN	8,402	8,403	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:32	LARGE	WLINGUN	8,417	8,418	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:31	LARGE	WLINGUN	8,432	8,433	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:30	LARGE	WLINGUN	8,446	8,447	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:29	LARGE	WLINGUN	8,462	8,463	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:28	LARGE	WLINGUN	8,477	8,478	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:27	LARGE	WLINGUN	8,493	8,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:26	LARGE	WLINGUN	8,508	8,509	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 36 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Feb-23 07:34	LARGE	WLINGUN	8,523	8,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:33	LARGE	WLINGUN	8,538	8,539	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:32	LARGE	WLINGUN	8,553	8,554	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:31	LARGE	WLINGUN	8,568	8,569	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:30	LARGE	WLINGUN	8,583	8,584	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:29	LARGE	WLINGUN	8,598	8,599	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:28	LARGE	WLINGUN	8,614	8,615	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:27	LARGE	WLINGUN	8,628	8,629	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:26	LARGE	WLINGUN	8,643	8,644	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:25	LARGE	WLINGUN	8,658	8,659	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:24	LARGE	WLINGUN	8,673	8,674	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:23	LARGE	WLINGUN	8,689	8,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 52

Report For 06:00 AM 27-Feb-23

Perforation Information

Stage: 35 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Feb-23 00:17	LARGE	WLINGUN	8,704	8,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:16	LARGE	WLINGUN	8,719	8,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:15	LARGE	WLINGUN	8,734	8,735	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:14	LARGE	WLINGUN	8,749	8,750	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:13	LARGE	WLINGUN	8,764	8,765	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:12	LARGE	WLINGUN	8,779	8,780	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:11	LARGE	WLINGUN	8,794	8,795	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:10	LARGE	WLINGUN	8,809	8,810	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:09	LARGE	WLINGUN	8,824	8,825	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:08	LARGE	WLINGUN	8,839	8,840	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:07	LARGE	WLINGUN	8,852	8,853	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:06	LARGE	WLINGUN	8,869	8,870	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 34 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Feb-23 15:53	LARGE	WLINGUN	8,884	8,885	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:52	LARGE	WLINGUN	8,900	8,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:51	LARGE	WLINGUN	8,915	8,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:50	LARGE	WLINGUN	8,930	8,931	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:49	LARGE	WLINGUN	8,945	8,946	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:48	LARGE	WLINGUN	8,960	8,961	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:47	LARGE	WLINGUN	8,977	8,978	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:46	LARGE	WLINGUN	8,990	8,991	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:45	LARGE	WLINGUN	9,005	9,006	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:44	LARGE	WLINGUN	9,020	9,021	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:43	LARGE	WLINGUN	935	9,036	8,101	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:42	LARGE	WLINGUN	9,050	9,051	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 52

Report For 06:00 AM 27-Feb-23

Perforation Information

Stage: 33 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Feb-23 08:55	LARGE	WLINGUN	9,068	9,069	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:54	LARGE	WLINGUN	9,080	9,081	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:53	LARGE	WLINGUN	9,096	9,097	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:52	LARGE	WLINGUN	9,111	9,112	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:51	LARGE	WLINGUN	9,126	9,127	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:50	LARGE	WLINGUN	9,141	9,142	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:49	LARGE	WLINGUN	9,156	9,157	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:48	LARGE	WLINGUN	9,171	9,172	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:47	LARGE	WLINGUN	9,186	9,187	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:46	LARGE	WLINGUN	9,201	9,202	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:45	LARGE	WLINGUN	9,216	9,217	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:44	LARGE	WLINGUN	9,231	9,232	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 32 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Feb-23 19:30	LARGE	WLINGUN	9,246	9,247	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:29	LARGE	WLINGUN	9,263	9,264	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:28	LARGE	WLINGUN	9,276	9,277	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:27	LARGE	WLINGUN	9,292	9,293	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:26	LARGE	WLINGUN	9,307	9,308	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:25	LARGE	WLINGUN	9,322	9,323	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:24	LARGE	WLINGUN	9,337	9,338	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:23	LARGE	WLINGUN	9,352	9,353	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:22	LARGE	WLINGUN	9,367	9,368	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:21	LARGE	WLINGUN	9,379	9,380	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:20	LARGE	WLINGUN	9,397	9,398	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:19	LARGE	WLINGUN	9,407	9,408	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 52

Report For 06:00 AM 27-Feb-23

Perforation Information

Stage: 31 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Feb-23 10:53	LARGE	WLINGUN	9,427	9,428	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:52	LARGE	WLINGUN	9,442	9,443	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:51	LARGE	WLINGUN	9,457	9,458	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:50	LARGE	WLINGUN	9,473	9,474	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:49	LARGE	WLINGUN	9,488	9,489	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:48	LARGE	WLINGUN	9,501	9,502	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:46	LARGE	WLINGUN	9,518	9,519	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:45	LARGE	WLINGUN	9,533	9,534	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:44	LARGE	WLINGUN	9,548	9,549	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:43	LARGE	WLINGUN	9,563	9,564	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:42	LARGE	WLINGUN	9,578	9,579	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:41	LARGE	WLINGUN	9,593	9,594	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 30 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Feb-23 02:57	LARGE	WLINGUN	9,608	9,609	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:56	LARGE	WLINGUN	9,622	9,623	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:55	LARGE	WLINGUN	9,638	9,639	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:54	LARGE	WLINGUN	9,653	9,654	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:53	LARGE	WLINGUN	9,669	9,670	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:52	LARGE	WLINGUN	9,684	9,685	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:51	LARGE	WLINGUN	9,699	9,700	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:50	LARGE	WLINGUN	9,714	9,715	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:49	LARGE	WLINGUN	9,729	9,730	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:48	LARGE	WLINGUN	9,743	9,744	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:47	LARGE	WLINGUN	9,759	9,760	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:46	LARGE	WLINGUN	9,774	9,775	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 52

Report For 06:00 AM 27-Feb-23

Perforation Information

Stage: 29 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 18:24	LARGE	WLINGUN	9,789	9,790	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:23	LARGE	WLINGUN	9,804	9,805	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:22	LARGE	WLINGUN	9,819	9,820	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:21	LARGE	WLINGUN	9,834	9,835	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:20	LARGE	WLINGUN	9,849	9,850	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:19	LARGE	WLINGUN	9,865	9,866	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:18	LARGE	WLINGUN	9,880	9,881	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:17	LARGE	WLINGUN	9,895	9,896	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:16	LARGE	WLINGUN	9,913	9,914	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:15	LARGE	WLINGUN	9,925	9,926	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:14	LARGE	WLINGUN	9,940	9,941	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:13	LARGE	WLINGUN	9,955	9,956	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 28 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 09:32	LARGE	WLINGUN	9,970	9,971	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:31	LARGE	WLINGUN	9,985	9,986	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:30	LARGE	WLINGUN	10,000	10,001	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:29	LARGE	WLINGUN	10,015	10,016	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:28	LARGE	WLINGUN	10,033	10,034	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:27	LARGE	WLINGUN	10,045	10,046	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:26	LARGE	WLINGUN	10,061	10,062	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:25	LARGE	WLINGUN	10,076	10,077	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 09:24	LARGE	WLINGUN	10,019	10,020	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 28 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 09:23	LARGE	WLINGUN	10,106	10,107	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:22	LARGE	WLINGUN	10,121	10,122	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:21	LARGE	WLINGUN	10,136	10,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 52

Report For 06:00 AM 27-Feb-23

Perforation Information

Stage: 27 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 00:27	LARGE	WLINGUN	10,150	10,151	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:26	LARGE	WLINGUN	10,166	10,167	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:25	LARGE	WLINGUN	10,181	10,182	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:24	LARGE	WLINGUN	10,199	10,200	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:23	LARGE	WLINGUN	10,211	10,212	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:22	LARGE	WLINGUN	10,226	10,227	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:21	LARGE	WLINGUN	10,241	10,242	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:20	LARGE	WLINGUN	10,257	10,258	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:19	LARGE	WLINGUN	10,272	10,273	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:18	LARGE	WLINGUN	10,287	10,288	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:17	LARGE	WLINGUN	10,302	10,303	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:16	LARGE	WLINGUN	10,314	10,315	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 26 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 15:42	LARGE	WLINGUN	10,332	10,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:41	LARGE	WLINGUN	15,347	15,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:40	LARGE	WLINGUN	10,362	10,363	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:39	LARGE	WLINGUN	10,377	10,378	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:38	LARGE	WLINGUN	10,392	10,393	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:37	LARGE	WLINGUN	10,407	10,408	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:36	LARGE	WLINGUN	10,422	10,423	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:35	LARGE	WLINGUN	10,436	10,437	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:34	LARGE	WLINGUN	10,453	10,454	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:33	LARGE	WLINGUN	10,468	10,469	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:32	LARGE	WLINGUN	10,483	10,484	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:31	LARGE	WLINGUN	10,498	10,499	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 25 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:49	LARGE	WLINGUN	10,513	10,514	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:48	LARGE	WLINGUN	10,528	10,529	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:47	LARGE	WLINGUN	10,543	10,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:46	LARGE	WLINGUN	10,556	10,557	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 52

Report For 06:00 AM 27-Feb-23

Perforation Information

Stage: 24 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:45	LARGE	WLINGUN	10,573	10,574	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 25 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:44	LARGE	WLINGUN	10,588	10,589	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:43	LARGE	WLINGUN	10,603	10,604	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:42	LARGE	WLINGUN	10,618	10,619	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:41	LARGE	WLINGUN	10,634	10,635	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:15	LARGE	WLINGUN	10,649	10,650	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:14	LARGE	WLINGUN	10,664	10,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:13	LARGE	WLINGUN	10,675	10,676	1	

Stage: 24 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 23:07	LARGE	WLINGUN	10,694	10,695	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:06	LARGE	WLINGUN	10,709	10,710	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:05	LARGE	WLINGUN	10,724	10,725	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:04	LARGE	WLINGUN	10,739	10,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:03	LARGE	WLINGUN	10,754	10,755	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:02	LARGE	WLINGUN	10,769	10,770	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:01	LARGE	WLINGUN	10,784	10,785	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:00	LARGE	WLINGUN	10,799	10,800	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:59	LARGE	WLINGUN	10,814	10,815	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:58	LARGE	WLINGUN	10,830	10,831	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:57	LARGE	WLINGUN	10,847	10,848	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:56	LARGE	WLINGUN	10,860	10,861	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 52

Report For 06:00 AM 27-Feb-23

Perforation Information

Stage: 23 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 14:12	LARGE	WLINGUN	10,875	10,876	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:11	LARGE	WLINGUN	10,890	10,891	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:10	LARGE	WLINGUN	10,905	10,906	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:09	LARGE	WLINGUN	10,921	10,922	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:08	LARGE	WLINGUN	10,935	10,936	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:07	LARGE	WLINGUN	10,950	10,951	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:06	LARGE	WLINGUN	10,967	10,968	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:05	LARGE	WLINGUN	10,980	10,981	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:04	LARGE	WLINGUN	10,995	10,996	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:03	LARGE	WLINGUN	11,010	11,011	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:02	LARGE	WLINGUN	11,026	11,027	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:01	LARGE	WLINGUN	11,041	11,042	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 22 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 05:51	LARGE	WLINGUN	11,071	11,072	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:50	LARGE	WLINGUN	11,086	11,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:49	LARGE	WLINGUN	11,101	11,102	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:48	LARGE	WLINGUN	11,116	11,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:47	LARGE	WLINGUN	11,131	11,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:46	LARGE	WLINGUN	11,145	11,146	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:45	LARGE	WLINGUN	11,161	11,162	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:44	LARGE	WLINGUN	11,176	11,177	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:43	LARGE	WLINGUN	11,191	11,192	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:41	LARGE	WLINGUN	11,206	11,207	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:40	LARGE	WLINGUN	11,222	11,223	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 00:00	LARGE	WLINGUN	11,056	11,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 52

Report For 06:00 AM 27-Feb-23

Perforation Information

Stage: 21 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 19:12	LARGE	WLINGUN	11,237	11,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:11	LARGE	WLINGUN	11,252	11,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:10	LARGE	WLINGUN	11,265	11,266	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:09	LARGE	WLINGUN	11,282	11,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:08	LARGE	WLINGUN	11,297	11,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:07	LARGE	WLINGUN	11,312	11,313	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:06	LARGE	WLINGUN	11,327	11,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:05	LARGE	WLINGUN	11,342	11,343	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:04	LARGE	WLINGUN	11,357	11,358	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:03	LARGE	WLINGUN	11,372	11,373	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:02	LARGE	WLINGUN	11,387	11,388	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:01	LARGE	WLINGUN	11,402	11,403	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 20 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 10:12	LARGE	WLINGUN	11,417	11,418	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:11	LARGE	WLINGUN	11,433	11,434	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:10	LARGE	WLINGUN	11,448	11,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:09	LARGE	WLINGUN	11,463	11,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:08	LARGE	WLINGUN	11,478	11,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:07	LARGE	WLINGUN	11,493	11,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:06	LARGE	WLINGUN	11,506	11,507	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:05	LARGE	WLINGUN	11,523	11,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:04	LARGE	WLINGUN	11,538	11,539	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:03	LARGE	WLINGUN	11,553	11,554	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:02	LARGE	WLINGUN	11,568	11,569	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:01	LARGE	WLINGUN	11,583	11,584	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 52

Report For 06:00 AM 27-Feb-23

Perforation Information

Stage: 19 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 00:40	LARGE	WLINGUN	11,598	11,599	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:39	LARGE	WLINGUN	11,613	11,614	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:38	LARGE	WLINGUN	11,627	11,628	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:37	LARGE	WLINGUN	11,644	11,645	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:36	LARGE	WLINGUN	11,659	11,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:35	LARGE	WLINGUN	11,674	11,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:34	LARGE	WLINGUN	11,689	11,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:33	LARGE	WLINGUN	11,704	11,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:32	LARGE	WLINGUN	11,719	11,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:31	LARGE	WLINGUN	11,734	11,735	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:30	LARGE	WLINGUN	11,749	11,750	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:29	LARGE	WLINGUN	11,764	11,765	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 18 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Feb-23 15:26	LARGE	WLINGUN	11,779	11,780	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:25	LARGE	WLINGUN	11,795	11,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:24	LARGE	WLINGUN	11,810	11,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:23	LARGE	WLINGUN	11,825	11,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:22	LARGE	WLINGUN	11,840	11,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:21	LARGE	WLINGUN	11,855	11,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:20	LARGE	WLINGUN	11,870	11,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:19	LARGE	WLINGUN	11,885	11,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:18	LARGE	WLINGUN	11,900	11,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:17	LARGE	WLINGUN	11,915	11,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:16	LARGE	WLINGUN	11,930	11,931	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:15	LARGE	WLINGUN	11,945	11,946	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 52

Report For 06:00 AM 27-Feb-23

Perforation Information

Stage: 17 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Feb-23 06:12	LARGE	WLINGUN	11,960	11,961	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:11	LARGE	WLINGUN	11,975	11,976	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:10	LARGE	WLINGUN	11,987	11,988	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:09	LARGE	WLINGUN	12,006	12,007	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:08	LARGE	WLINGUN	12,021	12,022	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:07	LARGE	WLINGUN	12,036	12,037	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:06	LARGE	WLINGUN	12,051	12,052	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:05	LARGE	WLINGUN	12,066	12,067	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:04	LARGE	WLINGUN	12,081	12,082	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:03	LARGE	WLINGUN	12,096	12,097	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:02	LARGE	WLINGUN	12,108	12,109	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:01	LARGE	WLINGUN	12,126	12,127	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 16 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 23:06	LARGE	WLINGUN	12,141	12,142	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:05	LARGE	WLINGUN	12,156	12,157	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:04	LARGE	WLINGUN	12,171	12,172	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:03	LARGE	WLINGUN	12,186	12,187	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:02	LARGE	WLINGUN	12,202	12,203	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:01	LARGE	WLINGUN	12,217	12,218	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:00	LARGE	WLINGUN	12,231	12,232	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:59	LARGE	WLINGUN	12,247	12,248	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:58	LARGE	WLINGUN	12,262	12,263	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:57	LARGE	WLINGUN	12,277	12,278	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:56	LARGE	WLINGUN	12,292	12,293	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:55	LARGE	WLINGUN	12,307	12,308	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 52

Report For 06:00 AM 27-Feb-23

Perforation Information

Stage: 15 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:42	LARGE	WLINGUN	12,322	12,323	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:41	LARGE	WLINGUN	12,337	12,338	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:40	LARGE	WLINGUN	12,352	12,353	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:39	LARGE	WLINGUN	12,367	12,368	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:38	LARGE	WLINGUN	12,382	12,383	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:37	LARGE	WLINGUN	12,398	12,399	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:36	LARGE	WLINGUN	12,413	12,414	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:35	LARGE	WLINGUN	12,428	12,429	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:34	LARGE	WLINGUN	12,443	12,444	1	

Stage: 15 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:33	LARGE	WLINGUN	12,458	12,459	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:32	LARGE	WLINGUN	12,472	12,473	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:31	LARGE	WLINGUN	12,488	12,489	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 14 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 20:57	LARGE	WLINGUN	12,503	12,504	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:56	LARGE	WLINGUN	12,519	12,520	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:55	LARGE	WLINGUN	12,533	12,534	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:54	LARGE	WLINGUN	12,548	12,549	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:53	LARGE	WLINGUN	12,563	12,564	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:52	LARGE	WLINGUN	12,578	12,579	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:51	LARGE	WLINGUN	12,594	12,595	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:50	LARGE	WLINGUN	12,609	12,610	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:49	LARGE	WLINGUN	12,624	12,625	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:48	LARGE	WLINGUN	12,636	12,637	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:47	LARGE	WLINGUN	12,654	12,655	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:46	LARGE	WLINGUN	12,665	12,666	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 52

Report For 06:00 AM 27-Feb-23

Perforation Information

Stage: 13 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 11:45	LARGE	WLINGUN	12,684	12,685	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:34	LARGE	WLINGUN	12,699	12,700	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:33	LARGE	WLINGUN	12,714	12,715	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:32	LARGE	WLINGUN	12,729	12,730	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:31	LARGE	WLINGUN	12,744	12,745	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:30	LARGE	WLINGUN	12,758	12,759	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:29	LARGE	WLINGUN	12,775	12,776	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:28	LARGE	WLINGUN	12,790	12,791	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:27	LARGE	WLINGUN	12,805	12,806	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:26	LARGE	WLINGUN	12,820	12,821	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:25	LARGE	WLINGUN	12,835	12,836	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:24	LARGE	WLINGUN	12,850	12,851	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 12 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 01:29	LARGE	WLINGUN	12,865	12,866	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:28	LARGE	WLINGUN	12,877	12,878	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:27	LARGE	WLINGUN	12,895	12,896	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:26	LARGE	WLINGUN	12,910	12,911	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:25	LARGE	WLINGUN	12,925	12,926	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:24	LARGE	WLINGUN	12,940	12,941	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:23	LARGE	WLINGUN	12,955	12,956	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:22	LARGE	WLINGUN	12,971	12,972	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:21	LARGE	WLINGUN	12,986	12,987	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:20	LARGE	WLINGUN	12,999	13,000	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:19	LARGE	WLINGUN	13,016	13,017	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:18	LARGE	WLINGUN	13,029	13,030	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 52

Report For 06:00 AM 27-Feb-23

Perforation Information

Stage: 11 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 14:42	LARGE	WLINGUN	13,047	13,048	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:41	LARGE	WLINGUN	13,061	13,062	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:40	LARGE	WLINGUN	13,076	13,077	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:39	LARGE	WLINGUN	13,091	13,092	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:38	LARGE	WLINGUN	13,106	13,107	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:37	LARGE	WLINGUN	13,121	13,122	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:36	LARGE	WLINGUN	13,136	13,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:35	LARGE	WLINGUN	13,151	13,152	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:34	LARGE	WLINGUN	13,167	13,168	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:33	LARGE	WLINGUN	13,182	13,183	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:32	LARGE	WLINGUN	13,197	13,198	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:31	LARGE	WLINGUN	13,212	13,213	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 10 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 05:02	LARGE	WLINGUN	13,227	13,228	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:01	LARGE	WLINGUN	13,242	13,243	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:00	LARGE	WLINGUN	13,257	13,258	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:59	LARGE	WLINGUN	13,272	13,273	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:58	LARGE	WLINGUN	13,287	13,288	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:57	LARGE	WLINGUN	13,302	13,303	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:56	LARGE	WLINGUN	13,317	13,318	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:55	LARGE	WLINGUN	13,332	13,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:54	LARGE	WLINGUN	13,347	13,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:53	LARGE	WLINGUN	13,361	13,362	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:52	LARGE	WLINGUN	13,378	13,379	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:51	LARGE	WLINGUN	13,393	13,394	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 52

Report For 06:00 AM 27-Feb-23

Perforation Information

Stage: 9 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 19:15	LARGE	WLINGUN	13,409	13,410	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:14	LARGE	WLINGUN	13,423	13,424	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:13	LARGE	WLINGUN	13,438	13,439	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:12	LARGE	WLINGUN	13,453	13,454	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:11	LARGE	WLINGUN	13,468	13,469	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:10	LARGE	WLINGUN	13,483	13,484	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:09	LARGE	WLINGUN	13,498	13,499	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:08	LARGE	WLINGUN	13,513	13,514	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:07	LARGE	WLINGUN	13,529	13,530	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:06	LARGE	WLINGUN	13,543	13,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:05	LARGE	WLINGUN	13,559	13,560	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:04	LARGE	WLINGUN	13,574	13,575	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 8 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 09:47	LARGE	WLINGUN	13,589	13,590	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:46	LARGE	WLINGUN	13,607	13,608	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:45	LARGE	WLINGUN	13,619	13,620	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:44	LARGE	WLINGUN	13,634	13,635	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:43	LARGE	WLINGUN	13,649	13,650	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:42	LARGE	WLINGUN	13,662	13,663	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:41	LARGE	WLINGUN	13,679	13,680	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:40	LARGE	WLINGUN	13,694	13,695	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:39	LARGE	WLINGUN	13,709	13,710	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:38	LARGE	WLINGUN	13,727	13,728	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:37	LARGE	WLINGUN	13,739	13,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:36	LARGE	WLINGUN	13,755	13,756	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 52

Report For 06:00 AM 27-Feb-23

Perforation Information

Stage: 7 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 00:03	LARGE	OTHER	13,770	13,771	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:02	LARGE	OTHER	13,783	13,784	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:01	LARGE	OTHER	13,800	13,801	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:00	LARGE	OTHER	13,815	13,816	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:59	LARGE	OTHER	13,830	13,831	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:58	LARGE	OTHER	13,845	13,846	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:57	LARGE	OTHER	13,860	13,861	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:56	LARGE	OTHER	13,875	13,876	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:55	LARGE	OTHER	13,890	13,891	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:54	LARGE	OTHER	13,903	13,904	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:53	LARGE	OTHER	13,920	13,921	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:52	LARGE	OTHER	13,933	13,934	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 6 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 18:27	LARGE	OTHER	13,951	13,952	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:26	LARGE	OTHER	13,966	13,967	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:25	LARGE	OTHER	13,981	13,982	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:24	LARGE	OTHER	13,996	13,997	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:23	LARGE	OTHER	14,011	14,012	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:22	LARGE	OTHER	14,026	14,027	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:21	LARGE	OTHER	14,041	14,042	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:20	LARGE	OTHER	14,056	14,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:19	LARGE	OTHER	14,072	14,073	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:18	LARGE	OTHER	14,086	14,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:17	LARGE	OTHER	14,101	14,102	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:16	LARGE	OTHER	14,116	14,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 52

Report For 06:00 AM 27-Feb-23

Perforation Information

Stage: 5 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 08:32	LARGE	OTHER	14,131	14,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:31	LARGE	OTHER	14,147	14,148	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:30	LARGE	OTHER	14,162	14,163	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:29	LARGE	OTHER	14,177	14,178	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:28	LARGE	OTHER	14,194	14,195	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:27	LARGE	OTHER	14,207	14,208	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:26	LARGE	OTHER	14,222	14,223	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:25	LARGE	OTHER	14,237	14,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:24	LARGE	OTHER	14,252	14,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:23	LARGE	OTHER	14,267	14,268	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:22	LARGE	OTHER	14,282	14,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:21	LARGE	OTHER	14,297	14,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 4 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 01:37	LARGE	OTHER	14,315	14,316	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:36	LARGE	OTHER	14,327	14,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:35	LARGE	OTHER	14,343	14,344	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:34	LARGE	OTHER	14,358	14,359	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:33	LARGE	OTHER	14,373	14,374	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:32	LARGE	OTHER	14,388	14,389	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:31	LARGE	OTHER	14,403	14,404	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:30	LARGE	OTHER	14,418	14,419	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:29	LARGE	OTHER	14,435	14,436	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:28	LARGE	OTHER	14,448	14,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:27	LARGE	OTHER	14,463	14,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:26	LARGE	OTHER	14,478	14,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 52

Report For 06:00 AM 27-Feb-23

Perforation Information

Stage: 3 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
11-Feb-23 18:12	LARGE	OTHER	14,493	14,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:11	LARGE	OTHER	14,508	14,509	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:10	LARGE	OTHER	14,523	14,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:09	LARGE	OTHER	14,539	14,540	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:08	LARGE	OTHER	14,550	14,551	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:07	LARGE	OTHER	14,569	14,570	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:06	LARGE	OTHER	14,584	14,585	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:05	LARGE	OTHER	14,599	14,600	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:04	LARGE	OTHER	14,614	14,615	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:03	LARGE	OTHER	14,629	14,630	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:02	LARGE	OTHER	14,664	14,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:01	LARGE	OTHER	14,659	14,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 2 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
09-Feb-23 21:42	LARGE	OTHER	14,674	14,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:41	LARGE	OTHER	14,689	14,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:40	LARGE	OTHER	14,704	14,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:39	LARGE	OTHER	14,719	14,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:38	LARGE	OTHER	14,735	14,736	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:37	LARGE	OTHER	14,750	14,751	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:36	LARGE	OTHER	14,765	14,766	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:35	LARGE	OTHER	14,780	14,781	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:34	LARGE	OTHER	14,795	14,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:33	LARGE	OTHER	14,810	14,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:32	LARGE	OTHER	14,825	14,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:31	LARGE	OTHER	14,840	14,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 52

Report For 06:00 AM 27-Feb-23

Perforation Information

Stage: 1 of 40

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jan-23 15:10	LARGE	OTHER	14,855	14,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:09	LARGE	OTHER	14,870	14,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:08	LARGE	OTHER	14,885	14,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:07	LARGE	OTHER	14,900	14,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:06	LARGE	OTHER	14,915	14,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:05	LARGE	OTHER	14,931	14,932	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:04	LARGE	OTHER	14,946	14,947	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:03	LARGE	OTHER	14,961	14,962	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:02	LARGE	OTHER	14,976	14,977	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:01	LARGE	OTHER	14,991	14,992	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:00	LARGE	OTHER	15,013	15,021	8	TOE SLEEVE

Safety Information

First Aid Treatments:

Medical Treatments:

Lost Time Incidents:

Days Since LTI:

☐ BOP Test

☐ Crownamatic Check

	Daily Completion Report Well ID: 42-105-42524 Field: Barnyard						SEM Well Name: University 40 2109WB Sect: 21 County: Crockett State: TX		
	Report No: 53						Report For 06:00 AM 28-Feb-23		
	Operator: SEM OPERATOR		Rig: ICD 307		Wellbore: Original Wellbore		Daily Cost / Fluid (\$):		
Measured Depth (ft): 15129		Completion Days (act.): 16		Orig RKB Elev(ft): 2699		AFE No.		AFE (\$)	Actual (\$)
Vertical Depth (ft): 6537		Days On Location: 45		Last BOP Test: 05-Oct-22		B23003			
Last Casing: 5.50 at 15,105		Spud Date:		Totals:					
Plug Back MD (ft): 6537		Well Cost (\$):							
Plug Back TVD (ft)		Pers/Hrs:	Operator: 0 / 0	Contractor: 0 / 0	Service: 0 / 0	Other: 0 / 0	Total: 0 / 0		
Safety Summary: No incidents or events reported.									
Current Operations: MIRU DRILL OUT EQUIPMENT									
Planned Operations: RIG DOWN FRAC / NIPPLE DOWN ZIPPER									
Wellsite Supervisors: MOYE, DELEON, OWENS, , MAYNARD, GREEN, SMITH							Tel No.: 432-217-9511		
Engineer(s): Larry Gillette									
Operations Summary									
From	To	Elapsed	End MD(ft)	Code	Operations Description				Non-Prod
6:00	6:00	24.00		RIGD	RIG DOWN FRAC / NIPPLE DOWN ZIPPER				
Management Summary									
RIG DOWN FRAC									
Cost/AFE Information									
AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent		
B23003	Drill and Complete a 7750' WB L	6,829,922.00	0.00	114,960.76	16,445.00	4,642,272.64	67.97%		
Totals \$:		6,829,922.00	0.00	114,961.00	16,445.00	4,642,273.00	67.97%		
Casing/Tubular Information									
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)	
FULL	9.63	0		868		40.00	J-55		
FULL	5.50	0		15,105		17.00			
Perforation Information									
Stage: 44 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
27-Feb-23 13:49	LARGE	WLINGUN	7,075	7,076	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
27-Feb-23 13:48	LARGE	WLINGUN	7,090	7,091	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
27-Feb-23 13:47	LARGE	WLINGUN	7,103	7,104	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
27-Feb-23 13:45	LARGE	WLINGUN	7,120	7,121	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
27-Feb-23 13:44	LARGE	WLINGUN	7,136	7,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
27-Feb-23 13:43	LARGE	WLINGUN	7,151	7,152	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
27-Feb-23 13:42	LARGE	WLINGUN	7,166	7,167	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
27-Feb-23 13:40	LARGE	WLINGUN	7,181	7,182	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
27-Feb-23 13:39	LARGE	WLINGUN	7,196	7,197	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
27-Feb-23 13:38	LARGE	WLINGUN	7,211	7,212	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
27-Feb-23 13:37	LARGE	WLINGUN	7,225	7,226	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
27-Feb-23 13:36	LARGE	WLINGUN	7,241	7,242	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 53

Report For 06:00 AM 28-Feb-23

Perforation Information

Stage: 43 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Feb-23 09:17	LARGE	WLINGUN	7,256	7,257	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:16	LARGE	WLINGUN	7,273	7,274	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:15	LARGE	WLINGUN	7,286	7,287	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:14	LARGE	WLINGUN	7,301	7,302	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:13	LARGE	WLINGUN	7,316	7,317	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:12	LARGE	WLINGUN	7,332	7,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:11	LARGE	WLINGUN	7,347	7,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:10	LARGE	WLINGUN	7,362	7,363	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:09	LARGE	WLINGUN	7,377	7,378	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:08	LARGE	WLINGUN	7,395	7,396	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:07	LARGE	WLINGUN	7,407	7,408	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:06	LARGE	WLINGUN	7,417	7,418	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 42 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Feb-23 05:46	LARGE	WLINGUN	7,437	7,438	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:45	LARGE	WLINGUN	7,452	7,453	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:43	LARGE	WLINGUN	7,467	7,468	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:42	LARGE	WLINGUN	7,482	7,483	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:41	LARGE	WLINGUN	7,497	7,498	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:40	LARGE	WLINGUN	7,510	7,511	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:39	LARGE	WLINGUN	7,528	7,529	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:38	LARGE	WLINGUN	7,543	7,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:37	LARGE	WLINGUN	7,558	7,559	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:36	LARGE	WLINGUN	7,573	7,574	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:32	LARGE	WLINGUN	7,588	7,589	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:31	LARGE	WLINGUN	7,603	7,604	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 53

Report For 06:00 AM 28-Feb-23

Perforation Information

Stage: 41 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Feb-23 00:39	LARGE	WLINGUN	7,618	7,619	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:38	LARGE	WLINGUN	7,631	7,632	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:37	LARGE	WLINGUN	7,648	7,649	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:36	LARGE	WLINGUN	7,663	7,664	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:35	LARGE	WLINGUN	7,678	7,679	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:34	LARGE	WLINGUN	7,693	7,694	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:33	LARGE	WLINGUN	7,708	7,709	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:32	LARGE	WLINGUN	7,724	7,725	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:31	LARGE	WLINGUN	7,739	7,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:30	LARGE	WLINGUN	7,752	7,753	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:29	LARGE	WLINGUN	7,769	7,770	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:28	LARGE	WLINGUN	7,780	7,781	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 40 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Feb-23 19:20	LARGE	WLINGUN	7,799	7,800	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:19	LARGE	WLINGUN	7,814	7,815	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:18	LARGE	WLINGUN	7,829	7,830	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:17	LARGE	WLINGUN	7,844	7,845	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:16	LARGE	WLINGUN	7,859	7,860	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:15	LARGE	WLINGUN	7,874	7,875	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:14	LARGE	WLINGUN	7,889	7,890	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:13	LARGE	WLINGUN	7,904	7,905	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:12	LARGE	WLINGUN	7,921	7,922	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:11	LARGE	WLINGUN	7,935	7,936	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:10	LARGE	WLINGUN	7,950	7,951	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:09	LARGE	WLINGUN	7,965	7,966	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 53

Report For 06:00 AM 28-Feb-23

Perforation Information

Stage: 39 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Feb-23 14:10	LARGE	WLINGUN	7,980	7,981	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:09	LARGE	WLINGUN	7,995	7,996	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:08	LARGE	WLINGUN	8,010	8,011	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:07	LARGE	WLINGUN	8,025	8,026	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:06	LARGE	WLINGUN	8,037	8,038	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:05	LARGE	WLINGUN	8,055	8,056	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:04	LARGE	WLINGUN	8,070	8,071	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:03	LARGE	WLINGUN	8,086	8,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:02	LARGE	WLINGUN	8,100	8,101	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:01	LARGE	WLINGUN	8,116	8,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:00	LARGE	WLINGUN	8,131	8,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 13:59	LARGE	WLINGUN	8,146	8,147	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 38 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Feb-23 06:01	LARGE	WLINGUN	8,161	8,162	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 06:00	LARGE	WLINGUN	8,176	8,177	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:59	LARGE	WLINGUN	8,191	8,192	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:58	LARGE	WLINGUN	8,207	8,208	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:57	LARGE	WLINGUN	8,221	8,222	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:56	LARGE	WLINGUN	8,236	8,237	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:55	LARGE	WLINGUN	8,251	8,252	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:54	LARGE	WLINGUN	8,266	8,267	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:53	LARGE	WLINGUN	8,281	8,282	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:52	LARGE	WLINGUN	8,297	8,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:51	LARGE	WLINGUN	8,312	8,313	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:50	LARGE	WLINGUN	8,324	8,325	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 53

Report For 06:00 AM 28-Feb-23

Perforation Information

Stage: 37 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Feb-23 16:37	LARGE	WLINGUN	8,342	8,343	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:36	LARGE	WLINGUN	8,357	8,358	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:35	LARGE	WLINGUN	8,372	8,373	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:34	LARGE	WLINGUN	8,387	8,388	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:33	LARGE	WLINGUN	8,402	8,403	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:32	LARGE	WLINGUN	8,417	8,418	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:31	LARGE	WLINGUN	8,432	8,433	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:30	LARGE	WLINGUN	8,446	8,447	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:29	LARGE	WLINGUN	8,462	8,463	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:28	LARGE	WLINGUN	8,477	8,478	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:27	LARGE	WLINGUN	8,493	8,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:26	LARGE	WLINGUN	8,508	8,509	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 36 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Feb-23 07:34	LARGE	WLINGUN	8,523	8,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:33	LARGE	WLINGUN	8,538	8,539	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:32	LARGE	WLINGUN	8,553	8,554	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:31	LARGE	WLINGUN	8,568	8,569	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:30	LARGE	WLINGUN	8,583	8,584	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:29	LARGE	WLINGUN	8,598	8,599	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:28	LARGE	WLINGUN	8,614	8,615	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:27	LARGE	WLINGUN	8,628	8,629	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:26	LARGE	WLINGUN	8,643	8,644	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:25	LARGE	WLINGUN	8,658	8,659	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:24	LARGE	WLINGUN	8,673	8,674	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:23	LARGE	WLINGUN	8,689	8,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 53

Report For 06:00 AM 28-Feb-23

Perforation Information

Stage: 35 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Feb-23 00:17	LARGE	WLINGUN	8,704	8,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:16	LARGE	WLINGUN	8,719	8,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:15	LARGE	WLINGUN	8,734	8,735	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:14	LARGE	WLINGUN	8,749	8,750	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:13	LARGE	WLINGUN	8,764	8,765	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:12	LARGE	WLINGUN	8,779	8,780	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:11	LARGE	WLINGUN	8,794	8,795	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:10	LARGE	WLINGUN	8,809	8,810	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:09	LARGE	WLINGUN	8,824	8,825	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:08	LARGE	WLINGUN	8,839	8,840	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:07	LARGE	WLINGUN	8,852	8,853	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:06	LARGE	WLINGUN	8,869	8,870	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 34 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Feb-23 15:53	LARGE	WLINGUN	8,884	8,885	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:52	LARGE	WLINGUN	8,900	8,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:51	LARGE	WLINGUN	8,915	8,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:50	LARGE	WLINGUN	8,930	8,931	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:49	LARGE	WLINGUN	8,945	8,946	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:48	LARGE	WLINGUN	8,960	8,961	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:47	LARGE	WLINGUN	8,977	8,978	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:46	LARGE	WLINGUN	8,990	8,991	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:45	LARGE	WLINGUN	9,005	9,006	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:44	LARGE	WLINGUN	9,020	9,021	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:43	LARGE	WLINGUN	935	9,036	8,101	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:42	LARGE	WLINGUN	9,050	9,051	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 53

Report For 06:00 AM 28-Feb-23

Perforation Information

Stage: 33 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Feb-23 08:55	LARGE	WLINGUN	9,068	9,069	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:54	LARGE	WLINGUN	9,080	9,081	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:53	LARGE	WLINGUN	9,096	9,097	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:52	LARGE	WLINGUN	9,111	9,112	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:51	LARGE	WLINGUN	9,126	9,127	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:50	LARGE	WLINGUN	9,141	9,142	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:49	LARGE	WLINGUN	9,156	9,157	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:48	LARGE	WLINGUN	9,171	9,172	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:47	LARGE	WLINGUN	9,186	9,187	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:46	LARGE	WLINGUN	9,201	9,202	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:45	LARGE	WLINGUN	9,216	9,217	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:44	LARGE	WLINGUN	9,231	9,232	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 32 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Feb-23 19:30	LARGE	WLINGUN	9,246	9,247	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:29	LARGE	WLINGUN	9,263	9,264	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:28	LARGE	WLINGUN	9,276	9,277	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:27	LARGE	WLINGUN	9,292	9,293	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:26	LARGE	WLINGUN	9,307	9,308	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:25	LARGE	WLINGUN	9,322	9,323	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:24	LARGE	WLINGUN	9,337	9,338	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:23	LARGE	WLINGUN	9,352	9,353	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:22	LARGE	WLINGUN	9,367	9,368	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:21	LARGE	WLINGUN	9,379	9,380	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:20	LARGE	WLINGUN	9,397	9,398	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:19	LARGE	WLINGUN	9,407	9,408	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 53

Report For 06:00 AM 28-Feb-23

Perforation Information

Stage: 31 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Feb-23 10:53	LARGE	WLINGUN	9,427	9,428	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:52	LARGE	WLINGUN	9,442	9,443	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:51	LARGE	WLINGUN	9,457	9,458	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:50	LARGE	WLINGUN	9,473	9,474	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:49	LARGE	WLINGUN	9,488	9,489	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:48	LARGE	WLINGUN	9,501	9,502	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:46	LARGE	WLINGUN	9,518	9,519	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:45	LARGE	WLINGUN	9,533	9,534	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:44	LARGE	WLINGUN	9,548	9,549	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:43	LARGE	WLINGUN	9,563	9,564	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:42	LARGE	WLINGUN	9,578	9,579	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:41	LARGE	WLINGUN	9,593	9,594	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 30 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Feb-23 02:57	LARGE	WLINGUN	9,608	9,609	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:56	LARGE	WLINGUN	9,622	9,623	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:55	LARGE	WLINGUN	9,638	9,639	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:54	LARGE	WLINGUN	9,653	9,654	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:53	LARGE	WLINGUN	9,669	9,670	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:52	LARGE	WLINGUN	9,684	9,685	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:51	LARGE	WLINGUN	9,699	9,700	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:50	LARGE	WLINGUN	9,714	9,715	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:49	LARGE	WLINGUN	9,729	9,730	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:48	LARGE	WLINGUN	9,743	9,744	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:47	LARGE	WLINGUN	9,759	9,760	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:46	LARGE	WLINGUN	9,774	9,775	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 53

Report For 06:00 AM 28-Feb-23

Perforation Information

Stage: 29 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 18:24	LARGE	WLINGUN	9,789	9,790	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:23	LARGE	WLINGUN	9,804	9,805	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:22	LARGE	WLINGUN	9,819	9,820	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:21	LARGE	WLINGUN	9,834	9,835	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:20	LARGE	WLINGUN	9,849	9,850	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:19	LARGE	WLINGUN	9,865	9,866	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:18	LARGE	WLINGUN	9,880	9,881	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:17	LARGE	WLINGUN	9,895	9,896	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:16	LARGE	WLINGUN	9,913	9,914	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:15	LARGE	WLINGUN	9,925	9,926	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:14	LARGE	WLINGUN	9,940	9,941	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:13	LARGE	WLINGUN	9,955	9,956	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 28 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 09:32	LARGE	WLINGUN	9,970	9,971	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:31	LARGE	WLINGUN	9,985	9,986	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:30	LARGE	WLINGUN	10,000	10,001	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:29	LARGE	WLINGUN	10,015	10,016	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:28	LARGE	WLINGUN	10,033	10,034	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:27	LARGE	WLINGUN	10,045	10,046	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:26	LARGE	WLINGUN	10,061	10,062	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:25	LARGE	WLINGUN	10,076	10,077	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 09:24	LARGE	WLINGUN	10,019	10,020	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 28 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 09:23	LARGE	WLINGUN	10,106	10,107	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:22	LARGE	WLINGUN	10,121	10,122	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:21	LARGE	WLINGUN	10,136	10,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 53

Report For 06:00 AM 28-Feb-23

Perforation Information

Stage: 27 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 00:27	LARGE	WLINGUN	10,150	10,151	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:26	LARGE	WLINGUN	10,166	10,167	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:25	LARGE	WLINGUN	10,181	10,182	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:24	LARGE	WLINGUN	10,199	10,200	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:23	LARGE	WLINGUN	10,211	10,212	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:22	LARGE	WLINGUN	10,226	10,227	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:21	LARGE	WLINGUN	10,241	10,242	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:20	LARGE	WLINGUN	10,257	10,258	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:19	LARGE	WLINGUN	10,272	10,273	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:18	LARGE	WLINGUN	10,287	10,288	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:17	LARGE	WLINGUN	10,302	10,303	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:16	LARGE	WLINGUN	10,314	10,315	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 26 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 15:42	LARGE	WLINGUN	10,332	10,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:41	LARGE	WLINGUN	15,347	15,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:40	LARGE	WLINGUN	10,362	10,363	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:39	LARGE	WLINGUN	10,377	10,378	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:38	LARGE	WLINGUN	10,392	10,393	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:37	LARGE	WLINGUN	10,407	10,408	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:36	LARGE	WLINGUN	10,422	10,423	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:35	LARGE	WLINGUN	10,436	10,437	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:34	LARGE	WLINGUN	10,453	10,454	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:33	LARGE	WLINGUN	10,468	10,469	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:32	LARGE	WLINGUN	10,483	10,484	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:31	LARGE	WLINGUN	10,498	10,499	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 25 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:49	LARGE	WLINGUN	10,513	10,514	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:48	LARGE	WLINGUN	10,528	10,529	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:47	LARGE	WLINGUN	10,543	10,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:46	LARGE	WLINGUN	10,556	10,557	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 53

Report For 06:00 AM 28-Feb-23

Perforation Information

Stage: 24 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:45	LARGE	WLINGUN	10,573	10,574	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 25 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:44	LARGE	WLINGUN	10,588	10,589	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:43	LARGE	WLINGUN	10,603	10,604	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:42	LARGE	WLINGUN	10,618	10,619	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:41	LARGE	WLINGUN	10,634	10,635	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:15	LARGE	WLINGUN	10,649	10,650	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:14	LARGE	WLINGUN	10,664	10,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:13	LARGE	WLINGUN	10,675	10,676	1	

Stage: 24 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 23:07	LARGE	WLINGUN	10,694	10,695	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:06	LARGE	WLINGUN	10,709	10,710	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:05	LARGE	WLINGUN	10,724	10,725	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:04	LARGE	WLINGUN	10,739	10,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:03	LARGE	WLINGUN	10,754	10,755	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:02	LARGE	WLINGUN	10,769	10,770	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:01	LARGE	WLINGUN	10,784	10,785	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:00	LARGE	WLINGUN	10,799	10,800	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:59	LARGE	WLINGUN	10,814	10,815	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:58	LARGE	WLINGUN	10,830	10,831	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:57	LARGE	WLINGUN	10,847	10,848	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:56	LARGE	WLINGUN	10,860	10,861	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 53

Report For 06:00 AM 28-Feb-23

Perforation Information

Stage: 23 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 14:12	LARGE	WLINGUN	10,875	10,876	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:11	LARGE	WLINGUN	10,890	10,891	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:10	LARGE	WLINGUN	10,905	10,906	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:09	LARGE	WLINGUN	10,921	10,922	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:08	LARGE	WLINGUN	10,935	10,936	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:07	LARGE	WLINGUN	10,950	10,951	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:06	LARGE	WLINGUN	10,967	10,968	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:05	LARGE	WLINGUN	10,980	10,981	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:04	LARGE	WLINGUN	10,995	10,996	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:03	LARGE	WLINGUN	11,010	11,011	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:02	LARGE	WLINGUN	11,026	11,027	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:01	LARGE	WLINGUN	11,041	11,042	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 22 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 05:51	LARGE	WLINGUN	11,071	11,072	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:50	LARGE	WLINGUN	11,086	11,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:49	LARGE	WLINGUN	11,101	11,102	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:48	LARGE	WLINGUN	11,116	11,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:47	LARGE	WLINGUN	11,131	11,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:46	LARGE	WLINGUN	11,145	11,146	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:45	LARGE	WLINGUN	11,161	11,162	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:44	LARGE	WLINGUN	11,176	11,177	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:43	LARGE	WLINGUN	11,191	11,192	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:41	LARGE	WLINGUN	11,206	11,207	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:40	LARGE	WLINGUN	11,222	11,223	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 00:00	LARGE	WLINGUN	11,056	11,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 53

Report For 06:00 AM 28-Feb-23

Perforation Information

Stage: 21 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 19:12	LARGE	WLINGUN	11,237	11,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:11	LARGE	WLINGUN	11,252	11,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:10	LARGE	WLINGUN	11,265	11,266	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:09	LARGE	WLINGUN	11,282	11,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:08	LARGE	WLINGUN	11,297	11,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:07	LARGE	WLINGUN	11,312	11,313	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:06	LARGE	WLINGUN	11,327	11,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:05	LARGE	WLINGUN	11,342	11,343	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:04	LARGE	WLINGUN	11,357	11,358	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:03	LARGE	WLINGUN	11,372	11,373	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:02	LARGE	WLINGUN	11,387	11,388	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:01	LARGE	WLINGUN	11,402	11,403	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 20 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 10:12	LARGE	WLINGUN	11,417	11,418	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:11	LARGE	WLINGUN	11,433	11,434	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:10	LARGE	WLINGUN	11,448	11,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:09	LARGE	WLINGUN	11,463	11,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:08	LARGE	WLINGUN	11,478	11,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:07	LARGE	WLINGUN	11,493	11,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:06	LARGE	WLINGUN	11,506	11,507	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:05	LARGE	WLINGUN	11,523	11,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:04	LARGE	WLINGUN	11,538	11,539	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:03	LARGE	WLINGUN	11,553	11,554	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:02	LARGE	WLINGUN	11,568	11,569	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:01	LARGE	WLINGUN	11,583	11,584	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 53

Report For 06:00 AM 28-Feb-23

Perforation Information

Stage: 19 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 00:40	LARGE	WLINGUN	11,598	11,599	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:39	LARGE	WLINGUN	11,613	11,614	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:38	LARGE	WLINGUN	11,627	11,628	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:37	LARGE	WLINGUN	11,644	11,645	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:36	LARGE	WLINGUN	11,659	11,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:35	LARGE	WLINGUN	11,674	11,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:34	LARGE	WLINGUN	11,689	11,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:33	LARGE	WLINGUN	11,704	11,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:32	LARGE	WLINGUN	11,719	11,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:31	LARGE	WLINGUN	11,734	11,735	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:30	LARGE	WLINGUN	11,749	11,750	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:29	LARGE	WLINGUN	11,764	11,765	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 18 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Feb-23 15:26	LARGE	WLINGUN	11,779	11,780	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:25	LARGE	WLINGUN	11,795	11,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:24	LARGE	WLINGUN	11,810	11,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:23	LARGE	WLINGUN	11,825	11,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:22	LARGE	WLINGUN	11,840	11,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:21	LARGE	WLINGUN	11,855	11,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:20	LARGE	WLINGUN	11,870	11,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:19	LARGE	WLINGUN	11,885	11,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:18	LARGE	WLINGUN	11,900	11,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:17	LARGE	WLINGUN	11,915	11,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:16	LARGE	WLINGUN	11,930	11,931	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:15	LARGE	WLINGUN	11,945	11,946	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 53

Report For 06:00 AM 28-Feb-23

Perforation Information

Stage: 17 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Feb-23 06:12	LARGE	WLINGUN	11,960	11,961	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:11	LARGE	WLINGUN	11,975	11,976	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:10	LARGE	WLINGUN	11,987	11,988	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:09	LARGE	WLINGUN	12,006	12,007	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:08	LARGE	WLINGUN	12,021	12,022	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:07	LARGE	WLINGUN	12,036	12,037	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:06	LARGE	WLINGUN	12,051	12,052	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:05	LARGE	WLINGUN	12,066	12,067	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:04	LARGE	WLINGUN	12,081	12,082	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:03	LARGE	WLINGUN	12,096	12,097	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:02	LARGE	WLINGUN	12,108	12,109	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:01	LARGE	WLINGUN	12,126	12,127	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 16 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 23:06	LARGE	WLINGUN	12,141	12,142	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:05	LARGE	WLINGUN	12,156	12,157	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:04	LARGE	WLINGUN	12,171	12,172	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:03	LARGE	WLINGUN	12,186	12,187	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:02	LARGE	WLINGUN	12,202	12,203	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:01	LARGE	WLINGUN	12,217	12,218	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:00	LARGE	WLINGUN	12,231	12,232	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:59	LARGE	WLINGUN	12,247	12,248	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:58	LARGE	WLINGUN	12,262	12,263	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:57	LARGE	WLINGUN	12,277	12,278	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:56	LARGE	WLINGUN	12,292	12,293	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:55	LARGE	WLINGUN	12,307	12,308	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 53

Report For 06:00 AM 28-Feb-23

Perforation Information

Stage: 15 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:42	LARGE	WLINGUN	12,322	12,323	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:41	LARGE	WLINGUN	12,337	12,338	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:40	LARGE	WLINGUN	12,352	12,353	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:39	LARGE	WLINGUN	12,367	12,368	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:38	LARGE	WLINGUN	12,382	12,383	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:37	LARGE	WLINGUN	12,398	12,399	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:36	LARGE	WLINGUN	12,413	12,414	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:35	LARGE	WLINGUN	12,428	12,429	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:34	LARGE	WLINGUN	12,443	12,444	1	

Stage: 15 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:33	LARGE	WLINGUN	12,458	12,459	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:32	LARGE	WLINGUN	12,472	12,473	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:31	LARGE	WLINGUN	12,488	12,489	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 14 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 20:57	LARGE	WLINGUN	12,503	12,504	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:56	LARGE	WLINGUN	12,519	12,520	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:55	LARGE	WLINGUN	12,533	12,534	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:54	LARGE	WLINGUN	12,548	12,549	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:53	LARGE	WLINGUN	12,563	12,564	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:52	LARGE	WLINGUN	12,578	12,579	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:51	LARGE	WLINGUN	12,594	12,595	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:50	LARGE	WLINGUN	12,609	12,610	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:49	LARGE	WLINGUN	12,624	12,625	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:48	LARGE	WLINGUN	12,636	12,637	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:47	LARGE	WLINGUN	12,654	12,655	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:46	LARGE	WLINGUN	12,665	12,666	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 53

Report For 06:00 AM 28-Feb-23

Perforation Information

Stage: 13 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 11:45	LARGE	WLINGUN	12,684	12,685	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:34	LARGE	WLINGUN	12,699	12,700	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:33	LARGE	WLINGUN	12,714	12,715	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:32	LARGE	WLINGUN	12,729	12,730	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:31	LARGE	WLINGUN	12,744	12,745	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:30	LARGE	WLINGUN	12,758	12,759	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:29	LARGE	WLINGUN	12,775	12,776	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:28	LARGE	WLINGUN	12,790	12,791	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:27	LARGE	WLINGUN	12,805	12,806	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:26	LARGE	WLINGUN	12,820	12,821	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:25	LARGE	WLINGUN	12,835	12,836	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:24	LARGE	WLINGUN	12,850	12,851	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 12 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 01:29	LARGE	WLINGUN	12,865	12,866	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:28	LARGE	WLINGUN	12,877	12,878	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:27	LARGE	WLINGUN	12,895	12,896	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:26	LARGE	WLINGUN	12,910	12,911	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:25	LARGE	WLINGUN	12,925	12,926	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:24	LARGE	WLINGUN	12,940	12,941	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:23	LARGE	WLINGUN	12,955	12,956	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:22	LARGE	WLINGUN	12,971	12,972	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:21	LARGE	WLINGUN	12,986	12,987	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:20	LARGE	WLINGUN	12,999	13,000	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:19	LARGE	WLINGUN	13,016	13,017	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:18	LARGE	WLINGUN	13,029	13,030	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 53

Report For 06:00 AM 28-Feb-23

Perforation Information

Stage: 11 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 14:42	LARGE	WLINGUN	13,047	13,048	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:41	LARGE	WLINGUN	13,061	13,062	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:40	LARGE	WLINGUN	13,076	13,077	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:39	LARGE	WLINGUN	13,091	13,092	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:38	LARGE	WLINGUN	13,106	13,107	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:37	LARGE	WLINGUN	13,121	13,122	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:36	LARGE	WLINGUN	13,136	13,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:35	LARGE	WLINGUN	13,151	13,152	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:34	LARGE	WLINGUN	13,167	13,168	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:33	LARGE	WLINGUN	13,182	13,183	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:32	LARGE	WLINGUN	13,197	13,198	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:31	LARGE	WLINGUN	13,212	13,213	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 10 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 05:02	LARGE	WLINGUN	13,227	13,228	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:01	LARGE	WLINGUN	13,242	13,243	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:00	LARGE	WLINGUN	13,257	13,258	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:59	LARGE	WLINGUN	13,272	13,273	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:58	LARGE	WLINGUN	13,287	13,288	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:57	LARGE	WLINGUN	13,302	13,303	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:56	LARGE	WLINGUN	13,317	13,318	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:55	LARGE	WLINGUN	13,332	13,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:54	LARGE	WLINGUN	13,347	13,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:53	LARGE	WLINGUN	13,361	13,362	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:52	LARGE	WLINGUN	13,378	13,379	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:51	LARGE	WLINGUN	13,393	13,394	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 53

Report For 06:00 AM 28-Feb-23

Perforation Information

Stage: 9 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 19:15	LARGE	WLINGUN	13,409	13,410	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:14	LARGE	WLINGUN	13,423	13,424	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:13	LARGE	WLINGUN	13,438	13,439	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:12	LARGE	WLINGUN	13,453	13,454	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:11	LARGE	WLINGUN	13,468	13,469	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:10	LARGE	WLINGUN	13,483	13,484	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:09	LARGE	WLINGUN	13,498	13,499	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:08	LARGE	WLINGUN	13,513	13,514	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:07	LARGE	WLINGUN	13,529	13,530	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:06	LARGE	WLINGUN	13,543	13,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:05	LARGE	WLINGUN	13,559	13,560	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:04	LARGE	WLINGUN	13,574	13,575	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 8 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 09:47	LARGE	WLINGUN	13,589	13,590	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:46	LARGE	WLINGUN	13,607	13,608	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:45	LARGE	WLINGUN	13,619	13,620	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:44	LARGE	WLINGUN	13,634	13,635	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:43	LARGE	WLINGUN	13,649	13,650	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:42	LARGE	WLINGUN	13,662	13,663	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:41	LARGE	WLINGUN	13,679	13,680	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:40	LARGE	WLINGUN	13,694	13,695	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:39	LARGE	WLINGUN	13,709	13,710	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:38	LARGE	WLINGUN	13,727	13,728	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:37	LARGE	WLINGUN	13,739	13,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:36	LARGE	WLINGUN	13,755	13,756	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 53

Report For 06:00 AM 28-Feb-23

Perforation Information

Stage: 7 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 00:03	LARGE	OTHER	13,770	13,771	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:02	LARGE	OTHER	13,783	13,784	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:01	LARGE	OTHER	13,800	13,801	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:00	LARGE	OTHER	13,815	13,816	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:59	LARGE	OTHER	13,830	13,831	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:58	LARGE	OTHER	13,845	13,846	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:57	LARGE	OTHER	13,860	13,861	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:56	LARGE	OTHER	13,875	13,876	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:55	LARGE	OTHER	13,890	13,891	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:54	LARGE	OTHER	13,903	13,904	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:53	LARGE	OTHER	13,920	13,921	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:52	LARGE	OTHER	13,933	13,934	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 6 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 18:27	LARGE	OTHER	13,951	13,952	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:26	LARGE	OTHER	13,966	13,967	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:25	LARGE	OTHER	13,981	13,982	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:24	LARGE	OTHER	13,996	13,997	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:23	LARGE	OTHER	14,011	14,012	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:22	LARGE	OTHER	14,026	14,027	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:21	LARGE	OTHER	14,041	14,042	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:20	LARGE	OTHER	14,056	14,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:19	LARGE	OTHER	14,072	14,073	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:18	LARGE	OTHER	14,086	14,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:17	LARGE	OTHER	14,101	14,102	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:16	LARGE	OTHER	14,116	14,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 53

Report For 06:00 AM 28-Feb-23

Perforation Information

Stage: 5 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 08:32	LARGE	OTHER	14,131	14,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:31	LARGE	OTHER	14,147	14,148	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:30	LARGE	OTHER	14,162	14,163	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:29	LARGE	OTHER	14,177	14,178	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:28	LARGE	OTHER	14,194	14,195	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:27	LARGE	OTHER	14,207	14,208	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:26	LARGE	OTHER	14,222	14,223	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:25	LARGE	OTHER	14,237	14,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:24	LARGE	OTHER	14,252	14,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:23	LARGE	OTHER	14,267	14,268	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:22	LARGE	OTHER	14,282	14,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:21	LARGE	OTHER	14,297	14,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 4 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 01:37	LARGE	OTHER	14,315	14,316	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:36	LARGE	OTHER	14,327	14,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:35	LARGE	OTHER	14,343	14,344	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:34	LARGE	OTHER	14,358	14,359	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:33	LARGE	OTHER	14,373	14,374	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:32	LARGE	OTHER	14,388	14,389	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:31	LARGE	OTHER	14,403	14,404	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:30	LARGE	OTHER	14,418	14,419	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:29	LARGE	OTHER	14,435	14,436	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:28	LARGE	OTHER	14,448	14,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:27	LARGE	OTHER	14,463	14,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:26	LARGE	OTHER	14,478	14,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 53

Report For 06:00 AM 28-Feb-23

Perforation Information

Stage: 3 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
11-Feb-23 18:12	LARGE	OTHER	14,493	14,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:11	LARGE	OTHER	14,508	14,509	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:10	LARGE	OTHER	14,523	14,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:09	LARGE	OTHER	14,539	14,540	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:08	LARGE	OTHER	14,550	14,551	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:07	LARGE	OTHER	14,569	14,570	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:06	LARGE	OTHER	14,584	14,585	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:05	LARGE	OTHER	14,599	14,600	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:04	LARGE	OTHER	14,614	14,615	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:03	LARGE	OTHER	14,629	14,630	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:02	LARGE	OTHER	14,664	14,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:01	LARGE	OTHER	14,659	14,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 2 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
09-Feb-23 21:42	LARGE	OTHER	14,674	14,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:41	LARGE	OTHER	14,689	14,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:40	LARGE	OTHER	14,704	14,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:39	LARGE	OTHER	14,719	14,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:38	LARGE	OTHER	14,735	14,736	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:37	LARGE	OTHER	14,750	14,751	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:36	LARGE	OTHER	14,765	14,766	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:35	LARGE	OTHER	14,780	14,781	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:34	LARGE	OTHER	14,795	14,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:33	LARGE	OTHER	14,810	14,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:32	LARGE	OTHER	14,825	14,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:31	LARGE	OTHER	14,840	14,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 53

Report For 06:00 AM 28-Feb-23

Perforation Information

Stage: 1 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jan-23 15:10	LARGE	OTHER	14,855	14,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:09	LARGE	OTHER	14,870	14,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:08	LARGE	OTHER	14,885	14,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:07	LARGE	OTHER	14,900	14,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:06	LARGE	OTHER	14,915	14,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:05	LARGE	OTHER	14,931	14,932	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:04	LARGE	OTHER	14,946	14,947	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:03	LARGE	OTHER	14,961	14,962	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:02	LARGE	OTHER	14,976	14,977	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:01	LARGE	OTHER	14,991	14,992	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:00	LARGE	OTHER	15,013	15,021	8	TOE SLEEVE

Safety Information

First Aid Treatments:


Medical Treatments:

Lost Time Incidents:

Days Since LTI:

☐ BOP Test

☐ Crownamatic Check

	Daily Completion Report Well ID: 42-105-42524 Field: Barnyard						SEM Well Name: University 40 2109WB Sect: 21 County: Crockett State: TX		
	Report No: 54						Report For 06:00 AM 04-Mar-23		
	Operator: SEM OPERATOR		Rig: ICD 307		Wellbore: Original Wellbore		Daily Cost / Fluid (\$):		
Measured Depth (ft): 15129		Completion Days (act.): 16		Orig RKB Elev(ft): 2699		AFE No.		AFE (\$)	Actual (\$)
Vertical Depth (ft): 6537		Days On Location: 45		Last BOP Test: 05-Oct-22		B23003			
Last Casing: 5.50 at 15,105		Spud Date:		Totals:					
Plug Back MD (ft): 6537		Well Cost (\$):							
Plug Back TVD (ft)		Pers/Hrs:	Operator: 0 / 0	Contractor: 2 / 24	Service: 10 /	Other: 0 / 0	Total: 12 / 144		
Safety Summary: No incidents or events reported.									
Current Operations: ASSEMBLE BHA FOR DRILLOUT OPERATIONS									
Planned Operations: MIRU WOR									
Wellsite Supervisors: MOYE, OWENS						Tel No.: 432-217-9511			
Engineer(s): Larry Gillette									
Operations Summary									
From	To	Elapsed	End MD(ft)	Code	Operations Description				Non-Prod
6:00	22:00	16.00		WOE	WAITING ON 2105WB TO BE COMPLETED				
22:00	2:30	4.50		MIRU	MIRU PEGASO & DRILL OUT EQUIPMENT. NU BOP STACK.				
2:30	3:30	1.00		TEST	LOADED PIPE RACKS, TEST IRON AND RAMS				
3:30	4:30	1.00		WOE	WAITING ON RUBBER FOR BOP RAM				
4:30	6:00	1.50		TEST	TEST BOTTOM BOP, TEST GOOD, ASS. BHA				
Management Summary									
TEST BOPS, IRON, ASS BHA ,									
Cost/AFE Information									
AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent		
B23003	Drill and Complete a 7750' WB L	6,829,922.00	0.00	114,960.76	41,050.00	4,750,279.50	69.55%		
Totals \$:		6,829,922.00	0.00	114,961.00	41,050.00	4,750,280.00	69.55%		
Casing/Tubular Information									
Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)	
FULL	9.63	0		868		40.00	J-55		
FULL	5.50	0		15,105		17.00			
Perforation Information									
Stage: 44 of 44									
Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments			
27-Feb-23 13:49	LARGE	WLINGUN	7,075	7,076	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
27-Feb-23 13:48	LARGE	WLINGUN	7,090	7,091	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
27-Feb-23 13:47	LARGE	WLINGUN	7,103	7,104	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
27-Feb-23 13:45	LARGE	WLINGUN	7,120	7,121	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
27-Feb-23 13:44	LARGE	WLINGUN	7,136	7,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
27-Feb-23 13:43	LARGE	WLINGUN	7,151	7,152	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
27-Feb-23 13:42	LARGE	WLINGUN	7,166	7,167	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
27-Feb-23 13:40	LARGE	WLINGUN	7,181	7,182	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
27-Feb-23 13:39	LARGE	WLINGUN	7,196	7,197	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
27-Feb-23 13:38	LARGE	WLINGUN	7,211	7,212	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
27-Feb-23 13:37	LARGE	WLINGUN	7,225	7,226	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			
27-Feb-23 13:36	LARGE	WLINGUN	7,241	7,242	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B			



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 54

Report For 06:00 AM 04-Mar-23

Perforation Information

Stage: 43 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Feb-23 09:17	LARGE	WLINGUN	7,256	7,257	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:16	LARGE	WLINGUN	7,273	7,274	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:15	LARGE	WLINGUN	7,286	7,287	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:14	LARGE	WLINGUN	7,301	7,302	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:13	LARGE	WLINGUN	7,316	7,317	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:12	LARGE	WLINGUN	7,332	7,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:11	LARGE	WLINGUN	7,347	7,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:10	LARGE	WLINGUN	7,362	7,363	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:09	LARGE	WLINGUN	7,377	7,378	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:08	LARGE	WLINGUN	7,395	7,396	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:07	LARGE	WLINGUN	7,407	7,408	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:06	LARGE	WLINGUN	7,417	7,418	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 42 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Feb-23 05:46	LARGE	WLINGUN	7,437	7,438	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:45	LARGE	WLINGUN	7,452	7,453	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:43	LARGE	WLINGUN	7,467	7,468	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:42	LARGE	WLINGUN	7,482	7,483	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:41	LARGE	WLINGUN	7,497	7,498	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:40	LARGE	WLINGUN	7,510	7,511	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:39	LARGE	WLINGUN	7,528	7,529	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:38	LARGE	WLINGUN	7,543	7,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:37	LARGE	WLINGUN	7,558	7,559	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:36	LARGE	WLINGUN	7,573	7,574	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:32	LARGE	WLINGUN	7,588	7,589	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:31	LARGE	WLINGUN	7,603	7,604	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 54

Report For 06:00 AM 04-Mar-23

Perforation Information

Stage: 41 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Feb-23 00:39	LARGE	WLINGUN	7,618	7,619	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:38	LARGE	WLINGUN	7,631	7,632	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:37	LARGE	WLINGUN	7,648	7,649	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:36	LARGE	WLINGUN	7,663	7,664	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:35	LARGE	WLINGUN	7,678	7,679	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:34	LARGE	WLINGUN	7,693	7,694	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:33	LARGE	WLINGUN	7,708	7,709	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:32	LARGE	WLINGUN	7,724	7,725	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:31	LARGE	WLINGUN	7,739	7,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:30	LARGE	WLINGUN	7,752	7,753	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:29	LARGE	WLINGUN	7,769	7,770	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:28	LARGE	WLINGUN	7,780	7,781	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 40 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Feb-23 19:20	LARGE	WLINGUN	7,799	7,800	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:19	LARGE	WLINGUN	7,814	7,815	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:18	LARGE	WLINGUN	7,829	7,830	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:17	LARGE	WLINGUN	7,844	7,845	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:16	LARGE	WLINGUN	7,859	7,860	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:15	LARGE	WLINGUN	7,874	7,875	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:14	LARGE	WLINGUN	7,889	7,890	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:13	LARGE	WLINGUN	7,904	7,905	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:12	LARGE	WLINGUN	7,921	7,922	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:11	LARGE	WLINGUN	7,935	7,936	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:10	LARGE	WLINGUN	7,950	7,951	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:09	LARGE	WLINGUN	7,965	7,966	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 54

Report For 06:00 AM 04-Mar-23

Perforation Information

Stage: 39 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Feb-23 14:10	LARGE	WLINGUN	7,980	7,981	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:09	LARGE	WLINGUN	7,995	7,996	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:08	LARGE	WLINGUN	8,010	8,011	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:07	LARGE	WLINGUN	8,025	8,026	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:06	LARGE	WLINGUN	8,037	8,038	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:05	LARGE	WLINGUN	8,055	8,056	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:04	LARGE	WLINGUN	8,070	8,071	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:03	LARGE	WLINGUN	8,086	8,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:02	LARGE	WLINGUN	8,100	8,101	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:01	LARGE	WLINGUN	8,116	8,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:00	LARGE	WLINGUN	8,131	8,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 13:59	LARGE	WLINGUN	8,146	8,147	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 38 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Feb-23 06:01	LARGE	WLINGUN	8,161	8,162	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 06:00	LARGE	WLINGUN	8,176	8,177	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:59	LARGE	WLINGUN	8,191	8,192	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:58	LARGE	WLINGUN	8,207	8,208	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:57	LARGE	WLINGUN	8,221	8,222	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:56	LARGE	WLINGUN	8,236	8,237	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:55	LARGE	WLINGUN	8,251	8,252	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:54	LARGE	WLINGUN	8,266	8,267	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:53	LARGE	WLINGUN	8,281	8,282	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:52	LARGE	WLINGUN	8,297	8,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:51	LARGE	WLINGUN	8,312	8,313	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:50	LARGE	WLINGUN	8,324	8,325	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 54

Report For 06:00 AM 04-Mar-23

Perforation Information

Stage: 37 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Feb-23 16:37	LARGE	WLINGUN	8,342	8,343	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:36	LARGE	WLINGUN	8,357	8,358	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:35	LARGE	WLINGUN	8,372	8,373	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:34	LARGE	WLINGUN	8,387	8,388	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:33	LARGE	WLINGUN	8,402	8,403	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:32	LARGE	WLINGUN	8,417	8,418	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:31	LARGE	WLINGUN	8,432	8,433	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:30	LARGE	WLINGUN	8,446	8,447	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:29	LARGE	WLINGUN	8,462	8,463	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:28	LARGE	WLINGUN	8,477	8,478	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:27	LARGE	WLINGUN	8,493	8,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:26	LARGE	WLINGUN	8,508	8,509	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 36 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Feb-23 07:34	LARGE	WLINGUN	8,523	8,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:33	LARGE	WLINGUN	8,538	8,539	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:32	LARGE	WLINGUN	8,553	8,554	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:31	LARGE	WLINGUN	8,568	8,569	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:30	LARGE	WLINGUN	8,583	8,584	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:29	LARGE	WLINGUN	8,598	8,599	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:28	LARGE	WLINGUN	8,614	8,615	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:27	LARGE	WLINGUN	8,628	8,629	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:26	LARGE	WLINGUN	8,643	8,644	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:25	LARGE	WLINGUN	8,658	8,659	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:24	LARGE	WLINGUN	8,673	8,674	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:23	LARGE	WLINGUN	8,689	8,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 54

Report For 06:00 AM 04-Mar-23

Perforation Information

Stage: 35 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Feb-23 00:17	LARGE	WLINGUN	8,704	8,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:16	LARGE	WLINGUN	8,719	8,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:15	LARGE	WLINGUN	8,734	8,735	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:14	LARGE	WLINGUN	8,749	8,750	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:13	LARGE	WLINGUN	8,764	8,765	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:12	LARGE	WLINGUN	8,779	8,780	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:11	LARGE	WLINGUN	8,794	8,795	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:10	LARGE	WLINGUN	8,809	8,810	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:09	LARGE	WLINGUN	8,824	8,825	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:08	LARGE	WLINGUN	8,839	8,840	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:07	LARGE	WLINGUN	8,852	8,853	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:06	LARGE	WLINGUN	8,869	8,870	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 34 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Feb-23 15:53	LARGE	WLINGUN	8,884	8,885	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:52	LARGE	WLINGUN	8,900	8,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:51	LARGE	WLINGUN	8,915	8,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:50	LARGE	WLINGUN	8,930	8,931	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:49	LARGE	WLINGUN	8,945	8,946	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:48	LARGE	WLINGUN	8,960	8,961	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:47	LARGE	WLINGUN	8,977	8,978	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:46	LARGE	WLINGUN	8,990	8,991	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:45	LARGE	WLINGUN	9,005	9,006	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:44	LARGE	WLINGUN	9,020	9,021	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:43	LARGE	WLINGUN	935	9,036	8,101	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:42	LARGE	WLINGUN	9,050	9,051	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 54

Report For 06:00 AM 04-Mar-23

Perforation Information

Stage: 33 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Feb-23 08:55	LARGE	WLINGUN	9,068	9,069	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:54	LARGE	WLINGUN	9,080	9,081	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:53	LARGE	WLINGUN	9,096	9,097	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:52	LARGE	WLINGUN	9,111	9,112	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:51	LARGE	WLINGUN	9,126	9,127	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:50	LARGE	WLINGUN	9,141	9,142	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:49	LARGE	WLINGUN	9,156	9,157	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:48	LARGE	WLINGUN	9,171	9,172	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:47	LARGE	WLINGUN	9,186	9,187	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:46	LARGE	WLINGUN	9,201	9,202	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:45	LARGE	WLINGUN	9,216	9,217	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:44	LARGE	WLINGUN	9,231	9,232	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 32 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Feb-23 19:30	LARGE	WLINGUN	9,246	9,247	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:29	LARGE	WLINGUN	9,263	9,264	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:28	LARGE	WLINGUN	9,276	9,277	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:27	LARGE	WLINGUN	9,292	9,293	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:26	LARGE	WLINGUN	9,307	9,308	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:25	LARGE	WLINGUN	9,322	9,323	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:24	LARGE	WLINGUN	9,337	9,338	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:23	LARGE	WLINGUN	9,352	9,353	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:22	LARGE	WLINGUN	9,367	9,368	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:21	LARGE	WLINGUN	9,379	9,380	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:20	LARGE	WLINGUN	9,397	9,398	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:19	LARGE	WLINGUN	9,407	9,408	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 54

Report For 06:00 AM 04-Mar-23

Perforation Information

Stage: 31 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Feb-23 10:53	LARGE	WLINGUN	9,427	9,428	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:52	LARGE	WLINGUN	9,442	9,443	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:51	LARGE	WLINGUN	9,457	9,458	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:50	LARGE	WLINGUN	9,473	9,474	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:49	LARGE	WLINGUN	9,488	9,489	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:48	LARGE	WLINGUN	9,501	9,502	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:46	LARGE	WLINGUN	9,518	9,519	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:45	LARGE	WLINGUN	9,533	9,534	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:44	LARGE	WLINGUN	9,548	9,549	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:43	LARGE	WLINGUN	9,563	9,564	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:42	LARGE	WLINGUN	9,578	9,579	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:41	LARGE	WLINGUN	9,593	9,594	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 30 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Feb-23 02:57	LARGE	WLINGUN	9,608	9,609	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:56	LARGE	WLINGUN	9,622	9,623	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:55	LARGE	WLINGUN	9,638	9,639	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:54	LARGE	WLINGUN	9,653	9,654	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:53	LARGE	WLINGUN	9,669	9,670	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:52	LARGE	WLINGUN	9,684	9,685	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:51	LARGE	WLINGUN	9,699	9,700	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:50	LARGE	WLINGUN	9,714	9,715	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:49	LARGE	WLINGUN	9,729	9,730	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:48	LARGE	WLINGUN	9,743	9,744	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:47	LARGE	WLINGUN	9,759	9,760	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:46	LARGE	WLINGUN	9,774	9,775	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 54

Report For 06:00 AM 04-Mar-23

Perforation Information

Stage: 29 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 18:24	LARGE	WLINGUN	9,789	9,790	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:23	LARGE	WLINGUN	9,804	9,805	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:22	LARGE	WLINGUN	9,819	9,820	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:21	LARGE	WLINGUN	9,834	9,835	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:20	LARGE	WLINGUN	9,849	9,850	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:19	LARGE	WLINGUN	9,865	9,866	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:18	LARGE	WLINGUN	9,880	9,881	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:17	LARGE	WLINGUN	9,895	9,896	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:16	LARGE	WLINGUN	9,913	9,914	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:15	LARGE	WLINGUN	9,925	9,926	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:14	LARGE	WLINGUN	9,940	9,941	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:13	LARGE	WLINGUN	9,955	9,956	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 28 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 09:32	LARGE	WLINGUN	9,970	9,971	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:31	LARGE	WLINGUN	9,985	9,986	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:30	LARGE	WLINGUN	10,000	10,001	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:29	LARGE	WLINGUN	10,015	10,016	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:28	LARGE	WLINGUN	10,033	10,034	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:27	LARGE	WLINGUN	10,045	10,046	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:26	LARGE	WLINGUN	10,061	10,062	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:25	LARGE	WLINGUN	10,076	10,077	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 09:24	LARGE	WLINGUN	10,019	10,020	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 28 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 09:23	LARGE	WLINGUN	10,106	10,107	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:22	LARGE	WLINGUN	10,121	10,122	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:21	LARGE	WLINGUN	10,136	10,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 54

Report For 06:00 AM 04-Mar-23

Perforation Information

Stage: 27 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 00:27	LARGE	WLINGUN	10,150	10,151	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:26	LARGE	WLINGUN	10,166	10,167	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:25	LARGE	WLINGUN	10,181	10,182	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:24	LARGE	WLINGUN	10,199	10,200	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:23	LARGE	WLINGUN	10,211	10,212	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:22	LARGE	WLINGUN	10,226	10,227	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:21	LARGE	WLINGUN	10,241	10,242	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:20	LARGE	WLINGUN	10,257	10,258	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:19	LARGE	WLINGUN	10,272	10,273	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:18	LARGE	WLINGUN	10,287	10,288	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:17	LARGE	WLINGUN	10,302	10,303	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:16	LARGE	WLINGUN	10,314	10,315	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 26 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 15:42	LARGE	WLINGUN	10,332	10,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:41	LARGE	WLINGUN	15,347	15,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:40	LARGE	WLINGUN	10,362	10,363	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:39	LARGE	WLINGUN	10,377	10,378	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:38	LARGE	WLINGUN	10,392	10,393	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:37	LARGE	WLINGUN	10,407	10,408	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:36	LARGE	WLINGUN	10,422	10,423	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:35	LARGE	WLINGUN	10,436	10,437	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:34	LARGE	WLINGUN	10,453	10,454	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:33	LARGE	WLINGUN	10,468	10,469	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:32	LARGE	WLINGUN	10,483	10,484	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:31	LARGE	WLINGUN	10,498	10,499	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 25 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:49	LARGE	WLINGUN	10,513	10,514	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:48	LARGE	WLINGUN	10,528	10,529	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:47	LARGE	WLINGUN	10,543	10,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:46	LARGE	WLINGUN	10,556	10,557	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 54

Report For 06:00 AM 04-Mar-23

Perforation Information

Stage: 24 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:45	LARGE	WLINGUN	10,573	10,574	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 25 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:44	LARGE	WLINGUN	10,588	10,589	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:43	LARGE	WLINGUN	10,603	10,604	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:42	LARGE	WLINGUN	10,618	10,619	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:41	LARGE	WLINGUN	10,634	10,635	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:15	LARGE	WLINGUN	10,649	10,650	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:14	LARGE	WLINGUN	10,664	10,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:13	LARGE	WLINGUN	10,675	10,676	1	

Stage: 24 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 23:07	LARGE	WLINGUN	10,694	10,695	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:06	LARGE	WLINGUN	10,709	10,710	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:05	LARGE	WLINGUN	10,724	10,725	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:04	LARGE	WLINGUN	10,739	10,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:03	LARGE	WLINGUN	10,754	10,755	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:02	LARGE	WLINGUN	10,769	10,770	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:01	LARGE	WLINGUN	10,784	10,785	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:00	LARGE	WLINGUN	10,799	10,800	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:59	LARGE	WLINGUN	10,814	10,815	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:58	LARGE	WLINGUN	10,830	10,831	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:57	LARGE	WLINGUN	10,847	10,848	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:56	LARGE	WLINGUN	10,860	10,861	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 54

Report For 06:00 AM 04-Mar-23

Perforation Information

Stage: 23 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 14:12	LARGE	WLINGUN	10,875	10,876	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:11	LARGE	WLINGUN	10,890	10,891	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:10	LARGE	WLINGUN	10,905	10,906	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:09	LARGE	WLINGUN	10,921	10,922	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:08	LARGE	WLINGUN	10,935	10,936	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:07	LARGE	WLINGUN	10,950	10,951	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:06	LARGE	WLINGUN	10,967	10,968	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:05	LARGE	WLINGUN	10,980	10,981	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:04	LARGE	WLINGUN	10,995	10,996	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:03	LARGE	WLINGUN	11,010	11,011	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:02	LARGE	WLINGUN	11,026	11,027	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:01	LARGE	WLINGUN	11,041	11,042	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 22 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 05:51	LARGE	WLINGUN	11,071	11,072	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:50	LARGE	WLINGUN	11,086	11,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:49	LARGE	WLINGUN	11,101	11,102	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:48	LARGE	WLINGUN	11,116	11,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:47	LARGE	WLINGUN	11,131	11,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:46	LARGE	WLINGUN	11,145	11,146	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:45	LARGE	WLINGUN	11,161	11,162	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:44	LARGE	WLINGUN	11,176	11,177	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:43	LARGE	WLINGUN	11,191	11,192	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:41	LARGE	WLINGUN	11,206	11,207	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:40	LARGE	WLINGUN	11,222	11,223	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 00:00	LARGE	WLINGUN	11,056	11,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 54

Report For 06:00 AM 04-Mar-23

Perforation Information

Stage: 21 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 19:12	LARGE	WLINGUN	11,237	11,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:11	LARGE	WLINGUN	11,252	11,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:10	LARGE	WLINGUN	11,265	11,266	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:09	LARGE	WLINGUN	11,282	11,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:08	LARGE	WLINGUN	11,297	11,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:07	LARGE	WLINGUN	11,312	11,313	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:06	LARGE	WLINGUN	11,327	11,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:05	LARGE	WLINGUN	11,342	11,343	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:04	LARGE	WLINGUN	11,357	11,358	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:03	LARGE	WLINGUN	11,372	11,373	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:02	LARGE	WLINGUN	11,387	11,388	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:01	LARGE	WLINGUN	11,402	11,403	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 20 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 10:12	LARGE	WLINGUN	11,417	11,418	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:11	LARGE	WLINGUN	11,433	11,434	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:10	LARGE	WLINGUN	11,448	11,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:09	LARGE	WLINGUN	11,463	11,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:08	LARGE	WLINGUN	11,478	11,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:07	LARGE	WLINGUN	11,493	11,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:06	LARGE	WLINGUN	11,506	11,507	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:05	LARGE	WLINGUN	11,523	11,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:04	LARGE	WLINGUN	11,538	11,539	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:03	LARGE	WLINGUN	11,553	11,554	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:02	LARGE	WLINGUN	11,568	11,569	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:01	LARGE	WLINGUN	11,583	11,584	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 54

Report For 06:00 AM 04-Mar-23

Perforation Information

Stage: 19 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 00:40	LARGE	WLINGUN	11,598	11,599	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:39	LARGE	WLINGUN	11,613	11,614	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:38	LARGE	WLINGUN	11,627	11,628	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:37	LARGE	WLINGUN	11,644	11,645	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:36	LARGE	WLINGUN	11,659	11,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:35	LARGE	WLINGUN	11,674	11,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:34	LARGE	WLINGUN	11,689	11,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:33	LARGE	WLINGUN	11,704	11,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:32	LARGE	WLINGUN	11,719	11,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:31	LARGE	WLINGUN	11,734	11,735	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:30	LARGE	WLINGUN	11,749	11,750	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:29	LARGE	WLINGUN	11,764	11,765	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 18 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Feb-23 15:26	LARGE	WLINGUN	11,779	11,780	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:25	LARGE	WLINGUN	11,795	11,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:24	LARGE	WLINGUN	11,810	11,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:23	LARGE	WLINGUN	11,825	11,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:22	LARGE	WLINGUN	11,840	11,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:21	LARGE	WLINGUN	11,855	11,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:20	LARGE	WLINGUN	11,870	11,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:19	LARGE	WLINGUN	11,885	11,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:18	LARGE	WLINGUN	11,900	11,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:17	LARGE	WLINGUN	11,915	11,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:16	LARGE	WLINGUN	11,930	11,931	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:15	LARGE	WLINGUN	11,945	11,946	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 54

Report For 06:00 AM 04-Mar-23

Perforation Information

Stage: 17 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Feb-23 06:12	LARGE	WLINGUN	11,960	11,961	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:11	LARGE	WLINGUN	11,975	11,976	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:10	LARGE	WLINGUN	11,987	11,988	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:09	LARGE	WLINGUN	12,006	12,007	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:08	LARGE	WLINGUN	12,021	12,022	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:07	LARGE	WLINGUN	12,036	12,037	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:06	LARGE	WLINGUN	12,051	12,052	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:05	LARGE	WLINGUN	12,066	12,067	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:04	LARGE	WLINGUN	12,081	12,082	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:03	LARGE	WLINGUN	12,096	12,097	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:02	LARGE	WLINGUN	12,108	12,109	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:01	LARGE	WLINGUN	12,126	12,127	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 16 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 23:06	LARGE	WLINGUN	12,141	12,142	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:05	LARGE	WLINGUN	12,156	12,157	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:04	LARGE	WLINGUN	12,171	12,172	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:03	LARGE	WLINGUN	12,186	12,187	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:02	LARGE	WLINGUN	12,202	12,203	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:01	LARGE	WLINGUN	12,217	12,218	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:00	LARGE	WLINGUN	12,231	12,232	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:59	LARGE	WLINGUN	12,247	12,248	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:58	LARGE	WLINGUN	12,262	12,263	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:57	LARGE	WLINGUN	12,277	12,278	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:56	LARGE	WLINGUN	12,292	12,293	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:55	LARGE	WLINGUN	12,307	12,308	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 54

Report For 06:00 AM 04-Mar-23

Perforation Information

Stage: 15 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:42	LARGE	WLINGUN	12,322	12,323	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:41	LARGE	WLINGUN	12,337	12,338	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:40	LARGE	WLINGUN	12,352	12,353	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:39	LARGE	WLINGUN	12,367	12,368	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:38	LARGE	WLINGUN	12,382	12,383	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:37	LARGE	WLINGUN	12,398	12,399	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:36	LARGE	WLINGUN	12,413	12,414	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:35	LARGE	WLINGUN	12,428	12,429	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:34	LARGE	WLINGUN	12,443	12,444	1	

Stage: 15 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:33	LARGE	WLINGUN	12,458	12,459	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:32	LARGE	WLINGUN	12,472	12,473	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:31	LARGE	WLINGUN	12,488	12,489	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 14 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 20:57	LARGE	WLINGUN	12,503	12,504	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:56	LARGE	WLINGUN	12,519	12,520	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:55	LARGE	WLINGUN	12,533	12,534	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:54	LARGE	WLINGUN	12,548	12,549	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:53	LARGE	WLINGUN	12,563	12,564	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:52	LARGE	WLINGUN	12,578	12,579	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:51	LARGE	WLINGUN	12,594	12,595	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:50	LARGE	WLINGUN	12,609	12,610	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:49	LARGE	WLINGUN	12,624	12,625	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:48	LARGE	WLINGUN	12,636	12,637	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:47	LARGE	WLINGUN	12,654	12,655	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:46	LARGE	WLINGUN	12,665	12,666	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 54

Report For 06:00 AM 04-Mar-23

Perforation Information

Stage: 13 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 11:45	LARGE	WLINGUN	12,684	12,685	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:34	LARGE	WLINGUN	12,699	12,700	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:33	LARGE	WLINGUN	12,714	12,715	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:32	LARGE	WLINGUN	12,729	12,730	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:31	LARGE	WLINGUN	12,744	12,745	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:30	LARGE	WLINGUN	12,758	12,759	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:29	LARGE	WLINGUN	12,775	12,776	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:28	LARGE	WLINGUN	12,790	12,791	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:27	LARGE	WLINGUN	12,805	12,806	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:26	LARGE	WLINGUN	12,820	12,821	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:25	LARGE	WLINGUN	12,835	12,836	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:24	LARGE	WLINGUN	12,850	12,851	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 12 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 01:29	LARGE	WLINGUN	12,865	12,866	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:28	LARGE	WLINGUN	12,877	12,878	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:27	LARGE	WLINGUN	12,895	12,896	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:26	LARGE	WLINGUN	12,910	12,911	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:25	LARGE	WLINGUN	12,925	12,926	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:24	LARGE	WLINGUN	12,940	12,941	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:23	LARGE	WLINGUN	12,955	12,956	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:22	LARGE	WLINGUN	12,971	12,972	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:21	LARGE	WLINGUN	12,986	12,987	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:20	LARGE	WLINGUN	12,999	13,000	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:19	LARGE	WLINGUN	13,016	13,017	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:18	LARGE	WLINGUN	13,029	13,030	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 54

Report For 06:00 AM 04-Mar-23

Perforation Information

Stage: 11 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 14:42	LARGE	WLINGUN	13,047	13,048	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:41	LARGE	WLINGUN	13,061	13,062	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:40	LARGE	WLINGUN	13,076	13,077	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:39	LARGE	WLINGUN	13,091	13,092	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:38	LARGE	WLINGUN	13,106	13,107	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:37	LARGE	WLINGUN	13,121	13,122	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:36	LARGE	WLINGUN	13,136	13,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:35	LARGE	WLINGUN	13,151	13,152	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:34	LARGE	WLINGUN	13,167	13,168	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:33	LARGE	WLINGUN	13,182	13,183	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:32	LARGE	WLINGUN	13,197	13,198	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:31	LARGE	WLINGUN	13,212	13,213	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 10 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 05:02	LARGE	WLINGUN	13,227	13,228	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:01	LARGE	WLINGUN	13,242	13,243	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:00	LARGE	WLINGUN	13,257	13,258	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:59	LARGE	WLINGUN	13,272	13,273	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:58	LARGE	WLINGUN	13,287	13,288	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:57	LARGE	WLINGUN	13,302	13,303	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:56	LARGE	WLINGUN	13,317	13,318	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:55	LARGE	WLINGUN	13,332	13,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:54	LARGE	WLINGUN	13,347	13,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:53	LARGE	WLINGUN	13,361	13,362	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:52	LARGE	WLINGUN	13,378	13,379	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:51	LARGE	WLINGUN	13,393	13,394	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 54

Report For 06:00 AM 04-Mar-23

Perforation Information

Stage: 9 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 19:15	LARGE	WLINGUN	13,409	13,410	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:14	LARGE	WLINGUN	13,423	13,424	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:13	LARGE	WLINGUN	13,438	13,439	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:12	LARGE	WLINGUN	13,453	13,454	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:11	LARGE	WLINGUN	13,468	13,469	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:10	LARGE	WLINGUN	13,483	13,484	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:09	LARGE	WLINGUN	13,498	13,499	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:08	LARGE	WLINGUN	13,513	13,514	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:07	LARGE	WLINGUN	13,529	13,530	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:06	LARGE	WLINGUN	13,543	13,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:05	LARGE	WLINGUN	13,559	13,560	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:04	LARGE	WLINGUN	13,574	13,575	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 8 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 09:47	LARGE	WLINGUN	13,589	13,590	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:46	LARGE	WLINGUN	13,607	13,608	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:45	LARGE	WLINGUN	13,619	13,620	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:44	LARGE	WLINGUN	13,634	13,635	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:43	LARGE	WLINGUN	13,649	13,650	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:42	LARGE	WLINGUN	13,662	13,663	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:41	LARGE	WLINGUN	13,679	13,680	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:40	LARGE	WLINGUN	13,694	13,695	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:39	LARGE	WLINGUN	13,709	13,710	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:38	LARGE	WLINGUN	13,727	13,728	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:37	LARGE	WLINGUN	13,739	13,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:36	LARGE	WLINGUN	13,755	13,756	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 54

Report For 06:00 AM 04-Mar-23

Perforation Information

Stage: 7 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 00:03	LARGE	OTHER	13,770	13,771	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:02	LARGE	OTHER	13,783	13,784	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:01	LARGE	OTHER	13,800	13,801	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:00	LARGE	OTHER	13,815	13,816	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:59	LARGE	OTHER	13,830	13,831	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:58	LARGE	OTHER	13,845	13,846	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:57	LARGE	OTHER	13,860	13,861	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:56	LARGE	OTHER	13,875	13,876	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:55	LARGE	OTHER	13,890	13,891	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:54	LARGE	OTHER	13,903	13,904	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:53	LARGE	OTHER	13,920	13,921	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:52	LARGE	OTHER	13,933	13,934	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 6 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 18:27	LARGE	OTHER	13,951	13,952	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:26	LARGE	OTHER	13,966	13,967	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:25	LARGE	OTHER	13,981	13,982	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:24	LARGE	OTHER	13,996	13,997	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:23	LARGE	OTHER	14,011	14,012	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:22	LARGE	OTHER	14,026	14,027	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:21	LARGE	OTHER	14,041	14,042	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:20	LARGE	OTHER	14,056	14,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:19	LARGE	OTHER	14,072	14,073	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:18	LARGE	OTHER	14,086	14,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:17	LARGE	OTHER	14,101	14,102	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:16	LARGE	OTHER	14,116	14,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 54

Report For 06:00 AM 04-Mar-23

Perforation Information

Stage: 5 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 08:32	LARGE	OTHER	14,131	14,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:31	LARGE	OTHER	14,147	14,148	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:30	LARGE	OTHER	14,162	14,163	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:29	LARGE	OTHER	14,177	14,178	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:28	LARGE	OTHER	14,194	14,195	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:27	LARGE	OTHER	14,207	14,208	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:26	LARGE	OTHER	14,222	14,223	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:25	LARGE	OTHER	14,237	14,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:24	LARGE	OTHER	14,252	14,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:23	LARGE	OTHER	14,267	14,268	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:22	LARGE	OTHER	14,282	14,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:21	LARGE	OTHER	14,297	14,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 4 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 01:37	LARGE	OTHER	14,315	14,316	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:36	LARGE	OTHER	14,327	14,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:35	LARGE	OTHER	14,343	14,344	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:34	LARGE	OTHER	14,358	14,359	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:33	LARGE	OTHER	14,373	14,374	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:32	LARGE	OTHER	14,388	14,389	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:31	LARGE	OTHER	14,403	14,404	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:30	LARGE	OTHER	14,418	14,419	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:29	LARGE	OTHER	14,435	14,436	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:28	LARGE	OTHER	14,448	14,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:27	LARGE	OTHER	14,463	14,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:26	LARGE	OTHER	14,478	14,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 54

Report For 06:00 AM 04-Mar-23

Perforation Information

Stage: 3 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
11-Feb-23 18:12	LARGE	OTHER	14,493	14,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:11	LARGE	OTHER	14,508	14,509	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:10	LARGE	OTHER	14,523	14,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:09	LARGE	OTHER	14,539	14,540	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:08	LARGE	OTHER	14,550	14,551	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:07	LARGE	OTHER	14,569	14,570	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:06	LARGE	OTHER	14,584	14,585	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:05	LARGE	OTHER	14,599	14,600	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:04	LARGE	OTHER	14,614	14,615	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:03	LARGE	OTHER	14,629	14,630	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:02	LARGE	OTHER	14,664	14,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:01	LARGE	OTHER	14,659	14,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 2 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
09-Feb-23 21:42	LARGE	OTHER	14,674	14,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:41	LARGE	OTHER	14,689	14,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:40	LARGE	OTHER	14,704	14,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:39	LARGE	OTHER	14,719	14,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:38	LARGE	OTHER	14,735	14,736	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:37	LARGE	OTHER	14,750	14,751	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:36	LARGE	OTHER	14,765	14,766	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:35	LARGE	OTHER	14,780	14,781	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:34	LARGE	OTHER	14,795	14,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:33	LARGE	OTHER	14,810	14,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:32	LARGE	OTHER	14,825	14,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:31	LARGE	OTHER	14,840	14,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 54

Report For 06:00 AM 04-Mar-23

Perforation Information

Stage: 1 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jan-23 15:10	LARGE	OTHER	14,855	14,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:09	LARGE	OTHER	14,870	14,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:08	LARGE	OTHER	14,885	14,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:07	LARGE	OTHER	14,900	14,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:06	LARGE	OTHER	14,915	14,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:05	LARGE	OTHER	14,931	14,932	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:04	LARGE	OTHER	14,946	14,947	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:03	LARGE	OTHER	14,961	14,962	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:02	LARGE	OTHER	14,976	14,977	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:01	LARGE	OTHER	14,991	14,992	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:00	LARGE	OTHER	15,013	15,021	8	TOE SLEEVE

Safety Information

First Aid Treatments:

Medical Treatments:

Lost Time Incidents:

Days Since LTI:

☐ BOP Test

☐ Crownamatic Check



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 55

Report For 06:00 AM 05-Mar-23

Operator:	SEM OPERATOR	Rig:	ICD 307	Wellbore:	Original Wellbore	Daily Cost / Fluid (\$):		
Measured Depth (ft):	15129	Completion Days (act.):	17	Orig RKB Elev(ft):	2699	AFE No.	AFE (\$)	Actual (\$)
Vertical Depth (ft):	6537			Last BOP Test:	05-Oct-22	B23003		
		Days On Location:	46					
Last Casing:	5.50 at 15,105	Spud Date:				Totals:		
Plug Back MD (ft):	6537					Well Cost (\$):		
Plug Back TVD (ft)		Pers/Hrs:	Operator: 0 / 0	Contractor:	2 / 24	Service:	10 /	Other: 0 / 0
						Total:	12 / 144	

Safety Summary: No incidents or events reported.

Current Operations: PLUGS 1 THRU 24 DRILLED OUT CONTINUE DRILLING OUT PLUGS 25 THRU 43

Planned Operations: RIH DRILL CAP PLUG AND CFP

Wellsite Supervisors: MOYE, OWENS

Tel No.: 432-217-9511

Engineer(s): Larry Gillette

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	6:00	24.00		DRIL	RIH DRILL CAP PLUG AND CFP 1 - 24 OF 43	

Management Summary

PLUGS 1 THRU 24 DRILLED OUT

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent
B23003	Drill and Complete a 7750' WB L	6,829,922.00	0.00	114,960.76	49,171.00	4,799,450.50	70.27%
Totals \$:		6,829,922.00	0.00	114,961.00	49,171.00	4,799,451.00	70.27%

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	9.63	0		868		40.00	J-55	
FULL	5.50	0		15,105		17.00		

Perforation Information

Stage: 44 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Feb-23 13:49	LARGE	WLINGUN	7,075	7,076	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:48	LARGE	WLINGUN	7,090	7,091	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:47	LARGE	WLINGUN	7,103	7,104	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:45	LARGE	WLINGUN	7,120	7,121	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:44	LARGE	WLINGUN	7,136	7,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:43	LARGE	WLINGUN	7,151	7,152	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:42	LARGE	WLINGUN	7,166	7,167	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:40	LARGE	WLINGUN	7,181	7,182	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:39	LARGE	WLINGUN	7,196	7,197	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:38	LARGE	WLINGUN	7,211	7,212	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:37	LARGE	WLINGUN	7,225	7,226	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:36	LARGE	WLINGUN	7,241	7,242	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 55

Report For 06:00 AM 05-Mar-23

Perforation Information

Stage: 43 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Feb-23 09:17	LARGE	WLINGUN	7,256	7,257	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:16	LARGE	WLINGUN	7,273	7,274	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:15	LARGE	WLINGUN	7,286	7,287	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:14	LARGE	WLINGUN	7,301	7,302	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:13	LARGE	WLINGUN	7,316	7,317	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:12	LARGE	WLINGUN	7,332	7,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:11	LARGE	WLINGUN	7,347	7,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:10	LARGE	WLINGUN	7,362	7,363	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:09	LARGE	WLINGUN	7,377	7,378	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:08	LARGE	WLINGUN	7,395	7,396	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:07	LARGE	WLINGUN	7,407	7,408	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:06	LARGE	WLINGUN	7,417	7,418	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 42 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Feb-23 05:46	LARGE	WLINGUN	7,437	7,438	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:45	LARGE	WLINGUN	7,452	7,453	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:43	LARGE	WLINGUN	7,467	7,468	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:42	LARGE	WLINGUN	7,482	7,483	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:41	LARGE	WLINGUN	7,497	7,498	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:40	LARGE	WLINGUN	7,510	7,511	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:39	LARGE	WLINGUN	7,528	7,529	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:38	LARGE	WLINGUN	7,543	7,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:37	LARGE	WLINGUN	7,558	7,559	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:36	LARGE	WLINGUN	7,573	7,574	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:32	LARGE	WLINGUN	7,588	7,589	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:31	LARGE	WLINGUN	7,603	7,604	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 55

Report For 06:00 AM 05-Mar-23

Perforation Information

Stage: 41 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Feb-23 00:39	LARGE	WLINGUN	7,618	7,619	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:38	LARGE	WLINGUN	7,631	7,632	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:37	LARGE	WLINGUN	7,648	7,649	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:36	LARGE	WLINGUN	7,663	7,664	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:35	LARGE	WLINGUN	7,678	7,679	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:34	LARGE	WLINGUN	7,693	7,694	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:33	LARGE	WLINGUN	7,708	7,709	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:32	LARGE	WLINGUN	7,724	7,725	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:31	LARGE	WLINGUN	7,739	7,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:30	LARGE	WLINGUN	7,752	7,753	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:29	LARGE	WLINGUN	7,769	7,770	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:28	LARGE	WLINGUN	7,780	7,781	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 40 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Feb-23 19:20	LARGE	WLINGUN	7,799	7,800	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:19	LARGE	WLINGUN	7,814	7,815	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:18	LARGE	WLINGUN	7,829	7,830	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:17	LARGE	WLINGUN	7,844	7,845	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:16	LARGE	WLINGUN	7,859	7,860	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:15	LARGE	WLINGUN	7,874	7,875	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:14	LARGE	WLINGUN	7,889	7,890	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:13	LARGE	WLINGUN	7,904	7,905	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:12	LARGE	WLINGUN	7,921	7,922	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:11	LARGE	WLINGUN	7,935	7,936	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:10	LARGE	WLINGUN	7,950	7,951	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:09	LARGE	WLINGUN	7,965	7,966	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 55

Report For 06:00 AM 05-Mar-23

Perforation Information

Stage: 39 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Feb-23 14:10	LARGE	WLINGUN	7,980	7,981	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:09	LARGE	WLINGUN	7,995	7,996	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:08	LARGE	WLINGUN	8,010	8,011	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:07	LARGE	WLINGUN	8,025	8,026	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:06	LARGE	WLINGUN	8,037	8,038	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:05	LARGE	WLINGUN	8,055	8,056	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:04	LARGE	WLINGUN	8,070	8,071	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:03	LARGE	WLINGUN	8,086	8,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:02	LARGE	WLINGUN	8,100	8,101	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:01	LARGE	WLINGUN	8,116	8,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:00	LARGE	WLINGUN	8,131	8,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 13:59	LARGE	WLINGUN	8,146	8,147	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 38 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Feb-23 06:01	LARGE	WLINGUN	8,161	8,162	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 06:00	LARGE	WLINGUN	8,176	8,177	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:59	LARGE	WLINGUN	8,191	8,192	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:58	LARGE	WLINGUN	8,207	8,208	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:57	LARGE	WLINGUN	8,221	8,222	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:56	LARGE	WLINGUN	8,236	8,237	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:55	LARGE	WLINGUN	8,251	8,252	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:54	LARGE	WLINGUN	8,266	8,267	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:53	LARGE	WLINGUN	8,281	8,282	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:52	LARGE	WLINGUN	8,297	8,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:51	LARGE	WLINGUN	8,312	8,313	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:50	LARGE	WLINGUN	8,324	8,325	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 55

Report For 06:00 AM 05-Mar-23

Perforation Information

Stage: 37 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Feb-23 16:37	LARGE	WLINGUN	8,342	8,343	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:36	LARGE	WLINGUN	8,357	8,358	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:35	LARGE	WLINGUN	8,372	8,373	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:34	LARGE	WLINGUN	8,387	8,388	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:33	LARGE	WLINGUN	8,402	8,403	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:32	LARGE	WLINGUN	8,417	8,418	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:31	LARGE	WLINGUN	8,432	8,433	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:30	LARGE	WLINGUN	8,446	8,447	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:29	LARGE	WLINGUN	8,462	8,463	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:28	LARGE	WLINGUN	8,477	8,478	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:27	LARGE	WLINGUN	8,493	8,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:26	LARGE	WLINGUN	8,508	8,509	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 36 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Feb-23 07:34	LARGE	WLINGUN	8,523	8,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:33	LARGE	WLINGUN	8,538	8,539	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:32	LARGE	WLINGUN	8,553	8,554	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:31	LARGE	WLINGUN	8,568	8,569	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:30	LARGE	WLINGUN	8,583	8,584	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:29	LARGE	WLINGUN	8,598	8,599	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:28	LARGE	WLINGUN	8,614	8,615	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:27	LARGE	WLINGUN	8,628	8,629	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:26	LARGE	WLINGUN	8,643	8,644	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:25	LARGE	WLINGUN	8,658	8,659	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:24	LARGE	WLINGUN	8,673	8,674	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:23	LARGE	WLINGUN	8,689	8,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 55

Report For 06:00 AM 05-Mar-23

Perforation Information

Stage: 35 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Feb-23 00:17	LARGE	WLINGUN	8,704	8,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:16	LARGE	WLINGUN	8,719	8,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:15	LARGE	WLINGUN	8,734	8,735	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:14	LARGE	WLINGUN	8,749	8,750	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:13	LARGE	WLINGUN	8,764	8,765	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:12	LARGE	WLINGUN	8,779	8,780	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:11	LARGE	WLINGUN	8,794	8,795	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:10	LARGE	WLINGUN	8,809	8,810	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:09	LARGE	WLINGUN	8,824	8,825	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:08	LARGE	WLINGUN	8,839	8,840	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:07	LARGE	WLINGUN	8,852	8,853	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:06	LARGE	WLINGUN	8,869	8,870	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 34 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Feb-23 15:53	LARGE	WLINGUN	8,884	8,885	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:52	LARGE	WLINGUN	8,900	8,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:51	LARGE	WLINGUN	8,915	8,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:50	LARGE	WLINGUN	8,930	8,931	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:49	LARGE	WLINGUN	8,945	8,946	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:48	LARGE	WLINGUN	8,960	8,961	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:47	LARGE	WLINGUN	8,977	8,978	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:46	LARGE	WLINGUN	8,990	8,991	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:45	LARGE	WLINGUN	9,005	9,006	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:44	LARGE	WLINGUN	9,020	9,021	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:43	LARGE	WLINGUN	935	9,036	8,101	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:42	LARGE	WLINGUN	9,050	9,051	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 55

Report For 06:00 AM 05-Mar-23

Perforation Information

Stage: 33 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Feb-23 08:55	LARGE	WLINGUN	9,068	9,069	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:54	LARGE	WLINGUN	9,080	9,081	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:53	LARGE	WLINGUN	9,096	9,097	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:52	LARGE	WLINGUN	9,111	9,112	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:51	LARGE	WLINGUN	9,126	9,127	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:50	LARGE	WLINGUN	9,141	9,142	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:49	LARGE	WLINGUN	9,156	9,157	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:48	LARGE	WLINGUN	9,171	9,172	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:47	LARGE	WLINGUN	9,186	9,187	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:46	LARGE	WLINGUN	9,201	9,202	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:45	LARGE	WLINGUN	9,216	9,217	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:44	LARGE	WLINGUN	9,231	9,232	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 32 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Feb-23 19:30	LARGE	WLINGUN	9,246	9,247	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:29	LARGE	WLINGUN	9,263	9,264	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:28	LARGE	WLINGUN	9,276	9,277	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:27	LARGE	WLINGUN	9,292	9,293	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:26	LARGE	WLINGUN	9,307	9,308	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:25	LARGE	WLINGUN	9,322	9,323	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:24	LARGE	WLINGUN	9,337	9,338	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:23	LARGE	WLINGUN	9,352	9,353	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:22	LARGE	WLINGUN	9,367	9,368	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:21	LARGE	WLINGUN	9,379	9,380	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:20	LARGE	WLINGUN	9,397	9,398	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:19	LARGE	WLINGUN	9,407	9,408	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 55

Report For 06:00 AM 05-Mar-23

Perforation Information

Stage: 31 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Feb-23 10:53	LARGE	WLINGUN	9,427	9,428	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:52	LARGE	WLINGUN	9,442	9,443	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:51	LARGE	WLINGUN	9,457	9,458	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:50	LARGE	WLINGUN	9,473	9,474	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:49	LARGE	WLINGUN	9,488	9,489	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:48	LARGE	WLINGUN	9,501	9,502	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:46	LARGE	WLINGUN	9,518	9,519	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:45	LARGE	WLINGUN	9,533	9,534	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:44	LARGE	WLINGUN	9,548	9,549	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:43	LARGE	WLINGUN	9,563	9,564	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:42	LARGE	WLINGUN	9,578	9,579	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:41	LARGE	WLINGUN	9,593	9,594	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 30 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Feb-23 02:57	LARGE	WLINGUN	9,608	9,609	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:56	LARGE	WLINGUN	9,622	9,623	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:55	LARGE	WLINGUN	9,638	9,639	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:54	LARGE	WLINGUN	9,653	9,654	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:53	LARGE	WLINGUN	9,669	9,670	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:52	LARGE	WLINGUN	9,684	9,685	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:51	LARGE	WLINGUN	9,699	9,700	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:50	LARGE	WLINGUN	9,714	9,715	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:49	LARGE	WLINGUN	9,729	9,730	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:48	LARGE	WLINGUN	9,743	9,744	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:47	LARGE	WLINGUN	9,759	9,760	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:46	LARGE	WLINGUN	9,774	9,775	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 55

Report For 06:00 AM 05-Mar-23

Perforation Information

Stage: 29 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 18:24	LARGE	WLINGUN	9,789	9,790	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:23	LARGE	WLINGUN	9,804	9,805	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:22	LARGE	WLINGUN	9,819	9,820	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:21	LARGE	WLINGUN	9,834	9,835	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:20	LARGE	WLINGUN	9,849	9,850	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:19	LARGE	WLINGUN	9,865	9,866	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:18	LARGE	WLINGUN	9,880	9,881	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:17	LARGE	WLINGUN	9,895	9,896	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:16	LARGE	WLINGUN	9,913	9,914	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:15	LARGE	WLINGUN	9,925	9,926	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:14	LARGE	WLINGUN	9,940	9,941	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:13	LARGE	WLINGUN	9,955	9,956	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 28 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 09:32	LARGE	WLINGUN	9,970	9,971	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:31	LARGE	WLINGUN	9,985	9,986	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:30	LARGE	WLINGUN	10,000	10,001	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:29	LARGE	WLINGUN	10,015	10,016	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:28	LARGE	WLINGUN	10,033	10,034	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:27	LARGE	WLINGUN	10,045	10,046	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:26	LARGE	WLINGUN	10,061	10,062	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:25	LARGE	WLINGUN	10,076	10,077	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 09:24	LARGE	WLINGUN	10,019	10,020	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 28 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 09:23	LARGE	WLINGUN	10,106	10,107	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:22	LARGE	WLINGUN	10,121	10,122	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:21	LARGE	WLINGUN	10,136	10,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 55

Report For 06:00 AM 05-Mar-23

Perforation Information

Stage: 27 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 00:27	LARGE	WLINGUN	10,150	10,151	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:26	LARGE	WLINGUN	10,166	10,167	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:25	LARGE	WLINGUN	10,181	10,182	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:24	LARGE	WLINGUN	10,199	10,200	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:23	LARGE	WLINGUN	10,211	10,212	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:22	LARGE	WLINGUN	10,226	10,227	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:21	LARGE	WLINGUN	10,241	10,242	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:20	LARGE	WLINGUN	10,257	10,258	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:19	LARGE	WLINGUN	10,272	10,273	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:18	LARGE	WLINGUN	10,287	10,288	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:17	LARGE	WLINGUN	10,302	10,303	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:16	LARGE	WLINGUN	10,314	10,315	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 26 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 15:42	LARGE	WLINGUN	10,332	10,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:41	LARGE	WLINGUN	15,347	15,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:40	LARGE	WLINGUN	10,362	10,363	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:39	LARGE	WLINGUN	10,377	10,378	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:38	LARGE	WLINGUN	10,392	10,393	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:37	LARGE	WLINGUN	10,407	10,408	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:36	LARGE	WLINGUN	10,422	10,423	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:35	LARGE	WLINGUN	10,436	10,437	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:34	LARGE	WLINGUN	10,453	10,454	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:33	LARGE	WLINGUN	10,468	10,469	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:32	LARGE	WLINGUN	10,483	10,484	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:31	LARGE	WLINGUN	10,498	10,499	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 25 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:49	LARGE	WLINGUN	10,513	10,514	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:48	LARGE	WLINGUN	10,528	10,529	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:47	LARGE	WLINGUN	10,543	10,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:46	LARGE	WLINGUN	10,556	10,557	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 55

Report For 06:00 AM 05-Mar-23

Perforation Information

Stage: 24 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:45	LARGE	WLINGUN	10,573	10,574	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 25 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:44	LARGE	WLINGUN	10,588	10,589	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:43	LARGE	WLINGUN	10,603	10,604	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:42	LARGE	WLINGUN	10,618	10,619	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:41	LARGE	WLINGUN	10,634	10,635	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:15	LARGE	WLINGUN	10,649	10,650	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:14	LARGE	WLINGUN	10,664	10,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:13	LARGE	WLINGUN	10,675	10,676	1	

Stage: 24 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 23:07	LARGE	WLINGUN	10,694	10,695	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:06	LARGE	WLINGUN	10,709	10,710	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:05	LARGE	WLINGUN	10,724	10,725	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:04	LARGE	WLINGUN	10,739	10,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:03	LARGE	WLINGUN	10,754	10,755	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:02	LARGE	WLINGUN	10,769	10,770	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:01	LARGE	WLINGUN	10,784	10,785	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:00	LARGE	WLINGUN	10,799	10,800	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:59	LARGE	WLINGUN	10,814	10,815	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:58	LARGE	WLINGUN	10,830	10,831	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:57	LARGE	WLINGUN	10,847	10,848	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:56	LARGE	WLINGUN	10,860	10,861	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 55

Report For 06:00 AM 05-Mar-23

Perforation Information

Stage: 23 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 14:12	LARGE	WLINGUN	10,875	10,876	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:11	LARGE	WLINGUN	10,890	10,891	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:10	LARGE	WLINGUN	10,905	10,906	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:09	LARGE	WLINGUN	10,921	10,922	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:08	LARGE	WLINGUN	10,935	10,936	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:07	LARGE	WLINGUN	10,950	10,951	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:06	LARGE	WLINGUN	10,967	10,968	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:05	LARGE	WLINGUN	10,980	10,981	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:04	LARGE	WLINGUN	10,995	10,996	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:03	LARGE	WLINGUN	11,010	11,011	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:02	LARGE	WLINGUN	11,026	11,027	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:01	LARGE	WLINGUN	11,041	11,042	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 22 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 05:51	LARGE	WLINGUN	11,071	11,072	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:50	LARGE	WLINGUN	11,086	11,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:49	LARGE	WLINGUN	11,101	11,102	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:48	LARGE	WLINGUN	11,116	11,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:47	LARGE	WLINGUN	11,131	11,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:46	LARGE	WLINGUN	11,145	11,146	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:45	LARGE	WLINGUN	11,161	11,162	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:44	LARGE	WLINGUN	11,176	11,177	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:43	LARGE	WLINGUN	11,191	11,192	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:41	LARGE	WLINGUN	11,206	11,207	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:40	LARGE	WLINGUN	11,222	11,223	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 00:00	LARGE	WLINGUN	11,056	11,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 55

Report For 06:00 AM 05-Mar-23

Perforation Information

Stage: 21 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 19:12	LARGE	WLINGUN	11,237	11,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:11	LARGE	WLINGUN	11,252	11,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:10	LARGE	WLINGUN	11,265	11,266	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:09	LARGE	WLINGUN	11,282	11,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:08	LARGE	WLINGUN	11,297	11,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:07	LARGE	WLINGUN	11,312	11,313	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:06	LARGE	WLINGUN	11,327	11,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:05	LARGE	WLINGUN	11,342	11,343	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:04	LARGE	WLINGUN	11,357	11,358	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:03	LARGE	WLINGUN	11,372	11,373	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:02	LARGE	WLINGUN	11,387	11,388	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:01	LARGE	WLINGUN	11,402	11,403	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 20 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 10:12	LARGE	WLINGUN	11,417	11,418	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:11	LARGE	WLINGUN	11,433	11,434	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:10	LARGE	WLINGUN	11,448	11,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:09	LARGE	WLINGUN	11,463	11,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:08	LARGE	WLINGUN	11,478	11,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:07	LARGE	WLINGUN	11,493	11,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:06	LARGE	WLINGUN	11,506	11,507	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:05	LARGE	WLINGUN	11,523	11,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:04	LARGE	WLINGUN	11,538	11,539	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:03	LARGE	WLINGUN	11,553	11,554	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:02	LARGE	WLINGUN	11,568	11,569	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:01	LARGE	WLINGUN	11,583	11,584	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 55

Report For 06:00 AM 05-Mar-23

Perforation Information

Stage: 19 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 00:40	LARGE	WLINGUN	11,598	11,599	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:39	LARGE	WLINGUN	11,613	11,614	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:38	LARGE	WLINGUN	11,627	11,628	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:37	LARGE	WLINGUN	11,644	11,645	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:36	LARGE	WLINGUN	11,659	11,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:35	LARGE	WLINGUN	11,674	11,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:34	LARGE	WLINGUN	11,689	11,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:33	LARGE	WLINGUN	11,704	11,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:32	LARGE	WLINGUN	11,719	11,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:31	LARGE	WLINGUN	11,734	11,735	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:30	LARGE	WLINGUN	11,749	11,750	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:29	LARGE	WLINGUN	11,764	11,765	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 18 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Feb-23 15:26	LARGE	WLINGUN	11,779	11,780	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:25	LARGE	WLINGUN	11,795	11,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:24	LARGE	WLINGUN	11,810	11,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:23	LARGE	WLINGUN	11,825	11,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:22	LARGE	WLINGUN	11,840	11,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:21	LARGE	WLINGUN	11,855	11,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:20	LARGE	WLINGUN	11,870	11,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:19	LARGE	WLINGUN	11,885	11,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:18	LARGE	WLINGUN	11,900	11,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:17	LARGE	WLINGUN	11,915	11,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:16	LARGE	WLINGUN	11,930	11,931	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:15	LARGE	WLINGUN	11,945	11,946	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 55

Report For 06:00 AM 05-Mar-23

Perforation Information

Stage: 17 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Feb-23 06:12	LARGE	WLINGUN	11,960	11,961	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:11	LARGE	WLINGUN	11,975	11,976	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:10	LARGE	WLINGUN	11,987	11,988	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:09	LARGE	WLINGUN	12,006	12,007	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:08	LARGE	WLINGUN	12,021	12,022	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:07	LARGE	WLINGUN	12,036	12,037	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:06	LARGE	WLINGUN	12,051	12,052	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:05	LARGE	WLINGUN	12,066	12,067	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:04	LARGE	WLINGUN	12,081	12,082	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:03	LARGE	WLINGUN	12,096	12,097	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:02	LARGE	WLINGUN	12,108	12,109	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:01	LARGE	WLINGUN	12,126	12,127	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 16 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 23:06	LARGE	WLINGUN	12,141	12,142	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:05	LARGE	WLINGUN	12,156	12,157	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:04	LARGE	WLINGUN	12,171	12,172	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:03	LARGE	WLINGUN	12,186	12,187	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:02	LARGE	WLINGUN	12,202	12,203	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:01	LARGE	WLINGUN	12,217	12,218	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:00	LARGE	WLINGUN	12,231	12,232	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:59	LARGE	WLINGUN	12,247	12,248	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:58	LARGE	WLINGUN	12,262	12,263	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:57	LARGE	WLINGUN	12,277	12,278	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:56	LARGE	WLINGUN	12,292	12,293	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:55	LARGE	WLINGUN	12,307	12,308	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 55

Report For 06:00 AM 05-Mar-23

Perforation Information

Stage: 15 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:42	LARGE	WLINGUN	12,322	12,323	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:41	LARGE	WLINGUN	12,337	12,338	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:40	LARGE	WLINGUN	12,352	12,353	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:39	LARGE	WLINGUN	12,367	12,368	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:38	LARGE	WLINGUN	12,382	12,383	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:37	LARGE	WLINGUN	12,398	12,399	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:36	LARGE	WLINGUN	12,413	12,414	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:35	LARGE	WLINGUN	12,428	12,429	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:34	LARGE	WLINGUN	12,443	12,444	1	

Stage: 15 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:33	LARGE	WLINGUN	12,458	12,459	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:32	LARGE	WLINGUN	12,472	12,473	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:31	LARGE	WLINGUN	12,488	12,489	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 14 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 20:57	LARGE	WLINGUN	12,503	12,504	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:56	LARGE	WLINGUN	12,519	12,520	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:55	LARGE	WLINGUN	12,533	12,534	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:54	LARGE	WLINGUN	12,548	12,549	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:53	LARGE	WLINGUN	12,563	12,564	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:52	LARGE	WLINGUN	12,578	12,579	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:51	LARGE	WLINGUN	12,594	12,595	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:50	LARGE	WLINGUN	12,609	12,610	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:49	LARGE	WLINGUN	12,624	12,625	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:48	LARGE	WLINGUN	12,636	12,637	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:47	LARGE	WLINGUN	12,654	12,655	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:46	LARGE	WLINGUN	12,665	12,666	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 55

Report For 06:00 AM 05-Mar-23

Perforation Information

Stage: 13 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 11:45	LARGE	WLINGUN	12,684	12,685	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:34	LARGE	WLINGUN	12,699	12,700	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:33	LARGE	WLINGUN	12,714	12,715	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:32	LARGE	WLINGUN	12,729	12,730	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:31	LARGE	WLINGUN	12,744	12,745	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:30	LARGE	WLINGUN	12,758	12,759	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:29	LARGE	WLINGUN	12,775	12,776	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:28	LARGE	WLINGUN	12,790	12,791	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:27	LARGE	WLINGUN	12,805	12,806	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:26	LARGE	WLINGUN	12,820	12,821	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:25	LARGE	WLINGUN	12,835	12,836	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:24	LARGE	WLINGUN	12,850	12,851	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 12 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 01:29	LARGE	WLINGUN	12,865	12,866	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:28	LARGE	WLINGUN	12,877	12,878	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:27	LARGE	WLINGUN	12,895	12,896	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:26	LARGE	WLINGUN	12,910	12,911	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:25	LARGE	WLINGUN	12,925	12,926	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:24	LARGE	WLINGUN	12,940	12,941	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:23	LARGE	WLINGUN	12,955	12,956	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:22	LARGE	WLINGUN	12,971	12,972	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:21	LARGE	WLINGUN	12,986	12,987	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:20	LARGE	WLINGUN	12,999	13,000	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:19	LARGE	WLINGUN	13,016	13,017	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:18	LARGE	WLINGUN	13,029	13,030	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 55

Report For 06:00 AM 05-Mar-23

Perforation Information

Stage: 11 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 14:42	LARGE	WLINGUN	13,047	13,048	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:41	LARGE	WLINGUN	13,061	13,062	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:40	LARGE	WLINGUN	13,076	13,077	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:39	LARGE	WLINGUN	13,091	13,092	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:38	LARGE	WLINGUN	13,106	13,107	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:37	LARGE	WLINGUN	13,121	13,122	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:36	LARGE	WLINGUN	13,136	13,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:35	LARGE	WLINGUN	13,151	13,152	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:34	LARGE	WLINGUN	13,167	13,168	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:33	LARGE	WLINGUN	13,182	13,183	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:32	LARGE	WLINGUN	13,197	13,198	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:31	LARGE	WLINGUN	13,212	13,213	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 10 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 05:02	LARGE	WLINGUN	13,227	13,228	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:01	LARGE	WLINGUN	13,242	13,243	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:00	LARGE	WLINGUN	13,257	13,258	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:59	LARGE	WLINGUN	13,272	13,273	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:58	LARGE	WLINGUN	13,287	13,288	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:57	LARGE	WLINGUN	13,302	13,303	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:56	LARGE	WLINGUN	13,317	13,318	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:55	LARGE	WLINGUN	13,332	13,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:54	LARGE	WLINGUN	13,347	13,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:53	LARGE	WLINGUN	13,361	13,362	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:52	LARGE	WLINGUN	13,378	13,379	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:51	LARGE	WLINGUN	13,393	13,394	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 55

Report For 06:00 AM 05-Mar-23

Perforation Information

Stage: 9 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 19:15	LARGE	WLINGUN	13,409	13,410	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:14	LARGE	WLINGUN	13,423	13,424	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:13	LARGE	WLINGUN	13,438	13,439	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:12	LARGE	WLINGUN	13,453	13,454	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:11	LARGE	WLINGUN	13,468	13,469	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:10	LARGE	WLINGUN	13,483	13,484	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:09	LARGE	WLINGUN	13,498	13,499	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:08	LARGE	WLINGUN	13,513	13,514	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:07	LARGE	WLINGUN	13,529	13,530	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:06	LARGE	WLINGUN	13,543	13,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:05	LARGE	WLINGUN	13,559	13,560	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:04	LARGE	WLINGUN	13,574	13,575	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 8 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 09:47	LARGE	WLINGUN	13,589	13,590	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:46	LARGE	WLINGUN	13,607	13,608	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:45	LARGE	WLINGUN	13,619	13,620	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:44	LARGE	WLINGUN	13,634	13,635	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:43	LARGE	WLINGUN	13,649	13,650	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:42	LARGE	WLINGUN	13,662	13,663	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:41	LARGE	WLINGUN	13,679	13,680	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:40	LARGE	WLINGUN	13,694	13,695	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:39	LARGE	WLINGUN	13,709	13,710	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:38	LARGE	WLINGUN	13,727	13,728	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:37	LARGE	WLINGUN	13,739	13,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:36	LARGE	WLINGUN	13,755	13,756	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 55

Report For 06:00 AM 05-Mar-23

Perforation Information

Stage: 7 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 00:03	LARGE	OTHER	13,770	13,771	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:02	LARGE	OTHER	13,783	13,784	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:01	LARGE	OTHER	13,800	13,801	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:00	LARGE	OTHER	13,815	13,816	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:59	LARGE	OTHER	13,830	13,831	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:58	LARGE	OTHER	13,845	13,846	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:57	LARGE	OTHER	13,860	13,861	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:56	LARGE	OTHER	13,875	13,876	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:55	LARGE	OTHER	13,890	13,891	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:54	LARGE	OTHER	13,903	13,904	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:53	LARGE	OTHER	13,920	13,921	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:52	LARGE	OTHER	13,933	13,934	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 6 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 18:27	LARGE	OTHER	13,951	13,952	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:26	LARGE	OTHER	13,966	13,967	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:25	LARGE	OTHER	13,981	13,982	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:24	LARGE	OTHER	13,996	13,997	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:23	LARGE	OTHER	14,011	14,012	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:22	LARGE	OTHER	14,026	14,027	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:21	LARGE	OTHER	14,041	14,042	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:20	LARGE	OTHER	14,056	14,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:19	LARGE	OTHER	14,072	14,073	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:18	LARGE	OTHER	14,086	14,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:17	LARGE	OTHER	14,101	14,102	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:16	LARGE	OTHER	14,116	14,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 55

Report For 06:00 AM 05-Mar-23

Perforation Information

Stage: 5 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 08:32	LARGE	OTHER	14,131	14,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:31	LARGE	OTHER	14,147	14,148	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:30	LARGE	OTHER	14,162	14,163	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:29	LARGE	OTHER	14,177	14,178	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:28	LARGE	OTHER	14,194	14,195	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:27	LARGE	OTHER	14,207	14,208	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:26	LARGE	OTHER	14,222	14,223	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:25	LARGE	OTHER	14,237	14,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:24	LARGE	OTHER	14,252	14,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:23	LARGE	OTHER	14,267	14,268	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:22	LARGE	OTHER	14,282	14,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:21	LARGE	OTHER	14,297	14,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 4 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 01:37	LARGE	OTHER	14,315	14,316	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:36	LARGE	OTHER	14,327	14,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:35	LARGE	OTHER	14,343	14,344	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:34	LARGE	OTHER	14,358	14,359	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:33	LARGE	OTHER	14,373	14,374	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:32	LARGE	OTHER	14,388	14,389	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:31	LARGE	OTHER	14,403	14,404	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:30	LARGE	OTHER	14,418	14,419	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:29	LARGE	OTHER	14,435	14,436	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:28	LARGE	OTHER	14,448	14,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:27	LARGE	OTHER	14,463	14,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:26	LARGE	OTHER	14,478	14,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 55

Report For 06:00 AM 05-Mar-23

Perforation Information

Stage: 3 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
11-Feb-23 18:12	LARGE	OTHER	14,493	14,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:11	LARGE	OTHER	14,508	14,509	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:10	LARGE	OTHER	14,523	14,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:09	LARGE	OTHER	14,539	14,540	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:08	LARGE	OTHER	14,550	14,551	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:07	LARGE	OTHER	14,569	14,570	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:06	LARGE	OTHER	14,584	14,585	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:05	LARGE	OTHER	14,599	14,600	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:04	LARGE	OTHER	14,614	14,615	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:03	LARGE	OTHER	14,629	14,630	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:02	LARGE	OTHER	14,664	14,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:01	LARGE	OTHER	14,659	14,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 2 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
09-Feb-23 21:42	LARGE	OTHER	14,674	14,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:41	LARGE	OTHER	14,689	14,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:40	LARGE	OTHER	14,704	14,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:39	LARGE	OTHER	14,719	14,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:38	LARGE	OTHER	14,735	14,736	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:37	LARGE	OTHER	14,750	14,751	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:36	LARGE	OTHER	14,765	14,766	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:35	LARGE	OTHER	14,780	14,781	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:34	LARGE	OTHER	14,795	14,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:33	LARGE	OTHER	14,810	14,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:32	LARGE	OTHER	14,825	14,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:31	LARGE	OTHER	14,840	14,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 55

Report For 06:00 AM 05-Mar-23

Perforation Information

Stage: 1 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jan-23 15:10	LARGE	OTHER	14,855	14,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:09	LARGE	OTHER	14,870	14,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:08	LARGE	OTHER	14,885	14,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:07	LARGE	OTHER	14,900	14,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:06	LARGE	OTHER	14,915	14,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:05	LARGE	OTHER	14,931	14,932	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:04	LARGE	OTHER	14,946	14,947	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:03	LARGE	OTHER	14,961	14,962	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:02	LARGE	OTHER	14,976	14,977	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:01	LARGE	OTHER	14,991	14,992	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:00	LARGE	OTHER	15,013	15,021	8	TOE SLEEVE

Safety Information

First Aid Treatments:

Medical Treatments:

Lost Time Incidents:

Days Since LTI:

☐ BOP Test

☐ Crownamatic Check



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 56

Report For 06:00 AM 06-Mar-23

Operator:	SEM OPERATOR	Rig:	ICD 307	Wellbore:	Original Wellbore	Daily Cost / Fluid (\$):			/ 0
Measured Depth (ft):	15129	Completion Days (act.):	18	Orig RKB Elev(ft):	2699	AFE No.	AFE (\$)	Actual (\$)	
Vertical Depth (ft):	6537			Last BOP Test:	05-Oct-22	B23003			
		Days On Location:	47						
Last Casing:	5.50 at 15,105	Spud Date:				Totals:			
Plug Back MD (ft):	6537					Well Cost (\$):			
Plug Back TVD (ft)		Pers/Hrs:	Operator: 0 / 0	Contractor:	2 / 24	Service:	10 /	Other:	0 / 0
								Total:	12 / 144

Safety Summary: No incidents or events reported.

Current Operations: RIH DRILL PLUG AND CFP 25 THRU 43 OF 43, POOH

Planned Operations: DRILLOUT CFP 25-43

Wellsite Supervisors: MOYE, OWENS

Tel No.: 432-217-9511

Engineer(s): Larry Gillette

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	16:26	10.43		DRIL	RIH DRILL PLUG AND CFP 25 THRU 43 OF 43	
16:26	18:30	2.07		CIRC	CIRCULATE 10/20/10 FR SWEEP W/ DYE	
18:30	19:30	1.00		TRPO	PULL OFF BTM @ 70K LAY DOWN 2 JTS W/ SWIVEL, RD POWER SWIVEL	
19:30	23:30	4.00		TRPO	POOH LAYING DOWN 2 7/8 WORK STRING TBG TO CURVE @ 7105' W/ 230 JTS IN	
23:30	0:00	0.50		CIRC	CIRCULATE CURVE CLEAN	
0:00	3:30	3.50		TRPO	CONTINUE POOH LAYING DOWN 2 7/8 WORK STRING TBG TO SNUB POINT	
3:30	5:30	2.00		BOPND	ND MUELLER STRIPPER HEAD & ANNULAR LANDING TBG ON PIPE RAMS W/ TIW VALVE	
5:30	6:00	0.50		WOE	WAIT ON SNUBBING UNIT	

Management Summary

DRILLOUT CFP 25-43, POOH

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent
B23003	Drill and Complete a 7750' WB L	6,829,922.00	0.00	114,960.76	48,351.00	4,847,801.50	70.98%
	Totals \$:	6,829,922.00	0.00	114,961.00	48,351.00	4,847,802.00	70.98%

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	9.63	0		868		40.00	J-55	
FULL	5.50	0		15,105		17.00		



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 56

Report For 06:00 AM 06-Mar-23

Perforation Information

Stage: 44 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Feb-23 13:49	LARGE	WLINGUN	7,075	7,076	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:48	LARGE	WLINGUN	7,090	7,091	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:47	LARGE	WLINGUN	7,103	7,104	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:45	LARGE	WLINGUN	7,120	7,121	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:44	LARGE	WLINGUN	7,136	7,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:43	LARGE	WLINGUN	7,151	7,152	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:42	LARGE	WLINGUN	7,166	7,167	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:40	LARGE	WLINGUN	7,181	7,182	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:39	LARGE	WLINGUN	7,196	7,197	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:38	LARGE	WLINGUN	7,211	7,212	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:37	LARGE	WLINGUN	7,225	7,226	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:36	LARGE	WLINGUN	7,241	7,242	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 43 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Feb-23 09:17	LARGE	WLINGUN	7,256	7,257	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:16	LARGE	WLINGUN	7,273	7,274	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:15	LARGE	WLINGUN	7,286	7,287	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:14	LARGE	WLINGUN	7,301	7,302	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:13	LARGE	WLINGUN	7,316	7,317	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:12	LARGE	WLINGUN	7,332	7,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:11	LARGE	WLINGUN	7,347	7,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:10	LARGE	WLINGUN	7,362	7,363	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:09	LARGE	WLINGUN	7,377	7,378	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:08	LARGE	WLINGUN	7,395	7,396	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:07	LARGE	WLINGUN	7,407	7,408	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:06	LARGE	WLINGUN	7,417	7,418	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 56

Report For 06:00 AM 06-Mar-23

Perforation Information

Stage: 42 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Feb-23 05:46	LARGE	WLINGUN	7,437	7,438	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:45	LARGE	WLINGUN	7,452	7,453	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:43	LARGE	WLINGUN	7,467	7,468	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:42	LARGE	WLINGUN	7,482	7,483	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:41	LARGE	WLINGUN	7,497	7,498	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:40	LARGE	WLINGUN	7,510	7,511	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:39	LARGE	WLINGUN	7,528	7,529	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:38	LARGE	WLINGUN	7,543	7,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:37	LARGE	WLINGUN	7,558	7,559	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:36	LARGE	WLINGUN	7,573	7,574	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:32	LARGE	WLINGUN	7,588	7,589	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:31	LARGE	WLINGUN	7,603	7,604	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 41 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Feb-23 00:39	LARGE	WLINGUN	7,618	7,619	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:38	LARGE	WLINGUN	7,631	7,632	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:37	LARGE	WLINGUN	7,648	7,649	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:36	LARGE	WLINGUN	7,663	7,664	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:35	LARGE	WLINGUN	7,678	7,679	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:34	LARGE	WLINGUN	7,693	7,694	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:33	LARGE	WLINGUN	7,708	7,709	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:32	LARGE	WLINGUN	7,724	7,725	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:31	LARGE	WLINGUN	7,739	7,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:30	LARGE	WLINGUN	7,752	7,753	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:29	LARGE	WLINGUN	7,769	7,770	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:28	LARGE	WLINGUN	7,780	7,781	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 56

Report For 06:00 AM 06-Mar-23

Perforation Information

Stage: 40 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Feb-23 19:20	LARGE	WLINGUN	7,799	7,800	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:19	LARGE	WLINGUN	7,814	7,815	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:18	LARGE	WLINGUN	7,829	7,830	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:17	LARGE	WLINGUN	7,844	7,845	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:16	LARGE	WLINGUN	7,859	7,860	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:15	LARGE	WLINGUN	7,874	7,875	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:14	LARGE	WLINGUN	7,889	7,890	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:13	LARGE	WLINGUN	7,904	7,905	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:12	LARGE	WLINGUN	7,921	7,922	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:11	LARGE	WLINGUN	7,935	7,936	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:10	LARGE	WLINGUN	7,950	7,951	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:09	LARGE	WLINGUN	7,965	7,966	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 39 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Feb-23 14:10	LARGE	WLINGUN	7,980	7,981	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:09	LARGE	WLINGUN	7,995	7,996	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:08	LARGE	WLINGUN	8,010	8,011	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:07	LARGE	WLINGUN	8,025	8,026	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:06	LARGE	WLINGUN	8,037	8,038	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:05	LARGE	WLINGUN	8,055	8,056	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:04	LARGE	WLINGUN	8,070	8,071	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:03	LARGE	WLINGUN	8,086	8,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:02	LARGE	WLINGUN	8,100	8,101	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:01	LARGE	WLINGUN	8,116	8,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:00	LARGE	WLINGUN	8,131	8,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 13:59	LARGE	WLINGUN	8,146	8,147	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 56

Report For 06:00 AM 06-Mar-23

Perforation Information

Stage: 38 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Feb-23 06:01	LARGE	WLINGUN	8,161	8,162	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 06:00	LARGE	WLINGUN	8,176	8,177	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:59	LARGE	WLINGUN	8,191	8,192	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:58	LARGE	WLINGUN	8,207	8,208	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:57	LARGE	WLINGUN	8,221	8,222	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:56	LARGE	WLINGUN	8,236	8,237	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:55	LARGE	WLINGUN	8,251	8,252	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:54	LARGE	WLINGUN	8,266	8,267	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:53	LARGE	WLINGUN	8,281	8,282	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:52	LARGE	WLINGUN	8,297	8,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:51	LARGE	WLINGUN	8,312	8,313	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:50	LARGE	WLINGUN	8,324	8,325	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 37 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Feb-23 16:37	LARGE	WLINGUN	8,342	8,343	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:36	LARGE	WLINGUN	8,357	8,358	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:35	LARGE	WLINGUN	8,372	8,373	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:34	LARGE	WLINGUN	8,387	8,388	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:33	LARGE	WLINGUN	8,402	8,403	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:32	LARGE	WLINGUN	8,417	8,418	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:31	LARGE	WLINGUN	8,432	8,433	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:30	LARGE	WLINGUN	8,446	8,447	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:29	LARGE	WLINGUN	8,462	8,463	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:28	LARGE	WLINGUN	8,477	8,478	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:27	LARGE	WLINGUN	8,493	8,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:26	LARGE	WLINGUN	8,508	8,509	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 56

Report For 06:00 AM 06-Mar-23

Perforation Information

Stage: 36 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Feb-23 07:34	LARGE	WLINGUN	8,523	8,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:33	LARGE	WLINGUN	8,538	8,539	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:32	LARGE	WLINGUN	8,553	8,554	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:31	LARGE	WLINGUN	8,568	8,569	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:30	LARGE	WLINGUN	8,583	8,584	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:29	LARGE	WLINGUN	8,598	8,599	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:28	LARGE	WLINGUN	8,614	8,615	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:27	LARGE	WLINGUN	8,628	8,629	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:26	LARGE	WLINGUN	8,643	8,644	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:25	LARGE	WLINGUN	8,658	8,659	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:24	LARGE	WLINGUN	8,673	8,674	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:23	LARGE	WLINGUN	8,689	8,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 35 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Feb-23 00:17	LARGE	WLINGUN	8,704	8,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:16	LARGE	WLINGUN	8,719	8,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:15	LARGE	WLINGUN	8,734	8,735	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:14	LARGE	WLINGUN	8,749	8,750	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:13	LARGE	WLINGUN	8,764	8,765	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:12	LARGE	WLINGUN	8,779	8,780	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:11	LARGE	WLINGUN	8,794	8,795	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:10	LARGE	WLINGUN	8,809	8,810	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:09	LARGE	WLINGUN	8,824	8,825	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:08	LARGE	WLINGUN	8,839	8,840	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:07	LARGE	WLINGUN	8,852	8,853	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:06	LARGE	WLINGUN	8,869	8,870	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 56

Report For 06:00 AM 06-Mar-23

Perforation Information

Stage: 34 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Feb-23 15:53	LARGE	WLINGUN	8,884	8,885	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:52	LARGE	WLINGUN	8,900	8,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:51	LARGE	WLINGUN	8,915	8,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:50	LARGE	WLINGUN	8,930	8,931	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:49	LARGE	WLINGUN	8,945	8,946	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:48	LARGE	WLINGUN	8,960	8,961	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:47	LARGE	WLINGUN	8,977	8,978	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:46	LARGE	WLINGUN	8,990	8,991	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:45	LARGE	WLINGUN	9,005	9,006	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:44	LARGE	WLINGUN	9,020	9,021	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:43	LARGE	WLINGUN	935	9,036	8,101	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:42	LARGE	WLINGUN	9,050	9,051	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 33 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Feb-23 08:55	LARGE	WLINGUN	9,068	9,069	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:54	LARGE	WLINGUN	9,080	9,081	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:53	LARGE	WLINGUN	9,096	9,097	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:52	LARGE	WLINGUN	9,111	9,112	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:51	LARGE	WLINGUN	9,126	9,127	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:50	LARGE	WLINGUN	9,141	9,142	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:49	LARGE	WLINGUN	9,156	9,157	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:48	LARGE	WLINGUN	9,171	9,172	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:47	LARGE	WLINGUN	9,186	9,187	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:46	LARGE	WLINGUN	9,201	9,202	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:45	LARGE	WLINGUN	9,216	9,217	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:44	LARGE	WLINGUN	9,231	9,232	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 56

Report For 06:00 AM 06-Mar-23

Perforation Information

Stage: 32 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Feb-23 19:30	LARGE	WLINGUN	9,246	9,247	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:29	LARGE	WLINGUN	9,263	9,264	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:28	LARGE	WLINGUN	9,276	9,277	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:27	LARGE	WLINGUN	9,292	9,293	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:26	LARGE	WLINGUN	9,307	9,308	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:25	LARGE	WLINGUN	9,322	9,323	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:24	LARGE	WLINGUN	9,337	9,338	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:23	LARGE	WLINGUN	9,352	9,353	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:22	LARGE	WLINGUN	9,367	9,368	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:21	LARGE	WLINGUN	9,379	9,380	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:20	LARGE	WLINGUN	9,397	9,398	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:19	LARGE	WLINGUN	9,407	9,408	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 31 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Feb-23 10:53	LARGE	WLINGUN	9,427	9,428	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:52	LARGE	WLINGUN	9,442	9,443	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:51	LARGE	WLINGUN	9,457	9,458	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:50	LARGE	WLINGUN	9,473	9,474	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:49	LARGE	WLINGUN	9,488	9,489	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:48	LARGE	WLINGUN	9,501	9,502	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:46	LARGE	WLINGUN	9,518	9,519	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:45	LARGE	WLINGUN	9,533	9,534	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:44	LARGE	WLINGUN	9,548	9,549	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:43	LARGE	WLINGUN	9,563	9,564	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:42	LARGE	WLINGUN	9,578	9,579	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:41	LARGE	WLINGUN	9,593	9,594	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 56

Report For 06:00 AM 06-Mar-23

Perforation Information

Stage: 30 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Feb-23 02:57	LARGE	WLINGUN	9,608	9,609	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:56	LARGE	WLINGUN	9,622	9,623	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:55	LARGE	WLINGUN	9,638	9,639	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:54	LARGE	WLINGUN	9,653	9,654	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:53	LARGE	WLINGUN	9,669	9,670	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:52	LARGE	WLINGUN	9,684	9,685	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:51	LARGE	WLINGUN	9,699	9,700	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:50	LARGE	WLINGUN	9,714	9,715	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:49	LARGE	WLINGUN	9,729	9,730	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:48	LARGE	WLINGUN	9,743	9,744	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:47	LARGE	WLINGUN	9,759	9,760	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:46	LARGE	WLINGUN	9,774	9,775	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 29 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 18:24	LARGE	WLINGUN	9,789	9,790	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:23	LARGE	WLINGUN	9,804	9,805	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:22	LARGE	WLINGUN	9,819	9,820	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:21	LARGE	WLINGUN	9,834	9,835	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:20	LARGE	WLINGUN	9,849	9,850	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:19	LARGE	WLINGUN	9,865	9,866	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:18	LARGE	WLINGUN	9,880	9,881	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:17	LARGE	WLINGUN	9,895	9,896	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:16	LARGE	WLINGUN	9,913	9,914	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:15	LARGE	WLINGUN	9,925	9,926	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:14	LARGE	WLINGUN	9,940	9,941	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:13	LARGE	WLINGUN	9,955	9,956	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 56

Report For 06:00 AM 06-Mar-23

Perforation Information

Stage: 28 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 09:32	LARGE	WLINGUN	9,970	9,971	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:31	LARGE	WLINGUN	9,985	9,986	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:30	LARGE	WLINGUN	10,000	10,001	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:29	LARGE	WLINGUN	10,015	10,016	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:28	LARGE	WLINGUN	10,033	10,034	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:27	LARGE	WLINGUN	10,045	10,046	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:26	LARGE	WLINGUN	10,061	10,062	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:25	LARGE	WLINGUN	10,076	10,077	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 09:24	LARGE	WLINGUN	10,019	10,020	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 28 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 09:23	LARGE	WLINGUN	10,106	10,107	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:22	LARGE	WLINGUN	10,121	10,122	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:21	LARGE	WLINGUN	10,136	10,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 27 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 00:27	LARGE	WLINGUN	10,150	10,151	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:26	LARGE	WLINGUN	10,166	10,167	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:25	LARGE	WLINGUN	10,181	10,182	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:24	LARGE	WLINGUN	10,199	10,200	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:23	LARGE	WLINGUN	10,211	10,212	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:22	LARGE	WLINGUN	10,226	10,227	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:21	LARGE	WLINGUN	10,241	10,242	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:20	LARGE	WLINGUN	10,257	10,258	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:19	LARGE	WLINGUN	10,272	10,273	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:18	LARGE	WLINGUN	10,287	10,288	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:17	LARGE	WLINGUN	10,302	10,303	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:16	LARGE	WLINGUN	10,314	10,315	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 56

Report For 06:00 AM 06-Mar-23

Perforation Information

Stage: 26 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 15:42	LARGE	WLINGUN	10,332	10,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:41	LARGE	WLINGUN	15,347	15,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:40	LARGE	WLINGUN	10,362	10,363	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:39	LARGE	WLINGUN	10,377	10,378	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:38	LARGE	WLINGUN	10,392	10,393	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:37	LARGE	WLINGUN	10,407	10,408	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:36	LARGE	WLINGUN	10,422	10,423	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:35	LARGE	WLINGUN	10,436	10,437	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:34	LARGE	WLINGUN	10,453	10,454	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:33	LARGE	WLINGUN	10,468	10,469	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:32	LARGE	WLINGUN	10,483	10,484	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:31	LARGE	WLINGUN	10,498	10,499	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 25 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:49	LARGE	WLINGUN	10,513	10,514	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:48	LARGE	WLINGUN	10,528	10,529	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:47	LARGE	WLINGUN	10,543	10,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:46	LARGE	WLINGUN	10,556	10,557	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 24 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:45	LARGE	WLINGUN	10,573	10,574	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 25 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:44	LARGE	WLINGUN	10,588	10,589	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:43	LARGE	WLINGUN	10,603	10,604	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:42	LARGE	WLINGUN	10,618	10,619	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:41	LARGE	WLINGUN	10,634	10,635	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:15	LARGE	WLINGUN	10,649	10,650	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:14	LARGE	WLINGUN	10,664	10,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:13	LARGE	WLINGUN	10,675	10,676	1	



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 56

Report For 06:00 AM 06-Mar-23

Perforation Information

Stage: 24 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 23:07	LARGE	WLINGUN	10,694	10,695	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:06	LARGE	WLINGUN	10,709	10,710	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:05	LARGE	WLINGUN	10,724	10,725	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:04	LARGE	WLINGUN	10,739	10,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:03	LARGE	WLINGUN	10,754	10,755	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:02	LARGE	WLINGUN	10,769	10,770	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:01	LARGE	WLINGUN	10,784	10,785	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:00	LARGE	WLINGUN	10,799	10,800	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:59	LARGE	WLINGUN	10,814	10,815	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:58	LARGE	WLINGUN	10,830	10,831	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:57	LARGE	WLINGUN	10,847	10,848	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:56	LARGE	WLINGUN	10,860	10,861	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 23 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 14:12	LARGE	WLINGUN	10,875	10,876	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:11	LARGE	WLINGUN	10,890	10,891	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:10	LARGE	WLINGUN	10,905	10,906	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:09	LARGE	WLINGUN	10,921	10,922	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:08	LARGE	WLINGUN	10,935	10,936	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:07	LARGE	WLINGUN	10,950	10,951	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:06	LARGE	WLINGUN	10,967	10,968	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:05	LARGE	WLINGUN	10,980	10,981	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:04	LARGE	WLINGUN	10,995	10,996	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:03	LARGE	WLINGUN	11,010	11,011	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:02	LARGE	WLINGUN	11,026	11,027	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:01	LARGE	WLINGUN	11,041	11,042	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 56

Report For 06:00 AM 06-Mar-23

Perforation Information

Stage: 22 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 05:51	LARGE	WLINGUN	11,071	11,072	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:50	LARGE	WLINGUN	11,086	11,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:49	LARGE	WLINGUN	11,101	11,102	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:48	LARGE	WLINGUN	11,116	11,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:47	LARGE	WLINGUN	11,131	11,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:46	LARGE	WLINGUN	11,145	11,146	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:45	LARGE	WLINGUN	11,161	11,162	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:44	LARGE	WLINGUN	11,176	11,177	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:43	LARGE	WLINGUN	11,191	11,192	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:41	LARGE	WLINGUN	11,206	11,207	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:40	LARGE	WLINGUN	11,222	11,223	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 00:00	LARGE	WLINGUN	11,056	11,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 21 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 19:12	LARGE	WLINGUN	11,237	11,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:11	LARGE	WLINGUN	11,252	11,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:10	LARGE	WLINGUN	11,265	11,266	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:09	LARGE	WLINGUN	11,282	11,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:08	LARGE	WLINGUN	11,297	11,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:07	LARGE	WLINGUN	11,312	11,313	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:06	LARGE	WLINGUN	11,327	11,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:05	LARGE	WLINGUN	11,342	11,343	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:04	LARGE	WLINGUN	11,357	11,358	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:03	LARGE	WLINGUN	11,372	11,373	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:02	LARGE	WLINGUN	11,387	11,388	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:01	LARGE	WLINGUN	11,402	11,403	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 56

Report For 06:00 AM 06-Mar-23

Perforation Information

Stage: 20 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 10:12	LARGE	WLINGUN	11,417	11,418	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:11	LARGE	WLINGUN	11,433	11,434	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:10	LARGE	WLINGUN	11,448	11,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:09	LARGE	WLINGUN	11,463	11,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:08	LARGE	WLINGUN	11,478	11,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:07	LARGE	WLINGUN	11,493	11,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:06	LARGE	WLINGUN	11,506	11,507	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:05	LARGE	WLINGUN	11,523	11,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:04	LARGE	WLINGUN	11,538	11,539	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:03	LARGE	WLINGUN	11,553	11,554	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:02	LARGE	WLINGUN	11,568	11,569	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:01	LARGE	WLINGUN	11,583	11,584	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 19 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 00:40	LARGE	WLINGUN	11,598	11,599	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:39	LARGE	WLINGUN	11,613	11,614	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:38	LARGE	WLINGUN	11,627	11,628	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:37	LARGE	WLINGUN	11,644	11,645	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:36	LARGE	WLINGUN	11,659	11,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:35	LARGE	WLINGUN	11,674	11,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:34	LARGE	WLINGUN	11,689	11,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:33	LARGE	WLINGUN	11,704	11,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:32	LARGE	WLINGUN	11,719	11,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:31	LARGE	WLINGUN	11,734	11,735	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:30	LARGE	WLINGUN	11,749	11,750	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:29	LARGE	WLINGUN	11,764	11,765	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 56

Report For 06:00 AM 06-Mar-23

Perforation Information

Stage: 18 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Feb-23 15:26	LARGE	WLINGUN	11,779	11,780	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:25	LARGE	WLINGUN	11,795	11,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:24	LARGE	WLINGUN	11,810	11,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:23	LARGE	WLINGUN	11,825	11,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:22	LARGE	WLINGUN	11,840	11,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:21	LARGE	WLINGUN	11,855	11,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:20	LARGE	WLINGUN	11,870	11,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:19	LARGE	WLINGUN	11,885	11,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:18	LARGE	WLINGUN	11,900	11,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:17	LARGE	WLINGUN	11,915	11,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:16	LARGE	WLINGUN	11,930	11,931	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:15	LARGE	WLINGUN	11,945	11,946	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 17 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Feb-23 06:12	LARGE	WLINGUN	11,960	11,961	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:11	LARGE	WLINGUN	11,975	11,976	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:10	LARGE	WLINGUN	11,987	11,988	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:09	LARGE	WLINGUN	12,006	12,007	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:08	LARGE	WLINGUN	12,021	12,022	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:07	LARGE	WLINGUN	12,036	12,037	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:06	LARGE	WLINGUN	12,051	12,052	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:05	LARGE	WLINGUN	12,066	12,067	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:04	LARGE	WLINGUN	12,081	12,082	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:03	LARGE	WLINGUN	12,096	12,097	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:02	LARGE	WLINGUN	12,108	12,109	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:01	LARGE	WLINGUN	12,126	12,127	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 56

Report For 06:00 AM 06-Mar-23

Perforation Information

Stage: 16 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 23:06	LARGE	WLINGUN	12,141	12,142	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:05	LARGE	WLINGUN	12,156	12,157	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:04	LARGE	WLINGUN	12,171	12,172	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:03	LARGE	WLINGUN	12,186	12,187	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:02	LARGE	WLINGUN	12,202	12,203	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:01	LARGE	WLINGUN	12,217	12,218	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:00	LARGE	WLINGUN	12,231	12,232	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:59	LARGE	WLINGUN	12,247	12,248	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:58	LARGE	WLINGUN	12,262	12,263	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:57	LARGE	WLINGUN	12,277	12,278	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:56	LARGE	WLINGUN	12,292	12,293	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:55	LARGE	WLINGUN	12,307	12,308	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 15 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:42	LARGE	WLINGUN	12,322	12,323	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:41	LARGE	WLINGUN	12,337	12,338	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:40	LARGE	WLINGUN	12,352	12,353	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:39	LARGE	WLINGUN	12,367	12,368	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:38	LARGE	WLINGUN	12,382	12,383	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:37	LARGE	WLINGUN	12,398	12,399	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:36	LARGE	WLINGUN	12,413	12,414	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:35	LARGE	WLINGUN	12,428	12,429	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:34	LARGE	WLINGUN	12,443	12,444	1	

Stage: 15 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:33	LARGE	WLINGUN	12,458	12,459	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:32	LARGE	WLINGUN	12,472	12,473	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:31	LARGE	WLINGUN	12,488	12,489	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 56

Report For 06:00 AM 06-Mar-23

Perforation Information

Stage: 14 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 20:57	LARGE	WLINGUN	12,503	12,504	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:56	LARGE	WLINGUN	12,519	12,520	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:55	LARGE	WLINGUN	12,533	12,534	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:54	LARGE	WLINGUN	12,548	12,549	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:53	LARGE	WLINGUN	12,563	12,564	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:52	LARGE	WLINGUN	12,578	12,579	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:51	LARGE	WLINGUN	12,594	12,595	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:50	LARGE	WLINGUN	12,609	12,610	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:49	LARGE	WLINGUN	12,624	12,625	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:48	LARGE	WLINGUN	12,636	12,637	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:47	LARGE	WLINGUN	12,654	12,655	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:46	LARGE	WLINGUN	12,665	12,666	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 13 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 11:45	LARGE	WLINGUN	12,684	12,685	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:34	LARGE	WLINGUN	12,699	12,700	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:33	LARGE	WLINGUN	12,714	12,715	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:32	LARGE	WLINGUN	12,729	12,730	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:31	LARGE	WLINGUN	12,744	12,745	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:30	LARGE	WLINGUN	12,758	12,759	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:29	LARGE	WLINGUN	12,775	12,776	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:28	LARGE	WLINGUN	12,790	12,791	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:27	LARGE	WLINGUN	12,805	12,806	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:26	LARGE	WLINGUN	12,820	12,821	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:25	LARGE	WLINGUN	12,835	12,836	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:24	LARGE	WLINGUN	12,850	12,851	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 56

Report For 06:00 AM 06-Mar-23

Perforation Information

Stage: 12 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 01:29	LARGE	WLINGUN	12,865	12,866	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:28	LARGE	WLINGUN	12,877	12,878	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:27	LARGE	WLINGUN	12,895	12,896	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:26	LARGE	WLINGUN	12,910	12,911	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:25	LARGE	WLINGUN	12,925	12,926	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:24	LARGE	WLINGUN	12,940	12,941	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:23	LARGE	WLINGUN	12,955	12,956	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:22	LARGE	WLINGUN	12,971	12,972	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:21	LARGE	WLINGUN	12,986	12,987	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:20	LARGE	WLINGUN	12,999	13,000	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:19	LARGE	WLINGUN	13,016	13,017	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:18	LARGE	WLINGUN	13,029	13,030	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 11 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 14:42	LARGE	WLINGUN	13,047	13,048	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:41	LARGE	WLINGUN	13,061	13,062	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:40	LARGE	WLINGUN	13,076	13,077	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:39	LARGE	WLINGUN	13,091	13,092	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:38	LARGE	WLINGUN	13,106	13,107	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:37	LARGE	WLINGUN	13,121	13,122	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:36	LARGE	WLINGUN	13,136	13,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:35	LARGE	WLINGUN	13,151	13,152	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:34	LARGE	WLINGUN	13,167	13,168	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:33	LARGE	WLINGUN	13,182	13,183	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:32	LARGE	WLINGUN	13,197	13,198	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:31	LARGE	WLINGUN	13,212	13,213	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 56

Report For 06:00 AM 06-Mar-23

Perforation Information

Stage: 10 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 05:02	LARGE	WLINGUN	13,227	13,228	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:01	LARGE	WLINGUN	13,242	13,243	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:00	LARGE	WLINGUN	13,257	13,258	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:59	LARGE	WLINGUN	13,272	13,273	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:58	LARGE	WLINGUN	13,287	13,288	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:57	LARGE	WLINGUN	13,302	13,303	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:56	LARGE	WLINGUN	13,317	13,318	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:55	LARGE	WLINGUN	13,332	13,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:54	LARGE	WLINGUN	13,347	13,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:53	LARGE	WLINGUN	13,361	13,362	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:52	LARGE	WLINGUN	13,378	13,379	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:51	LARGE	WLINGUN	13,393	13,394	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 9 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 19:15	LARGE	WLINGUN	13,409	13,410	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:14	LARGE	WLINGUN	13,423	13,424	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:13	LARGE	WLINGUN	13,438	13,439	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:12	LARGE	WLINGUN	13,453	13,454	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:11	LARGE	WLINGUN	13,468	13,469	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:10	LARGE	WLINGUN	13,483	13,484	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:09	LARGE	WLINGUN	13,498	13,499	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:08	LARGE	WLINGUN	13,513	13,514	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:07	LARGE	WLINGUN	13,529	13,530	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:06	LARGE	WLINGUN	13,543	13,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:05	LARGE	WLINGUN	13,559	13,560	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:04	LARGE	WLINGUN	13,574	13,575	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 56

Report For 06:00 AM 06-Mar-23

Perforation Information

Stage: 8 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 09:47	LARGE	WLINGUN	13,589	13,590	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:46	LARGE	WLINGUN	13,607	13,608	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:45	LARGE	WLINGUN	13,619	13,620	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:44	LARGE	WLINGUN	13,634	13,635	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:43	LARGE	WLINGUN	13,649	13,650	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:42	LARGE	WLINGUN	13,662	13,663	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:41	LARGE	WLINGUN	13,679	13,680	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:40	LARGE	WLINGUN	13,694	13,695	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:39	LARGE	WLINGUN	13,709	13,710	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:38	LARGE	WLINGUN	13,727	13,728	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:37	LARGE	WLINGUN	13,739	13,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:36	LARGE	WLINGUN	13,755	13,756	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 7 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 00:03	LARGE	OTHER	13,770	13,771	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:02	LARGE	OTHER	13,783	13,784	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:01	LARGE	OTHER	13,800	13,801	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:00	LARGE	OTHER	13,815	13,816	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:59	LARGE	OTHER	13,830	13,831	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:58	LARGE	OTHER	13,845	13,846	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:57	LARGE	OTHER	13,860	13,861	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:56	LARGE	OTHER	13,875	13,876	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:55	LARGE	OTHER	13,890	13,891	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:54	LARGE	OTHER	13,903	13,904	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:53	LARGE	OTHER	13,920	13,921	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:52	LARGE	OTHER	13,933	13,934	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 56

Report For 06:00 AM 06-Mar-23

Perforation Information

Stage: 6 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 18:27	LARGE	OTHER	13,951	13,952	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:26	LARGE	OTHER	13,966	13,967	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:25	LARGE	OTHER	13,981	13,982	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:24	LARGE	OTHER	13,996	13,997	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:23	LARGE	OTHER	14,011	14,012	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:22	LARGE	OTHER	14,026	14,027	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:21	LARGE	OTHER	14,041	14,042	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:20	LARGE	OTHER	14,056	14,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:19	LARGE	OTHER	14,072	14,073	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:18	LARGE	OTHER	14,086	14,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:17	LARGE	OTHER	14,101	14,102	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:16	LARGE	OTHER	14,116	14,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 5 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 08:32	LARGE	OTHER	14,131	14,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:31	LARGE	OTHER	14,147	14,148	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:30	LARGE	OTHER	14,162	14,163	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:29	LARGE	OTHER	14,177	14,178	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:28	LARGE	OTHER	14,194	14,195	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:27	LARGE	OTHER	14,207	14,208	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:26	LARGE	OTHER	14,222	14,223	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:25	LARGE	OTHER	14,237	14,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:24	LARGE	OTHER	14,252	14,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:23	LARGE	OTHER	14,267	14,268	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:22	LARGE	OTHER	14,282	14,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:21	LARGE	OTHER	14,297	14,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 56

Report For 06:00 AM 06-Mar-23

Perforation Information

Stage: 4 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 01:37	LARGE	OTHER	14,315	14,316	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:36	LARGE	OTHER	14,327	14,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:35	LARGE	OTHER	14,343	14,344	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:34	LARGE	OTHER	14,358	14,359	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:33	LARGE	OTHER	14,373	14,374	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:32	LARGE	OTHER	14,388	14,389	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:31	LARGE	OTHER	14,403	14,404	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:30	LARGE	OTHER	14,418	14,419	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:29	LARGE	OTHER	14,435	14,436	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:28	LARGE	OTHER	14,448	14,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:27	LARGE	OTHER	14,463	14,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:26	LARGE	OTHER	14,478	14,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 3 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
11-Feb-23 18:12	LARGE	OTHER	14,493	14,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:11	LARGE	OTHER	14,508	14,509	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:10	LARGE	OTHER	14,523	14,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:09	LARGE	OTHER	14,539	14,540	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:08	LARGE	OTHER	14,550	14,551	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:07	LARGE	OTHER	14,569	14,570	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:06	LARGE	OTHER	14,584	14,585	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:05	LARGE	OTHER	14,599	14,600	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:04	LARGE	OTHER	14,614	14,615	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:03	LARGE	OTHER	14,629	14,630	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:02	LARGE	OTHER	14,664	14,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:01	LARGE	OTHER	14,659	14,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 56

Report For 06:00 AM 06-Mar-23

Perforation Information

Stage: 2 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
09-Feb-23 21:42	LARGE	OTHER	14,674	14,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:41	LARGE	OTHER	14,689	14,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:40	LARGE	OTHER	14,704	14,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:39	LARGE	OTHER	14,719	14,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:38	LARGE	OTHER	14,735	14,736	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:37	LARGE	OTHER	14,750	14,751	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:36	LARGE	OTHER	14,765	14,766	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:35	LARGE	OTHER	14,780	14,781	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:34	LARGE	OTHER	14,795	14,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:33	LARGE	OTHER	14,810	14,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:32	LARGE	OTHER	14,825	14,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:31	LARGE	OTHER	14,840	14,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 1 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jan-23 15:10	LARGE	OTHER	14,855	14,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:09	LARGE	OTHER	14,870	14,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:08	LARGE	OTHER	14,885	14,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:07	LARGE	OTHER	14,900	14,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:06	LARGE	OTHER	14,915	14,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:05	LARGE	OTHER	14,931	14,932	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:04	LARGE	OTHER	14,946	14,947	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:03	LARGE	OTHER	14,961	14,962	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:02	LARGE	OTHER	14,976	14,977	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:01	LARGE	OTHER	14,991	14,992	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:00	LARGE	OTHER	15,013	15,021	8	TOE SLEEVE

Safety Information

First Aid Treatments:

Medical Treatments:

Lost Time Incidents:

Days Since LTI:

☐ BOP Test

☐ Crownamatic Check



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 57

Report For 06:00 AM 07-Mar-23

Operator:	SEM OPERATOR	Rig:	ICD 307	Wellbore:	Original Wellbore	Daily Cost / Fluid (\$):		
Measured Depth (ft):	15129	Completion Days (act.):	19	Orig RKB Elev(ft):	2699	AFE No.	AFE (\$)	Actual (\$)
Vertical Depth (ft):	6537			Last BOP Test:	05-Oct-22	B23003		
		Days On Location:	48					
Last Casing:	5.50 at 15,105	Spud Date:				Totals:		
Plug Back MD (ft):	6537					Well Cost (\$):		
Plug Back TVD (ft)		Pers/Hrs:	Operator: 0 / 0	Contractor:	2 / 24	Service:	10 /	Other: 0 / 0
							Total:	12 / 144

Safety Summary: No incidents or events reported.

Current Operations: TURN OVER TO PRODUCTION

Planned Operations: SNUB OUT , SNUB PROD. IN HOLE , LAND TREE; TURN OVER TO PRODUCTION

Wellsite Supervisors: MOYE, OWENS

Tel No.: 432-217-9511

Engineer(s): Larry Gillette

Operations Summary

From	To	Elapsed	End MD(ft)	Code	Operations Description	Non-Prod
6:00	6:30	0.50		WOE	WAITING ON SNUB UNIT	
6:30	7:45	1.25		RU	RU SNUBBING UNIT	
7:45	9:30	1.75		SNUB	SNUB OOH	
9:30	11:30	2.00		TALLY	TALLY PRODUCTION STRING	
11:30	16:30	5.00		SNUB	RIH W/ PRODUCTION STRING AND GAS LIFT VALVES	
16:30	19:00	2.50		RD	RD SNUBBING UNIT / PEGASO WOR	
19:00	19:45	0.75		NUSTAC	NU PRODUCTION TREE	
19:45	20:15	0.50		OTHER	PUMP OUT RUPTURE DISK @ 3200 PSI FLUSH W/ 50 BBLS @ 1,100 PSI, ISIP 500 PSI	
20:15	6:00	9.75		OTHER	TURN OVER TO PRODUCTION AND FLOW BACK	

Management Summary

SNUB OUT , SNUB PROD. IN HOLE , LAND TREE

Cost/AFE Information

AFE No	AFE Description	AFE Amount	Daily Fluid	Well Fluid	Daily Total	Well Total	% Spent
B23003	Drill and Complete a 7750' WB L	6,829,922.00	0.00	114,960.76	177,816.00	5,022,917.50	73.54%
Totals \$:		6,829,922.00	0.00	114,961.00	177,816.00	5,022,918.00	73.54%

Casing/Tubular Information

Type	Size (ins)	Top MD (ft)	Top TVD (ft)	Bottom MD (ft)	Bottom TVD (ft)	Nom. Wgt. (lbs)	Nominal Grade	LOT (lbs/gal)
FULL	9.63	0		868		40.00	J-55	
FULL	5.50	0		15,105		17.00		



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 57

Report For 06:00 AM 07-Mar-23

Perforation Information

Stage: 44 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Feb-23 13:49	LARGE	WLINGUN	7,075	7,076	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:48	LARGE	WLINGUN	7,090	7,091	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:47	LARGE	WLINGUN	7,103	7,104	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:45	LARGE	WLINGUN	7,120	7,121	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:44	LARGE	WLINGUN	7,136	7,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:43	LARGE	WLINGUN	7,151	7,152	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:42	LARGE	WLINGUN	7,166	7,167	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:40	LARGE	WLINGUN	7,181	7,182	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:39	LARGE	WLINGUN	7,196	7,197	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:38	LARGE	WLINGUN	7,211	7,212	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:37	LARGE	WLINGUN	7,225	7,226	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 13:36	LARGE	WLINGUN	7,241	7,242	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 43 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Feb-23 09:17	LARGE	WLINGUN	7,256	7,257	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:16	LARGE	WLINGUN	7,273	7,274	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:15	LARGE	WLINGUN	7,286	7,287	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:14	LARGE	WLINGUN	7,301	7,302	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:13	LARGE	WLINGUN	7,316	7,317	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:12	LARGE	WLINGUN	7,332	7,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:11	LARGE	WLINGUN	7,347	7,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:10	LARGE	WLINGUN	7,362	7,363	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:09	LARGE	WLINGUN	7,377	7,378	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:08	LARGE	WLINGUN	7,395	7,396	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:07	LARGE	WLINGUN	7,407	7,408	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 09:06	LARGE	WLINGUN	7,417	7,418	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 57

Report For 06:00 AM 07-Mar-23

Perforation Information

Stage: 42 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Feb-23 05:46	LARGE	WLINGUN	7,437	7,438	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:45	LARGE	WLINGUN	7,452	7,453	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:43	LARGE	WLINGUN	7,467	7,468	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:42	LARGE	WLINGUN	7,482	7,483	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:41	LARGE	WLINGUN	7,497	7,498	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:40	LARGE	WLINGUN	7,510	7,511	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:39	LARGE	WLINGUN	7,528	7,529	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:38	LARGE	WLINGUN	7,543	7,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:37	LARGE	WLINGUN	7,558	7,559	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:36	LARGE	WLINGUN	7,573	7,574	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:32	LARGE	WLINGUN	7,588	7,589	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 05:31	LARGE	WLINGUN	7,603	7,604	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 41 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
27-Feb-23 00:39	LARGE	WLINGUN	7,618	7,619	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:38	LARGE	WLINGUN	7,631	7,632	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:37	LARGE	WLINGUN	7,648	7,649	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:36	LARGE	WLINGUN	7,663	7,664	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:35	LARGE	WLINGUN	7,678	7,679	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:34	LARGE	WLINGUN	7,693	7,694	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:33	LARGE	WLINGUN	7,708	7,709	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:32	LARGE	WLINGUN	7,724	7,725	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:31	LARGE	WLINGUN	7,739	7,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:30	LARGE	WLINGUN	7,752	7,753	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:29	LARGE	WLINGUN	7,769	7,770	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
27-Feb-23 00:28	LARGE	WLINGUN	7,780	7,781	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 57

Report For 06:00 AM 07-Mar-23

Perforation Information

Stage: 40 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Feb-23 19:20	LARGE	WLINGUN	7,799	7,800	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:19	LARGE	WLINGUN	7,814	7,815	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:18	LARGE	WLINGUN	7,829	7,830	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:17	LARGE	WLINGUN	7,844	7,845	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:16	LARGE	WLINGUN	7,859	7,860	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:15	LARGE	WLINGUN	7,874	7,875	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:14	LARGE	WLINGUN	7,889	7,890	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:13	LARGE	WLINGUN	7,904	7,905	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:12	LARGE	WLINGUN	7,921	7,922	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:11	LARGE	WLINGUN	7,935	7,936	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:10	LARGE	WLINGUN	7,950	7,951	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 19:09	LARGE	WLINGUN	7,965	7,966	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 39 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Feb-23 14:10	LARGE	WLINGUN	7,980	7,981	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:09	LARGE	WLINGUN	7,995	7,996	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:08	LARGE	WLINGUN	8,010	8,011	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:07	LARGE	WLINGUN	8,025	8,026	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:06	LARGE	WLINGUN	8,037	8,038	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:05	LARGE	WLINGUN	8,055	8,056	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:04	LARGE	WLINGUN	8,070	8,071	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:03	LARGE	WLINGUN	8,086	8,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:02	LARGE	WLINGUN	8,100	8,101	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:01	LARGE	WLINGUN	8,116	8,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 14:00	LARGE	WLINGUN	8,131	8,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 13:59	LARGE	WLINGUN	8,146	8,147	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 57

Report For 06:00 AM 07-Mar-23

Perforation Information

Stage: 38 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
26-Feb-23 06:01	LARGE	WLINGUN	8,161	8,162	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 06:00	LARGE	WLINGUN	8,176	8,177	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:59	LARGE	WLINGUN	8,191	8,192	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:58	LARGE	WLINGUN	8,207	8,208	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:57	LARGE	WLINGUN	8,221	8,222	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:56	LARGE	WLINGUN	8,236	8,237	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:55	LARGE	WLINGUN	8,251	8,252	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:54	LARGE	WLINGUN	8,266	8,267	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:53	LARGE	WLINGUN	8,281	8,282	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:52	LARGE	WLINGUN	8,297	8,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:51	LARGE	WLINGUN	8,312	8,313	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
26-Feb-23 05:50	LARGE	WLINGUN	8,324	8,325	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 37 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Feb-23 16:37	LARGE	WLINGUN	8,342	8,343	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:36	LARGE	WLINGUN	8,357	8,358	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:35	LARGE	WLINGUN	8,372	8,373	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:34	LARGE	WLINGUN	8,387	8,388	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:33	LARGE	WLINGUN	8,402	8,403	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:32	LARGE	WLINGUN	8,417	8,418	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:31	LARGE	WLINGUN	8,432	8,433	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:30	LARGE	WLINGUN	8,446	8,447	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:29	LARGE	WLINGUN	8,462	8,463	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:28	LARGE	WLINGUN	8,477	8,478	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:27	LARGE	WLINGUN	8,493	8,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 16:26	LARGE	WLINGUN	8,508	8,509	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 57

Report For 06:00 AM 07-Mar-23

Perforation Information

Stage: 36 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Feb-23 07:34	LARGE	WLINGUN	8,523	8,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:33	LARGE	WLINGUN	8,538	8,539	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:32	LARGE	WLINGUN	8,553	8,554	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:31	LARGE	WLINGUN	8,568	8,569	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:30	LARGE	WLINGUN	8,583	8,584	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:29	LARGE	WLINGUN	8,598	8,599	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:28	LARGE	WLINGUN	8,614	8,615	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:27	LARGE	WLINGUN	8,628	8,629	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:26	LARGE	WLINGUN	8,643	8,644	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:25	LARGE	WLINGUN	8,658	8,659	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:24	LARGE	WLINGUN	8,673	8,674	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 07:23	LARGE	WLINGUN	8,689	8,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 35 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
25-Feb-23 00:17	LARGE	WLINGUN	8,704	8,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:16	LARGE	WLINGUN	8,719	8,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:15	LARGE	WLINGUN	8,734	8,735	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:14	LARGE	WLINGUN	8,749	8,750	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:13	LARGE	WLINGUN	8,764	8,765	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:12	LARGE	WLINGUN	8,779	8,780	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:11	LARGE	WLINGUN	8,794	8,795	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:10	LARGE	WLINGUN	8,809	8,810	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:09	LARGE	WLINGUN	8,824	8,825	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:08	LARGE	WLINGUN	8,839	8,840	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:07	LARGE	WLINGUN	8,852	8,853	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
25-Feb-23 00:06	LARGE	WLINGUN	8,869	8,870	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 57

Report For 06:00 AM 07-Mar-23

Perforation Information

Stage: 34 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Feb-23 15:53	LARGE	WLINGUN	8,884	8,885	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:52	LARGE	WLINGUN	8,900	8,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:51	LARGE	WLINGUN	8,915	8,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:50	LARGE	WLINGUN	8,930	8,931	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:49	LARGE	WLINGUN	8,945	8,946	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:48	LARGE	WLINGUN	8,960	8,961	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:47	LARGE	WLINGUN	8,977	8,978	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:46	LARGE	WLINGUN	8,990	8,991	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:45	LARGE	WLINGUN	9,005	9,006	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:44	LARGE	WLINGUN	9,020	9,021	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:43	LARGE	WLINGUN	935	9,036	8,101	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 15:42	LARGE	WLINGUN	9,050	9,051	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 33 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
24-Feb-23 08:55	LARGE	WLINGUN	9,068	9,069	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:54	LARGE	WLINGUN	9,080	9,081	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:53	LARGE	WLINGUN	9,096	9,097	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:52	LARGE	WLINGUN	9,111	9,112	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:51	LARGE	WLINGUN	9,126	9,127	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:50	LARGE	WLINGUN	9,141	9,142	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:49	LARGE	WLINGUN	9,156	9,157	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:48	LARGE	WLINGUN	9,171	9,172	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:47	LARGE	WLINGUN	9,186	9,187	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:46	LARGE	WLINGUN	9,201	9,202	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:45	LARGE	WLINGUN	9,216	9,217	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
24-Feb-23 08:44	LARGE	WLINGUN	9,231	9,232	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 57

Report For 06:00 AM 07-Mar-23

Perforation Information

Stage: 32 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Feb-23 19:30	LARGE	WLINGUN	9,246	9,247	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:29	LARGE	WLINGUN	9,263	9,264	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:28	LARGE	WLINGUN	9,276	9,277	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:27	LARGE	WLINGUN	9,292	9,293	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:26	LARGE	WLINGUN	9,307	9,308	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:25	LARGE	WLINGUN	9,322	9,323	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:24	LARGE	WLINGUN	9,337	9,338	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:23	LARGE	WLINGUN	9,352	9,353	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:22	LARGE	WLINGUN	9,367	9,368	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:21	LARGE	WLINGUN	9,379	9,380	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:20	LARGE	WLINGUN	9,397	9,398	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 19:19	LARGE	WLINGUN	9,407	9,408	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 31 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Feb-23 10:53	LARGE	WLINGUN	9,427	9,428	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:52	LARGE	WLINGUN	9,442	9,443	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:51	LARGE	WLINGUN	9,457	9,458	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:50	LARGE	WLINGUN	9,473	9,474	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:49	LARGE	WLINGUN	9,488	9,489	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:48	LARGE	WLINGUN	9,501	9,502	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:46	LARGE	WLINGUN	9,518	9,519	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:45	LARGE	WLINGUN	9,533	9,534	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:44	LARGE	WLINGUN	9,548	9,549	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:43	LARGE	WLINGUN	9,563	9,564	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:42	LARGE	WLINGUN	9,578	9,579	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 10:41	LARGE	WLINGUN	9,593	9,594	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 57

Report For 06:00 AM 07-Mar-23

Perforation Information

Stage: 30 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
23-Feb-23 02:57	LARGE	WLINGUN	9,608	9,609	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:56	LARGE	WLINGUN	9,622	9,623	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:55	LARGE	WLINGUN	9,638	9,639	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:54	LARGE	WLINGUN	9,653	9,654	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:53	LARGE	WLINGUN	9,669	9,670	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:52	LARGE	WLINGUN	9,684	9,685	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:51	LARGE	WLINGUN	9,699	9,700	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:50	LARGE	WLINGUN	9,714	9,715	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:49	LARGE	WLINGUN	9,729	9,730	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:48	LARGE	WLINGUN	9,743	9,744	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:47	LARGE	WLINGUN	9,759	9,760	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
23-Feb-23 02:46	LARGE	WLINGUN	9,774	9,775	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 29 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 18:24	LARGE	WLINGUN	9,789	9,790	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:23	LARGE	WLINGUN	9,804	9,805	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:22	LARGE	WLINGUN	9,819	9,820	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:21	LARGE	WLINGUN	9,834	9,835	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:20	LARGE	WLINGUN	9,849	9,850	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:19	LARGE	WLINGUN	9,865	9,866	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:18	LARGE	WLINGUN	9,880	9,881	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:17	LARGE	WLINGUN	9,895	9,896	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:16	LARGE	WLINGUN	9,913	9,914	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:15	LARGE	WLINGUN	9,925	9,926	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:14	LARGE	WLINGUN	9,940	9,941	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 18:13	LARGE	WLINGUN	9,955	9,956	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 57

Report For 06:00 AM 07-Mar-23

Perforation Information

Stage: 28 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 09:32	LARGE	WLINGUN	9,970	9,971	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:31	LARGE	WLINGUN	9,985	9,986	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:30	LARGE	WLINGUN	10,000	10,001	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:29	LARGE	WLINGUN	10,015	10,016	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:28	LARGE	WLINGUN	10,033	10,034	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:27	LARGE	WLINGUN	10,045	10,046	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:26	LARGE	WLINGUN	10,061	10,062	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:25	LARGE	WLINGUN	10,076	10,077	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 09:24	LARGE	WLINGUN	10,019	10,020	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 28 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 09:23	LARGE	WLINGUN	10,106	10,107	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:22	LARGE	WLINGUN	10,121	10,122	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 09:21	LARGE	WLINGUN	10,136	10,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 27 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
22-Feb-23 00:27	LARGE	WLINGUN	10,150	10,151	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:26	LARGE	WLINGUN	10,166	10,167	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:25	LARGE	WLINGUN	10,181	10,182	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:24	LARGE	WLINGUN	10,199	10,200	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:23	LARGE	WLINGUN	10,211	10,212	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:22	LARGE	WLINGUN	10,226	10,227	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:21	LARGE	WLINGUN	10,241	10,242	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:20	LARGE	WLINGUN	10,257	10,258	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:19	LARGE	WLINGUN	10,272	10,273	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:18	LARGE	WLINGUN	10,287	10,288	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:17	LARGE	WLINGUN	10,302	10,303	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
22-Feb-23 00:16	LARGE	WLINGUN	10,314	10,315	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 57

Report For 06:00 AM 07-Mar-23

Perforation Information

Stage: 26 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 15:42	LARGE	WLINGUN	10,332	10,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:41	LARGE	WLINGUN	15,347	15,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:40	LARGE	WLINGUN	10,362	10,363	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:39	LARGE	WLINGUN	10,377	10,378	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:38	LARGE	WLINGUN	10,392	10,393	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:37	LARGE	WLINGUN	10,407	10,408	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:36	LARGE	WLINGUN	10,422	10,423	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:35	LARGE	WLINGUN	10,436	10,437	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:34	LARGE	WLINGUN	10,453	10,454	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:33	LARGE	WLINGUN	10,468	10,469	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:32	LARGE	WLINGUN	10,483	10,484	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 15:31	LARGE	WLINGUN	10,498	10,499	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 25 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:49	LARGE	WLINGUN	10,513	10,514	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:48	LARGE	WLINGUN	10,528	10,529	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:47	LARGE	WLINGUN	10,543	10,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:46	LARGE	WLINGUN	10,556	10,557	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 24 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:45	LARGE	WLINGUN	10,573	10,574	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 25 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
21-Feb-23 08:44	LARGE	WLINGUN	10,588	10,589	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:43	LARGE	WLINGUN	10,603	10,604	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:42	LARGE	WLINGUN	10,618	10,619	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 08:41	LARGE	WLINGUN	10,634	10,635	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:15	LARGE	WLINGUN	10,649	10,650	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:14	LARGE	WLINGUN	10,664	10,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
21-Feb-23 07:13	LARGE	WLINGUN	10,675	10,676	1	



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 57

Report For 06:00 AM 07-Mar-23

Perforation Information

Stage: 24 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 23:07	LARGE	WLINGUN	10,694	10,695	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:06	LARGE	WLINGUN	10,709	10,710	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:05	LARGE	WLINGUN	10,724	10,725	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:04	LARGE	WLINGUN	10,739	10,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:03	LARGE	WLINGUN	10,754	10,755	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:02	LARGE	WLINGUN	10,769	10,770	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:01	LARGE	WLINGUN	10,784	10,785	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 23:00	LARGE	WLINGUN	10,799	10,800	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:59	LARGE	WLINGUN	10,814	10,815	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:58	LARGE	WLINGUN	10,830	10,831	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:57	LARGE	WLINGUN	10,847	10,848	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 22:56	LARGE	WLINGUN	10,860	10,861	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 23 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 14:12	LARGE	WLINGUN	10,875	10,876	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:11	LARGE	WLINGUN	10,890	10,891	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:10	LARGE	WLINGUN	10,905	10,906	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:09	LARGE	WLINGUN	10,921	10,922	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:08	LARGE	WLINGUN	10,935	10,936	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:07	LARGE	WLINGUN	10,950	10,951	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:06	LARGE	WLINGUN	10,967	10,968	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:05	LARGE	WLINGUN	10,980	10,981	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:04	LARGE	WLINGUN	10,995	10,996	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:03	LARGE	WLINGUN	11,010	11,011	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:02	LARGE	WLINGUN	11,026	11,027	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 14:01	LARGE	WLINGUN	11,041	11,042	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 57

Report For 06:00 AM 07-Mar-23

Perforation Information

Stage: 22 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
20-Feb-23 05:51	LARGE	WLINGUN	11,071	11,072	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:50	LARGE	WLINGUN	11,086	11,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:49	LARGE	WLINGUN	11,101	11,102	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:48	LARGE	WLINGUN	11,116	11,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:47	LARGE	WLINGUN	11,131	11,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:46	LARGE	WLINGUN	11,145	11,146	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:45	LARGE	WLINGUN	11,161	11,162	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:44	LARGE	WLINGUN	11,176	11,177	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:43	LARGE	WLINGUN	11,191	11,192	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:41	LARGE	WLINGUN	11,206	11,207	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 05:40	LARGE	WLINGUN	11,222	11,223	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
20-Feb-23 00:00	LARGE	WLINGUN	11,056	11,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 21 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 19:12	LARGE	WLINGUN	11,237	11,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:11	LARGE	WLINGUN	11,252	11,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:10	LARGE	WLINGUN	11,265	11,266	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:09	LARGE	WLINGUN	11,282	11,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:08	LARGE	WLINGUN	11,297	11,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:07	LARGE	WLINGUN	11,312	11,313	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:06	LARGE	WLINGUN	11,327	11,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:05	LARGE	WLINGUN	11,342	11,343	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:04	LARGE	WLINGUN	11,357	11,358	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:03	LARGE	WLINGUN	11,372	11,373	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:02	LARGE	WLINGUN	11,387	11,388	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 19:01	LARGE	WLINGUN	11,402	11,403	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 57

Report For 06:00 AM 07-Mar-23

Perforation Information

Stage: 20 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 10:12	LARGE	WLINGUN	11,417	11,418	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:11	LARGE	WLINGUN	11,433	11,434	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:10	LARGE	WLINGUN	11,448	11,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:09	LARGE	WLINGUN	11,463	11,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:08	LARGE	WLINGUN	11,478	11,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:07	LARGE	WLINGUN	11,493	11,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:06	LARGE	WLINGUN	11,506	11,507	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:05	LARGE	WLINGUN	11,523	11,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:04	LARGE	WLINGUN	11,538	11,539	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:03	LARGE	WLINGUN	11,553	11,554	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:02	LARGE	WLINGUN	11,568	11,569	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 10:01	LARGE	WLINGUN	11,583	11,584	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 19 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
19-Feb-23 00:40	LARGE	WLINGUN	11,598	11,599	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:39	LARGE	WLINGUN	11,613	11,614	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:38	LARGE	WLINGUN	11,627	11,628	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:37	LARGE	WLINGUN	11,644	11,645	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:36	LARGE	WLINGUN	11,659	11,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:35	LARGE	WLINGUN	11,674	11,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:34	LARGE	WLINGUN	11,689	11,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:33	LARGE	WLINGUN	11,704	11,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:32	LARGE	WLINGUN	11,719	11,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:31	LARGE	WLINGUN	11,734	11,735	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:30	LARGE	WLINGUN	11,749	11,750	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
19-Feb-23 00:29	LARGE	WLINGUN	11,764	11,765	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 57

Report For 06:00 AM 07-Mar-23

Perforation Information

Stage: 18 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Feb-23 15:26	LARGE	WLINGUN	11,779	11,780	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:25	LARGE	WLINGUN	11,795	11,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:24	LARGE	WLINGUN	11,810	11,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:23	LARGE	WLINGUN	11,825	11,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:22	LARGE	WLINGUN	11,840	11,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:21	LARGE	WLINGUN	11,855	11,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:20	LARGE	WLINGUN	11,870	11,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:19	LARGE	WLINGUN	11,885	11,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:18	LARGE	WLINGUN	11,900	11,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:17	LARGE	WLINGUN	11,915	11,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:16	LARGE	WLINGUN	11,930	11,931	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 15:15	LARGE	WLINGUN	11,945	11,946	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 17 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
18-Feb-23 06:12	LARGE	WLINGUN	11,960	11,961	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:11	LARGE	WLINGUN	11,975	11,976	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:10	LARGE	WLINGUN	11,987	11,988	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:09	LARGE	WLINGUN	12,006	12,007	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:08	LARGE	WLINGUN	12,021	12,022	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:07	LARGE	WLINGUN	12,036	12,037	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:06	LARGE	WLINGUN	12,051	12,052	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:05	LARGE	WLINGUN	12,066	12,067	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:04	LARGE	WLINGUN	12,081	12,082	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:03	LARGE	WLINGUN	12,096	12,097	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:02	LARGE	WLINGUN	12,108	12,109	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
18-Feb-23 06:01	LARGE	WLINGUN	12,126	12,127	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 57

Report For 06:00 AM 07-Mar-23

Perforation Information

Stage: 16 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 23:06	LARGE	WLINGUN	12,141	12,142	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:05	LARGE	WLINGUN	12,156	12,157	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:04	LARGE	WLINGUN	12,171	12,172	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:03	LARGE	WLINGUN	12,186	12,187	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:02	LARGE	WLINGUN	12,202	12,203	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:01	LARGE	WLINGUN	12,217	12,218	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 23:00	LARGE	WLINGUN	12,231	12,232	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:59	LARGE	WLINGUN	12,247	12,248	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:58	LARGE	WLINGUN	12,262	12,263	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:57	LARGE	WLINGUN	12,277	12,278	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:56	LARGE	WLINGUN	12,292	12,293	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 22:55	LARGE	WLINGUN	12,307	12,308	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 15 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:42	LARGE	WLINGUN	12,322	12,323	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:41	LARGE	WLINGUN	12,337	12,338	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:40	LARGE	WLINGUN	12,352	12,353	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:39	LARGE	WLINGUN	12,367	12,368	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:38	LARGE	WLINGUN	12,382	12,383	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:37	LARGE	WLINGUN	12,398	12,399	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:36	LARGE	WLINGUN	12,413	12,414	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:35	LARGE	WLINGUN	12,428	12,429	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:34	LARGE	WLINGUN	12,443	12,444	1	

Stage: 15 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
17-Feb-23 08:33	LARGE	WLINGUN	12,458	12,459	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:32	LARGE	WLINGUN	12,472	12,473	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
17-Feb-23 08:31	LARGE	WLINGUN	12,488	12,489	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 57

Report For 06:00 AM 07-Mar-23

Perforation Information

Stage: 14 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 20:57	LARGE	WLINGUN	12,503	12,504	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:56	LARGE	WLINGUN	12,519	12,520	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:55	LARGE	WLINGUN	12,533	12,534	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:54	LARGE	WLINGUN	12,548	12,549	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:53	LARGE	WLINGUN	12,563	12,564	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:52	LARGE	WLINGUN	12,578	12,579	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:51	LARGE	WLINGUN	12,594	12,595	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:50	LARGE	WLINGUN	12,609	12,610	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:49	LARGE	WLINGUN	12,624	12,625	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:48	LARGE	WLINGUN	12,636	12,637	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:47	LARGE	WLINGUN	12,654	12,655	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 20:46	LARGE	WLINGUN	12,665	12,666	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 13 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 11:45	LARGE	WLINGUN	12,684	12,685	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:34	LARGE	WLINGUN	12,699	12,700	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:33	LARGE	WLINGUN	12,714	12,715	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:32	LARGE	WLINGUN	12,729	12,730	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:31	LARGE	WLINGUN	12,744	12,745	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:30	LARGE	WLINGUN	12,758	12,759	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:29	LARGE	WLINGUN	12,775	12,776	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:28	LARGE	WLINGUN	12,790	12,791	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:27	LARGE	WLINGUN	12,805	12,806	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:26	LARGE	WLINGUN	12,820	12,821	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:25	LARGE	WLINGUN	12,835	12,836	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 11:24	LARGE	WLINGUN	12,850	12,851	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 57

Report For 06:00 AM 07-Mar-23

Perforation Information

Stage: 12 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
16-Feb-23 01:29	LARGE	WLINGUN	12,865	12,866	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:28	LARGE	WLINGUN	12,877	12,878	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:27	LARGE	WLINGUN	12,895	12,896	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:26	LARGE	WLINGUN	12,910	12,911	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:25	LARGE	WLINGUN	12,925	12,926	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:24	LARGE	WLINGUN	12,940	12,941	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:23	LARGE	WLINGUN	12,955	12,956	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:22	LARGE	WLINGUN	12,971	12,972	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:21	LARGE	WLINGUN	12,986	12,987	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:20	LARGE	WLINGUN	12,999	13,000	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:19	LARGE	WLINGUN	13,016	13,017	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
16-Feb-23 01:18	LARGE	WLINGUN	13,029	13,030	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 11 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 14:42	LARGE	WLINGUN	13,047	13,048	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:41	LARGE	WLINGUN	13,061	13,062	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:40	LARGE	WLINGUN	13,076	13,077	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:39	LARGE	WLINGUN	13,091	13,092	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:38	LARGE	WLINGUN	13,106	13,107	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:37	LARGE	WLINGUN	13,121	13,122	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:36	LARGE	WLINGUN	13,136	13,137	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:35	LARGE	WLINGUN	13,151	13,152	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:34	LARGE	WLINGUN	13,167	13,168	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:33	LARGE	WLINGUN	13,182	13,183	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:32	LARGE	WLINGUN	13,197	13,198	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 14:31	LARGE	WLINGUN	13,212	13,213	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 57

Report For 06:00 AM 07-Mar-23

Perforation Information

Stage: 10 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
15-Feb-23 05:02	LARGE	WLINGUN	13,227	13,228	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:01	LARGE	WLINGUN	13,242	13,243	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 05:00	LARGE	WLINGUN	13,257	13,258	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:59	LARGE	WLINGUN	13,272	13,273	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:58	LARGE	WLINGUN	13,287	13,288	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:57	LARGE	WLINGUN	13,302	13,303	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:56	LARGE	WLINGUN	13,317	13,318	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:55	LARGE	WLINGUN	13,332	13,333	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:54	LARGE	WLINGUN	13,347	13,348	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:53	LARGE	WLINGUN	13,361	13,362	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:52	LARGE	WLINGUN	13,378	13,379	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
15-Feb-23 04:51	LARGE	WLINGUN	13,393	13,394	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 9 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 19:15	LARGE	WLINGUN	13,409	13,410	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:14	LARGE	WLINGUN	13,423	13,424	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:13	LARGE	WLINGUN	13,438	13,439	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:12	LARGE	WLINGUN	13,453	13,454	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:11	LARGE	WLINGUN	13,468	13,469	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:10	LARGE	WLINGUN	13,483	13,484	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:09	LARGE	WLINGUN	13,498	13,499	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:08	LARGE	WLINGUN	13,513	13,514	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:07	LARGE	WLINGUN	13,529	13,530	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:06	LARGE	WLINGUN	13,543	13,544	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:05	LARGE	WLINGUN	13,559	13,560	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 19:04	LARGE	WLINGUN	13,574	13,575	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 57

Report For 06:00 AM 07-Mar-23

Perforation Information

Stage: 8 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 09:47	LARGE	WLINGUN	13,589	13,590	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:46	LARGE	WLINGUN	13,607	13,608	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:45	LARGE	WLINGUN	13,619	13,620	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:44	LARGE	WLINGUN	13,634	13,635	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:43	LARGE	WLINGUN	13,649	13,650	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:42	LARGE	WLINGUN	13,662	13,663	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:41	LARGE	WLINGUN	13,679	13,680	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:40	LARGE	WLINGUN	13,694	13,695	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:39	LARGE	WLINGUN	13,709	13,710	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:38	LARGE	WLINGUN	13,727	13,728	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:37	LARGE	WLINGUN	13,739	13,740	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 09:36	LARGE	WLINGUN	13,755	13,756	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 7 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
14-Feb-23 00:03	LARGE	OTHER	13,770	13,771	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:02	LARGE	OTHER	13,783	13,784	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:01	LARGE	OTHER	13,800	13,801	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
14-Feb-23 00:00	LARGE	OTHER	13,815	13,816	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:59	LARGE	OTHER	13,830	13,831	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:58	LARGE	OTHER	13,845	13,846	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:57	LARGE	OTHER	13,860	13,861	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:56	LARGE	OTHER	13,875	13,876	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:55	LARGE	OTHER	13,890	13,891	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:54	LARGE	OTHER	13,903	13,904	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:53	LARGE	OTHER	13,920	13,921	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 23:52	LARGE	OTHER	13,933	13,934	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 57

Report For 06:00 AM 07-Mar-23

Perforation Information

Stage: 6 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 18:27	LARGE	OTHER	13,951	13,952	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:26	LARGE	OTHER	13,966	13,967	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:25	LARGE	OTHER	13,981	13,982	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:24	LARGE	OTHER	13,996	13,997	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:23	LARGE	OTHER	14,011	14,012	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:22	LARGE	OTHER	14,026	14,027	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:21	LARGE	OTHER	14,041	14,042	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:20	LARGE	OTHER	14,056	14,057	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:19	LARGE	OTHER	14,072	14,073	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:18	LARGE	OTHER	14,086	14,087	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:17	LARGE	OTHER	14,101	14,102	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 18:16	LARGE	OTHER	14,116	14,117	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 5 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 08:32	LARGE	OTHER	14,131	14,132	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:31	LARGE	OTHER	14,147	14,148	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:30	LARGE	OTHER	14,162	14,163	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:29	LARGE	OTHER	14,177	14,178	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:28	LARGE	OTHER	14,194	14,195	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:27	LARGE	OTHER	14,207	14,208	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:26	LARGE	OTHER	14,222	14,223	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:25	LARGE	OTHER	14,237	14,238	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:24	LARGE	OTHER	14,252	14,253	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:23	LARGE	OTHER	14,267	14,268	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:22	LARGE	OTHER	14,282	14,283	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 08:21	LARGE	OTHER	14,297	14,298	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 57

Report For 06:00 AM 07-Mar-23

Perforation Information

Stage: 4 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
13-Feb-23 01:37	LARGE	OTHER	14,315	14,316	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:36	LARGE	OTHER	14,327	14,328	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:35	LARGE	OTHER	14,343	14,344	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:34	LARGE	OTHER	14,358	14,359	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:33	LARGE	OTHER	14,373	14,374	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:32	LARGE	OTHER	14,388	14,389	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:31	LARGE	OTHER	14,403	14,404	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:30	LARGE	OTHER	14,418	14,419	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:29	LARGE	OTHER	14,435	14,436	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:28	LARGE	OTHER	14,448	14,449	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:27	LARGE	OTHER	14,463	14,464	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
13-Feb-23 01:26	LARGE	OTHER	14,478	14,479	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 3 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
11-Feb-23 18:12	LARGE	OTHER	14,493	14,494	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:11	LARGE	OTHER	14,508	14,509	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:10	LARGE	OTHER	14,523	14,524	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:09	LARGE	OTHER	14,539	14,540	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:08	LARGE	OTHER	14,550	14,551	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:07	LARGE	OTHER	14,569	14,570	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:06	LARGE	OTHER	14,584	14,585	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:05	LARGE	OTHER	14,599	14,600	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:04	LARGE	OTHER	14,614	14,615	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:03	LARGE	OTHER	14,629	14,630	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:02	LARGE	OTHER	14,664	14,665	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
11-Feb-23 18:01	LARGE	OTHER	14,659	14,660	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B



Daily Completion Report

Well ID: 42-105-42524

Field: Barnyard

SEM

Well Name: University 40 2109WB

Sect: 21 County: Crockett State: TX

Report No: 57

Report For 06:00 AM 07-Mar-23

Perforation Information

Stage: 2 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
09-Feb-23 21:42	LARGE	OTHER	14,674	14,675	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:41	LARGE	OTHER	14,689	14,690	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:40	LARGE	OTHER	14,704	14,705	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:39	LARGE	OTHER	14,719	14,720	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:38	LARGE	OTHER	14,735	14,736	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:37	LARGE	OTHER	14,750	14,751	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:36	LARGE	OTHER	14,765	14,766	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:35	LARGE	OTHER	14,780	14,781	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:34	LARGE	OTHER	14,795	14,796	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:33	LARGE	OTHER	14,810	14,811	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:32	LARGE	OTHER	14,825	14,826	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
09-Feb-23 21:31	LARGE	OTHER	14,840	14,841	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B

Stage: 1 of 44

Perforation Date	Type	Method	Top (ft)	Bottom (ft)	Length (ft)	Comments
29-Jan-23 15:10	LARGE	OTHER	14,855	14,856	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:09	LARGE	OTHER	14,870	14,871	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:08	LARGE	OTHER	14,885	14,886	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:07	LARGE	OTHER	14,900	14,901	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:06	LARGE	OTHER	14,915	14,916	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:05	LARGE	OTHER	14,931	14,932	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:04	LARGE	OTHER	14,946	14,947	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:03	LARGE	OTHER	14,961	14,962	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:02	LARGE	OTHER	14,976	14,977	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:01	LARGE	OTHER	14,991	14,992	1	3 1/8 4 SPF 90 DEGREE EHD BASIX 35 EC2-33A1871-B
29-Jan-23 15:00	LARGE	OTHER	15,013	15,021	8	TOE SLEEVE

Safety Information

First Aid Treatments:	Medical Treatments:	Lost Time Incidents:	Days Since LTI:
<input type="checkbox"/> BOP Test	<input type="checkbox"/> Crownamatic Check		