



7821 Will Rogers Blvd.  
Fort Worth, Texas 76140  
817.568.1038 (office)  
817.568.1499 (fax)  
www.msdir.com

September 6, 2019

The Railroad Commission of Texas  
Oil & Gas Division  
PO Box 12967  
Austin, TX 78711-2967

WPX Energy Permian, LLC  
University 41, 411H (Permit No: 852415)  
Survey: UL / Abstract: U28  
Field: Phantom (Wolfcamp)  
Winkler County, TX

API Number: 42-495-34353

Please find the attached survey performed on the above referenced well by MS Directional LLC;  
**Operator Number 592486.** Other information required by your office is as follows:

| Name of Surveyor | Drainhole Number  | Surveyed Depths | Dates Performed     | Type of Survey |
|------------------|-------------------|-----------------|---------------------|----------------|
| Daniel White     | Original Wellbore | 166' – 17,222'  | 06/12/19 – 08/03/19 | MWD            |

If any other information is required, please contact the undersigned at the letterhead address and telephone number.

Sincerely,

Amber Greer  
Regulatory Administrator

**CONFIDENTIALITY NOTICE:** This document contains MS Directional LLC's proprietary and confidential information and may not be copied, published, distributed or transmitted, in whole or in part, by any medium or in any form without MS Directional LLC's prior written consent. The information contained in this document is not to be used by or disclosed to any individuals other than those who need to know such information and who have been given notice that such information is proprietary and confidential.

V09.04.02

|                            |               |                         |                   |             |                     |   |             |                     |                         |        |             |              |         |  |
|----------------------------|---------------|-------------------------|-------------------|-------------|---------------------|---|-------------|---------------------|-------------------------|--------|-------------|--------------|---------|--|
| Company:                   |               | WPX Energy Permian, LLC |                   |             |                     | <div>Magnetic Declination: 8.42</div> <div>REFERENCED TO GRID NORTH</div> |             |                     |                         |        |             |              |         |  |
| Well Name:                 |               | University 41 411H      |                   |             |                     |   |             |                     |                         |        |             |              |         |  |
| Location:                  |               | Winkler County, TX      |                   |             |                     |   |             |                     |                         |        |             |              |         |  |
| Rig:                       |               | H&P #314                |                   |             |                     |   |             |                     |                         |        |             |              |         |  |
| Job Number:                |               | MSMO-66604              |                   |             |                     |   |             |                     |                         |        |             |              |         |  |
| API #:                     |               | 42-495-34353            |                   |             |                     |   |             |                     |                         |        |             |              |         |  |
| Vertical Section Azimuth:  |               |                         | 163.71            |             | Proposed Direction: |   |             | 163.71              |                         |        |             |              |         |  |
| Survey Calculation Method: |               |                         | Minimum Curvature |             |                     |   |             |                     |                         |        |             |              |         |  |
| PTB:                       | MD            |                         | INC               |             | AZM                 |   | TVD         |                     | N/S                     |        | E/W         |              | VS      |  |
|                            | 17,276        |                         | 89.1              |             | 163.5               |   | 11785.21    |                     | -5535.96                |        | 778.46      |              | 5532.07 |  |
| #                          | Depth<br>Feet | Inc<br>Degrees          | Azm<br>Degrees    | TVD<br>Feet | N/S<br>Feet         |   | E/W<br>Feet | Surface<br>Vert Sec | Closure<br>Distance Azm |        | DLS/<br>100 | BUR/<br>100' |         |  |
| TIE IN                     | 0             | 0.00                    | 0.00              | 0.00        | 0.00                |   | 0.00        |                     | 0.00                    |        |             |              |         |  |
| 1                          | 166           | 0.80                    | 19.10             | 165.99      | 1.10                |   | 0.38        | -0.94               | 1.16                    | 19.10  | 0.48        | 0.48         |         |  |
| 2                          | 258           | 0.40                    | 0.80              | 257.99      | 2.02                |   | 0.59        | -1.78               | 2.11                    | 16.36  | 0.48        | -0.43        |         |  |
| 3                          | 350           | 0.80                    | 357.60            | 349.98      | 2.99                |   | 0.57        | -2.71               | 3.04                    | 10.83  | 0.44        | 0.43         |         |  |
| 4                          | 443           | 0.70                    | 356.60            | 442.98      | 4.20                |   | 0.51        | -3.89               | 4.23                    | 6.93   | 0.11        | -0.11        |         |  |
| 5                          | 519           | 0.80                    | 21.80             | 518.97      | 5.16                |   | 0.68        | -4.76               | 5.20                    | 7.51   | 0.45        | 0.13         |         |  |
| 6                          | 611           | 0.80                    | 32.40             | 610.96      | 6.30                |   | 1.26        | -5.69               | 6.42                    | 11.34  | 0.16        | 0.00         |         |  |
| 7                          | 704           | 0.90                    | 45.20             | 703.95      | 7.36                |   | 2.13        | -6.47               | 7.66                    | 16.13  | 0.23        | 0.11         |         |  |
| 8                          | 796           | 1.10                    | 41.20             | 795.94      | 8.53                |   | 3.22        | -7.29               | 9.12                    | 20.69  | 0.23        | 0.22         |         |  |
| 9                          | 889           | 1.00                    | 48.30             | 888.92      | 9.74                |   | 4.42        | -8.11               | 10.70                   | 24.39  | 0.18        | -0.11        |         |  |
| 10                         | 981           | 0.90                    | 39.90             | 980.91      | 10.83               |   | 5.48        | -8.86               | 12.14                   | 26.83  | 0.19        | -0.11        |         |  |
| 11                         | 1,074         | 0.70                    | 168.60            | 1073.90     | 10.84               |   | 6.06        | -8.70               | 12.42                   | 29.22  | 1.55        | -0.22        |         |  |
| 12                         | 1,166         | 0.90                    | 193.30            | 1165.90     | 9.58                |   | 6.01        | -7.51               | 11.31                   | 32.08  | 0.43        | 0.22         |         |  |
| 13                         | 1,259         | 0.80                    | 182.50            | 1258.89     | 8.22                |   | 5.81        | -6.26               | 10.07                   | 35.24  | 0.20        | -0.11        |         |  |
| 14                         | 1,354         | 0.80                    | 190.00            | 1353.88     | 6.91                |   | 5.67        | -5.04               | 8.93                    | 39.36  | 0.11        | 0.00         |         |  |
| 15                         | 1,448         | 0.70                    | 183.80            | 1447.87     | 5.69                |   | 5.51        | -3.91               | 7.92                    | 44.11  | 0.14        | -0.11        |         |  |
| 16                         | 1,543         | 0.70                    | 161.40            | 1542.86     | 4.56                |   | 5.66        | -2.79               | 7.27                    | 51.15  | 0.29        | 0.00         |         |  |
| 17                         | 1,638         | 0.60                    | 169.30            | 1637.86     | 3.52                |   | 5.94        | -1.71               | 6.90                    | 59.34  | 0.14        | -0.11        |         |  |
| 18                         | 1,733         | 0.70                    | 132.30            | 1732.85     | 2.64                |   | 6.46        | -0.72               | 6.98                    | 67.76  | 0.45        | 0.11         |         |  |
| 19                         | 1,827         | 0.60                    | 121.40            | 1826.84     | 2.00                |   | 7.30        | 0.13                | 7.57                    | 74.70  | 0.17        | -0.11        |         |  |
| 20                         | 1,922         | 0.80                    | 122.50            | 1921.84     | 1.38                |   | 8.29        | 1.00                | 8.40                    | 80.53  | 0.21        | 0.21         |         |  |
| 21                         | 2,017         | 0.60                    | 110.80            | 2016.83     | 0.85                |   | 9.31        | 1.80                | 9.35                    | 84.79  | 0.26        | -0.21        |         |  |
| 22                         | 2,111         | 1.10                    | 241.00            | 2110.82     | 0.24                |   | 8.98        | 2.29                | 8.99                    | 88.49  | 1.66        | 0.53         |         |  |
| 23                         | 2,206         | 2.70                    | 257.90            | 2205.77     | -0.67               |   | 6.00        | 2.33                | 6.04                    | 96.41  | 1.77        | 1.68         |         |  |
| 24                         | 2,301         | 3.70                    | 263.80            | 2300.62     | -1.47               |   | 0.76        | 1.63                | 1.66                    | 152.67 | 1.11        | 1.05         |         |  |
| 25                         | 2,396         | 5.30                    | 260.20            | 2395.32     | -2.55               |   | -6.61       | 0.60                | 7.09                    | 248.89 | 1.71        | 1.68         |         |  |
| 26                         | 2,491         | 7.00                    | 259.00            | 2489.77     | -4.40               |   | -16.62      | -0.43               | 17.19                   | 255.16 | 1.79        | 1.79         |         |  |
| 27                         | 2,586         | 8.40                    | 260.80            | 2583.92     | -6.62               |   | -29.15      | -1.82               | 29.89                   | 257.21 | 1.50        | 1.47         |         |  |
| 28                         | 2,681         | 8.50                    | 262.70            | 2677.88     | -8.62               |   | -42.96      | -3.78               | 43.82                   | 258.66 | 0.31        | 0.11         |         |  |
| 29                         | 2,776         | 8.10                    | 262.00            | 2771.89     | -10.44              |   | -56.55      | -5.84               | 57.51                   | 259.54 | 0.43        | -0.42        |         |  |
| 30                         | 2,871         | 7.70                    | 263.70            | 2865.99     | -12.07              |   | -69.51      | -7.91               | 70.55                   | 260.15 | 0.49        | -0.42        |         |  |
| 31                         | 2,966         | 8.50                    | 257.70            | 2960.04     | -14.27              |   | -82.69      | -9.50               | 83.92                   | 260.21 | 1.22        | 0.84         |         |  |
| 32                         | 3,061         | 9.20                    | 255.30            | 3053.91     | -17.69              |   | -96.90      | -10.20              | 98.50                   | 259.65 | 0.83        | 0.74         |         |  |

Page 1

|                            |               |                         |                |                   |             |                       |                     |                         |        |                            |              |
|----------------------------|---------------|-------------------------|----------------|-------------------|-------------|-----------------------|---------------------|-------------------------|--------|----------------------------|--------------|
| Company:                   |               | WPX Energy Permian, LLC |                |                   |             |                       |                     |                         |        |                            |              |
| Well Name:                 |               | University 41 411H      |                |                   |             |                       |                     |                         |        |                            |              |
| Location:                  |               | Winkler County, TX      |                |                   |             |                       |                     |                         |        |                            |              |
| Rig:                       |               | H&P #314                |                |                   |             | Magnetic Declination: |                     | 8.42                    |        | REFERENCED TO GRID NORTH ▼ |              |
| Job Number:                |               | MSMO-66604              |                |                   |             |                       |                     |                         |        |                            |              |
| API #:                     |               | 42-495-34353            |                |                   |             |                       |                     |                         |        |                            |              |
| Vertical Section Azimuth:  |               |                         |                | 163.71            |             | Proposed Direction:   |                     | 163.71                  |        |                            |              |
| Survey Calculation Method: |               |                         |                | Minimum Curvature |             |                       |                     |                         |        |                            |              |
| PTB:                       | MD            |                         | INC            |                   | AZM         | TVD                   | N/S                 | E/W                     |        | VS                         |              |
|                            | 17,276        |                         | 89.1           |                   | 163.5       | 11785.21              | -5535.96            | 778.46                  |        | 5532.07                    |              |
| #                          | Depth<br>Feet | Inc<br>Degrees          | Azm<br>Degrees | TVD<br>Feet       | N/S<br>Feet | E/W<br>Feet           | Surface<br>Vert Sec | Closure<br>Distance Azm |        | DLS/<br>100                | BUR/<br>100' |
| 33                         | 3,155         | 8.80                    | 257.20         | 3146.75           | -21.19      | -111.18               | -10.85              | 113.18                  | 259.21 | 0.53                       | -0.43        |
| 34                         | 3,250         | 8.10                    | 257.90         | 3240.72           | -24.20      | -124.81               | -11.78              | 127.14                  | 259.03 | 0.74                       | -0.74        |
| 35                         | 3,345         | 7.30                    | 258.20         | 3334.86           | -26.84      | -137.26               | -12.74              | 139.86                  | 258.94 | 0.84                       | -0.84        |
| 36                         | 3,440         | 8.10                    | 260.80         | 3429.01           | -29.14      | -149.78               | -14.04              | 152.59                  | 258.99 | 0.92                       | 0.84         |
| 37                         | 3,534         | 8.80                    | 262.00         | 3521.98           | -31.20      | -163.44               | -15.89              | 166.39                  | 259.19 | 0.77                       | 0.74         |
| 38                         | 3,629         | 8.40                    | 261.10         | 3615.92           | -33.29      | -177.49               | -17.83              | 180.58                  | 259.38 | 0.44                       | -0.42        |
| 39                         | 3,724         | 9.20                    | 260.80         | 3709.80           | -35.58      | -191.84               | -19.66              | 195.11                  | 259.49 | 0.84                       | 0.84         |
| 40                         | 3,819         | 9.70                    | 259.70         | 3803.51           | -38.22      | -207.21               | -21.44              | 210.71                  | 259.55 | 0.56                       | 0.53         |
| 41                         | 3,914         | 8.80                    | 260.50         | 3897.27           | -40.85      | -222.25               | -23.13              | 225.98                  | 259.58 | 0.96                       | -0.95        |
| 42                         | 4,009         | 9.30                    | 260.10         | 3991.09           | -43.37      | -236.98               | -24.84              | 240.92                  | 259.63 | 0.53                       | 0.53         |
| 43                         | 4,104         | 9.20                    | 260.10         | 4084.85           | -46.00      | -252.02               | -26.54              | 256.19                  | 259.66 | 0.11                       | -0.11        |
| 44                         | 4,199         | 8.60                    | 259.50         | 4178.71           | -48.60      | -266.49               | -28.10              | 270.88                  | 259.67 | 0.64                       | -0.63        |
| 45                         | 4,294         | 9.10                    | 261.50         | 4272.58           | -51.00      | -280.90               | -29.84              | 285.50                  | 259.71 | 0.62                       | 0.53         |
| 46                         | 4,389         | 9.40                    | 263.90         | 4366.34           | -52.94      | -296.05               | -32.23              | 300.74                  | 259.86 | 0.51                       | 0.32         |
| 47                         | 4,484         | 9.00                    | 264.20         | 4460.12           | -54.51      | -311.16               | -34.96              | 315.89                  | 260.06 | 0.42                       | -0.42        |
| 48                         | 4,579         | 8.60                    | 264.50         | 4554.00           | -55.94      | -325.62               | -37.64              | 330.39                  | 260.25 | 0.42                       | -0.42        |
| 49                         | 4,674         | 9.10                    | 261.70         | 4647.87           | -57.71      | -340.12               | -40.01              | 344.98                  | 260.37 | 0.69                       | 0.53         |
| 50                         | 4,769         | 9.90                    | 259.60         | 4741.57           | -60.27      | -355.59               | -41.89              | 360.66                  | 260.38 | 0.92                       | 0.84         |
| 51                         | 4,864         | 9.00                    | 261.10         | 4835.28           | -62.89      | -370.96               | -43.69              | 376.26                  | 260.38 | 0.98                       | -0.95        |
| 52                         | 4,958         | 8.40                    | 260.40         | 4928.20           | -65.17      | -385.00               | -45.43              | 390.47                  | 260.39 | 0.65                       | -0.64        |
| 53                         | 5,053         | 8.00                    | 261.90         | 5022.22           | -67.26      | -398.38               | -47.18              | 404.02                  | 260.42 | 0.48                       | -0.42        |
| 54                         | 5,148         | 7.70                    | 261.20         | 5116.33           | -69.17      | -411.22               | -48.96              | 416.99                  | 260.45 | 0.33                       | -0.32        |
| 55                         | 5,197         | 7.40                    | 260.40         | 5164.91           | -70.20      | -417.57               | -49.75              | 423.43                  | 260.46 | 0.65                       | -0.61        |
| 56                         | 5,336         | 6.90                    | 263.70         | 5302.83           | -72.61      | -434.70               | -52.24              | 440.72                  | 260.52 | 0.47                       | -0.36        |
| 57                         | 5,431         | 9.10                    | 261.40         | 5396.90           | -74.35      | -447.80               | -54.24              | 453.93                  | 260.57 | 2.34                       | 2.32         |
| 58                         | 5,526         | 9.60                    | 261.50         | 5490.64           | -76.65      | -463.06               | -56.32              | 469.36                  | 260.60 | 0.53                       | 0.53         |
| 59                         | 5,621         | 9.30                    | 262.60         | 5584.35           | -78.81      | -478.51               | -58.58              | 484.96                  | 260.65 | 0.37                       | -0.32        |
| 60                         | 5,716         | 8.90                    | 263.50         | 5678.15           | -80.63      | -493.42               | -61.01              | 499.97                  | 260.72 | 0.45                       | -0.42        |
| 61                         | 5,810         | 7.90                    | 262.80         | 5771.14           | -82.26      | -507.06               | -63.27              | 513.69                  | 260.78 | 1.07                       | -1.06        |
| 62                         | 5,905         | 9.80                    | 257.60         | 5865.01           | -84.82      | -521.43               | -64.85              | 528.29                  | 260.76 | 2.17                       | 2.00         |
| 63                         | 6,000         | 10.10                   | 256.20         | 5958.58           | -88.54      | -537.42               | -65.76              | 544.66                  | 260.64 | 0.41                       | 0.32         |
| 64                         | 6,095         | 9.80                    | 255.40         | 6052.15           | -92.56      | -553.33               | -66.36              | 561.02                  | 260.50 | 0.35                       | -0.32        |
| 65                         | 6,190         | 9.10                    | 256.60         | 6145.86           | -96.34      | -568.46               | -66.98              | 576.57                  | 260.38 | 0.77                       | -0.74        |

|                            |               |                         |                |                   |             |                       |                     |                              |        |                            |              |
|----------------------------|---------------|-------------------------|----------------|-------------------|-------------|-----------------------|---------------------|------------------------------|--------|----------------------------|--------------|
| Company:                   |               | WPX Energy Permian, LLC |                |                   |             |                       |                     |                              |        |                            |              |
| Well Name:                 |               | University 41 411H      |                |                   |             |                       |                     |                              |        |                            |              |
| Location:                  |               | Winkler County, TX      |                |                   |             |                       |                     |                              |        |                            |              |
| Rig:                       |               | H&P #314                |                |                   |             | Magnetic Declination: |                     | 8.42                         |        | REFERENCED TO GRID NORTH ▼ |              |
| Job Number:                |               | MSMO-66604              |                |                   |             |                       |                     |                              |        |                            |              |
| API #:                     |               | 42-495-34353            |                |                   |             |                       |                     |                              |        |                            |              |
| Vertical Section Azimuth:  |               |                         |                | 163.71            |             | Proposed Direction:   |                     | 163.71                       |        |                            |              |
| Survey Calculation Method: |               |                         |                | Minimum Curvature |             |                       |                     |                              |        |                            |              |
| PTB:                       | MD            |                         | INC            |                   | AZM         | TVD                   | N/S                 | E/W                          |        | VS                         |              |
|                            | 17,276        |                         | 89.1           |                   | 163.5       | 11785.21              | -5535.96            | 778.46                       |        | 5532.07                    |              |
| #                          | Depth<br>Feet | Inc<br>Degrees          | Azm<br>Degrees | TVD<br>Feet       | N/S<br>Feet | E/W<br>Feet           | Surface<br>Vert Sec | Closure<br>Distance      Azm |        | DLS/<br>100                | BUR/<br>100' |
| 66                         | 6,285         | 9.90                    | 257.20         | 6239.56           | -99.89      | -583.74               | -67.85              | 592.22                       | 260.29 | 0.85                       | 0.84         |
| 67                         | 6,380         | 9.80                    | 258.10         | 6333.16           | -103.37     | -599.61               | -68.97              | 608.46                       | 260.22 | 0.19                       | -0.11        |
| 68                         | 6,474         | 9.60                    | 259.30         | 6425.81           | -106.48     | -615.14               | -70.35              | 624.29                       | 260.18 | 0.30                       | -0.21        |
| 69                         | 6,569         | 9.50                    | 260.20         | 6519.50           | -109.28     | -630.65               | -72.00              | 640.05                       | 260.17 | 0.19                       | -0.11        |
| 70                         | 6,664         | 9.70                    | 260.10         | 6613.17           | -111.99     | -646.26               | -73.78              | 655.89                       | 260.17 | 0.21                       | 0.21         |
| 71                         | 6,759         | 9.70                    | 260.80         | 6706.81           | -114.65     | -662.04               | -75.66              | 671.90                       | 260.18 | 0.12                       | 0.00         |
| 72                         | 6,853         | 9.60                    | 260.80         | 6799.48           | -117.17     | -677.60               | -77.60              | 687.65                       | 260.19 | 0.11                       | -0.11        |
| 73                         | 6,948         | 8.80                    | 260.90         | 6893.25           | -119.58     | -692.59               | -79.49              | 702.84                       | 260.20 | 0.84                       | -0.84        |
| 74                         | 7,043         | 8.20                    | 261.50         | 6987.21           | -121.73     | -706.47               | -81.32              | 716.88                       | 260.22 | 0.64                       | -0.63        |
| 75                         | 7,138         | 7.50                    | 259.40         | 7081.32           | -123.87     | -719.26               | -82.85              | 729.85                       | 260.23 | 0.80                       | -0.74        |
| 76                         | 7,233         | 6.70                    | 260.70         | 7175.59           | -125.91     | -730.83               | -84.14              | 741.59                       | 260.22 | 0.86                       | -0.84        |
| 77                         | 7,328         | 7.60                    | 261.90         | 7269.85           | -127.69     | -742.52               | -85.71              | 753.42                       | 260.24 | 0.96                       | 0.95         |
| 78                         | 7,422         | 9.40                    | 263.00         | 7362.81           | -129.50     | -756.29               | -87.83              | 767.30                       | 260.28 | 1.92                       | 1.91         |
| 79                         | 7,517         | 8.10                    | 263.80         | 7456.71           | -131.17     | -770.64               | -90.26              | 781.73                       | 260.34 | 1.37                       | -1.37        |
| 80                         | 7,612         | 7.00                    | 259.50         | 7550.88           | -132.95     | -782.99               | -92.02              | 794.20                       | 260.36 | 1.30                       | -1.16        |
| 81                         | 7,707         | 8.10                    | 260.10         | 7645.06           | -135.15     | -795.28               | -93.35              | 806.68                       | 260.35 | 1.16                       | 1.16         |
| 82                         | 7,801         | 7.00                    | 259.70         | 7738.24           | -137.32     | -807.44               | -94.68              | 819.03                       | 260.35 | 1.17                       | -1.17        |
| 83                         | 7,896         | 8.50                    | 255.70         | 7832.37           | -140.09     | -819.94               | -95.53              | 831.82                       | 260.30 | 1.68                       | 1.58         |
| 84                         | 7,991         | 9.40                    | 254.00         | 7926.21           | -143.96     | -834.20               | -95.81              | 846.53                       | 260.21 | 0.99                       | 0.95         |
| 85                         | 8,086         | 7.90                    | 253.20         | 8020.13           | -147.99     | -847.90               | -95.79              | 860.72                       | 260.10 | 1.58                       | -1.58        |
| 86                         | 8,181         | 9.40                    | 257.90         | 8114.05           | -151.50     | -861.74               | -96.30              | 874.96                       | 260.03 | 1.74                       | 1.58         |
| 87                         | 8,275         | 8.80                    | 258.70         | 8206.87           | -154.52     | -876.30               | -97.49              | 889.82                       | 260.00 | 0.65                       | -0.64        |
| 88                         | 8,370         | 7.70                    | 259.80         | 8300.88           | -157.07     | -889.69               | -98.79              | 903.45                       | 259.99 | 1.17                       | -1.16        |
| 89                         | 8,465         | 9.40                    | 261.60         | 8394.82           | -159.33     | -903.63               | -100.54             | 917.57                       | 260.00 | 1.81                       | 1.79         |
| 90                         | 8,560         | 9.80                    | 262.90         | 8488.49           | -161.46     | -919.33               | -102.89             | 933.40                       | 260.04 | 0.48                       | 0.42         |
| 91                         | 8,654         | 7.80                    | 260.00         | 8581.38           | -163.56     | -933.55               | -104.87             | 947.77                       | 260.06 | 2.18                       | -2.13        |
| 92                         | 8,749         | 6.60                    | 257.10         | 8675.63           | -165.90     | -945.22               | -105.90             | 959.67                       | 260.05 | 1.32                       | -1.26        |
| 93                         | 8,844         | 5.10                    | 250.50         | 8770.13           | -168.52     | -954.52               | -105.98             | 969.28                       | 259.99 | 1.73                       | -1.58        |
| 94                         | 8,939         | 3.90                    | 241.50         | 8864.84           | -171.48     | -961.34               | -105.06             | 976.51                       | 259.89 | 1.46                       | -1.26        |
| 95                         | 9,033         | 3.30                    | 236.80         | 8958.65           | -174.48     | -966.41               | -103.60             | 982.04                       | 259.77 | 0.71                       | -0.64        |
| 96                         | 9,128         | 1.20                    | 250.10         | 9053.58           | -176.32     | -969.64               | -102.74             | 985.54                       | 259.69 | 2.26                       | -2.21        |
| 97                         | 9,223         | 0.80                    | 273.60         | 9148.56           | -176.62     | -971.23               | -102.91             | 987.16                       | 259.69 | 0.59                       | -0.42        |

|                            |               |                         |                   |             |             |                       |                     |                         |        |                            |              |
|----------------------------|---------------|-------------------------|-------------------|-------------|-------------|-----------------------|---------------------|-------------------------|--------|----------------------------|--------------|
| Company:                   |               | WPX Energy Permian, LLC |                   |             |             |                       |                     |                         |        |                            |              |
| Well Name:                 |               | University 41 411H      |                   |             |             |                       |                     |                         |        |                            |              |
| Location:                  |               | Winkler County, TX      |                   |             |             |                       |                     |                         |        |                            |              |
| Rig:                       |               | H&P #314                |                   |             |             | Magnetic Declination: |                     | 8.42                    |        | REFERENCED TO GRID NORTH ▼ |              |
| Job Number:                |               | MSMO-66604              |                   |             |             |                       |                     |                         |        |                            |              |
| API #:                     |               | 42-495-34353            |                   |             |             |                       |                     |                         |        |                            |              |
| Vertical Section Azimuth:  |               |                         | 163.71            |             |             | Proposed Direction:   |                     | 163.71                  |        |                            |              |
| Survey Calculation Method: |               |                         | Minimum Curvature |             |             |                       |                     |                         |        |                            |              |
| PTB:                       | MD            |                         | INC               |             | AZM         | TVD                   | N/S                 | E/W                     |        | VS                         |              |
|                            | 17,276        |                         | 89.1              |             | 163.5       | 11785.21              | -5535.96            | 778.46                  |        | 5532.07                    |              |
| #                          | Depth<br>Feet | Inc<br>Degrees          | Azm<br>Degrees    | TVD<br>Feet | N/S<br>Feet | E/W<br>Feet           | Surface<br>Vert Sec | Closure<br>Distance Azm |        | DLS/<br>100                | BUR/<br>100' |
| 98                         | 9,318         | 1.20                    | 258.80            | 9243.55     | -176.77     | -972.87               | -103.22             | 988.80                  | 259.70 | 0.50                       | 0.42         |
| 99                         | 9,412         | 1.20                    | 290.30            | 9337.53     | -176.62     | -974.76               | -103.89             | 990.63                  | 259.73 | 0.69                       | 0.00         |
| 100                        | 9,507         | 1.00                    | 247.00            | 9432.51     | -176.60     | -976.46               | -104.39             | 992.30                  | 259.75 | 0.88                       | -0.21        |
| 101                        | 9,602         | 1.50                    | 239.50            | 9527.49     | -177.55     | -978.29               | -103.99             | 994.27                  | 259.71 | 0.55                       | 0.53         |
| 102                        | 9,697         | 0.50                    | 329.20            | 9622.48     | -177.83     | -979.58               | -104.08             | 995.59                  | 259.71 | 1.66                       | -1.05        |
| 103                        | 9,792         | 1.00                    | 287.30            | 9717.47     | -177.22     | -980.58               | -104.94             | 996.47                  | 259.76 | 0.75                       | 0.53         |
| 104                        | 9,886         | 1.60                    | 289.30            | 9811.44     | -176.55     | -982.60               | -106.16             | 998.33                  | 259.81 | 0.64                       | 0.64         |
| 105                        | 9,981         | 1.30                    | 345.70            | 9906.42     | -175.06     | -984.12               | -108.01             | 999.57                  | 259.91 | 1.47                       | -0.32        |
| 106                        | 10,076        | 1.50                    | 347.70            | 10001.39    | -172.80     | -984.65               | -110.33             | 999.70                  | 260.05 | 0.22                       | 0.21         |
| 107                        | 10,171        | 1.70                    | 292.90            | 10096.36    | -171.04     | -986.21               | -112.46             | 1000.93                 | 260.16 | 1.56                       | 0.21         |
| 108                        | 10,265        | 0.20                    | 280.10            | 10190.34    | -170.47     | -987.66               | -113.41             | 1002.26                 | 260.21 | 1.60                       | -1.60        |
| 109                        | 10,360        | 1.00                    | 291.60            | 10285.34    | -170.13     | -988.59               | -114.00             | 1003.13                 | 260.24 | 0.85                       | 0.84         |
| 110                        | 10,455        | 1.80                    | 4.10              | 10380.31    | -168.34     | -989.26               | -115.90             | 1003.48                 | 260.34 | 1.87                       | 0.84         |
| 111                        | 10,549        | 2.10                    | 35.30             | 10474.26    | -165.46     | -988.16               | -118.36             | 1001.91                 | 260.49 | 1.16                       | 0.32         |
| 112                        | 10,644        | 1.50                    | 31.10             | 10569.21    | -162.98     | -986.51               | -120.28             | 999.88                  | 260.62 | 0.65                       | -0.63        |
| 113                        | 10,739        | 0.80                    | 43.60             | 10664.20    | -161.43     | -985.41               | -121.45             | 998.54                  | 260.70 | 0.78                       | -0.74        |
| 114                        | 10,833        | 0.20                    | 315.30            | 10758.19    | -160.84     | -985.07               | -121.93             | 998.12                  | 260.73 | 0.87                       | -0.64        |
| 115                        | 10,928        | 1.30                    | 289.50            | 10853.18    | -160.36     | -986.20               | -122.70             | 999.16                  | 260.76 | 1.18                       | 1.16         |
| 116                        | 11,023        | 1.40                    | 284.00            | 10948.16    | -159.72     | -988.35               | -123.92             | 1001.17                 | 260.82 | 0.17                       | 0.11         |
| 117                        | 11,117        | 2.10                    | 244.80            | 11042.11    | -160.18     | -991.02               | -124.23             | 1003.88                 | 260.82 | 1.43                       | 0.74         |
| 118                        | 11,212        | 2.10                    | 239.80            | 11137.05    | -161.79     | -994.10               | -123.54             | 1007.18                 | 260.76 | 0.19                       | 0.00         |
| 119                        | 11,314        | 5.70                    | 175.80            | 11238.83    | -167.79     | -995.34               | -118.14             | 1009.39                 | 260.43 | 5.04                       | 3.53         |
| 120                        | 11,409        | 16.40                   | 157.60            | 11331.96    | -184.95     | -989.87               | -100.13             | 1007.00                 | 259.42 | 11.71                      | 11.26        |
| 121                        | 11,504        | 25.80                   | 154.30            | 11420.49    | -216.05     | -975.76               | -66.33              | 999.39                  | 257.52 | 9.97                       | 9.89         |
| 122                        | 11,599        | 34.30                   | 149.00            | 11502.66    | -257.70     | -952.96               | -19.95              | 987.19                  | 254.87 | 9.37                       | 8.95         |
| 123                        | 11,694        | 42.80                   | 147.20            | 11576.89    | -307.87     | -921.64               | 36.99               | 971.70                  | 251.53 | 9.02                       | 8.95         |
| 124                        | 11,788        | 52.80                   | 146.30            | 11639.96    | -366.01     | -883.47               | 103.50              | 956.28                  | 247.50 | 10.66                      | 10.64        |
| 125                        | 11,882        | 59.50                   | 148.90            | 11692.29    | -431.91     | -841.73               | 178.47              | 946.07                  | 242.84 | 7.49                       | 7.13         |
| 126                        | 11,976        | 64.50                   | 151.20            | 11736.41    | -503.81     | -800.34               | 259.09              | 945.71                  | 237.81 | 5.74                       | 5.32         |
| 127                        | 12,091        | 70.50                   | 151.40            | 11780.40    | -596.97     | -749.35               | 362.81              | 958.07                  | 231.46 | 5.22                       | 5.22         |
| 128                        | 12,136        | 73.80                   | 151.90            | 11794.19    | -634.66     | -729.01               | 404.69              | 966.57                  | 228.96 | 7.41                       | 7.33         |
| 129                        | 12,185        | 77.30                   | 153.00            | 11806.42    | -676.72     | -707.07               | 451.22              | 978.73                  | 226.26 | 7.47                       | 7.14         |

V09.04.02

|                            |               |                         |                   |             |             |                       |                     |                              |        |                          |              |
|----------------------------|---------------|-------------------------|-------------------|-------------|-------------|-----------------------|---------------------|------------------------------|--------|--------------------------|--------------|
| Company:                   |               | WPX Energy Permian, LLC |                   |             |             |                       |                     |                              |        |                          |              |
| Well Name:                 |               | University 41 411H      |                   |             |             |                       |                     |                              |        |                          |              |
| Location:                  |               | Winkler County, TX      |                   |             |             |                       |                     |                              |        |                          |              |
| Rig:                       |               | H&P #314                |                   |             |             | Magnetic Declination: |                     | 8.42                         |        | REFERENCED TO GRID NORTH |              |
| Job Number:                |               | MSMO-66604              |                   |             |             |                       |                     |                              |        |                          |              |
| API #:                     |               | 42-495-34353            |                   |             |             |                       |                     |                              |        |                          |              |
| Vertical Section Azimuth:  |               |                         | 163.71            |             |             | Proposed Direction:   |                     | 163.71                       |        |                          |              |
| Survey Calculation Method: |               |                         | Minimum Curvature |             |             |                       |                     |                              |        |                          |              |
| PTB:                       | MD            |                         | INC               |             | AZM         | TVD                   | N/S                 | E/W                          |        | VS                       |              |
|                            | 17,276        |                         | 89.1              |             | 163.5       | 11785.21              | -5535.96            | 778.46                       |        | 5532.07                  |              |
| #                          | Depth<br>Feet | Inc<br>Degrees          | Azm<br>Degrees    | TVD<br>Feet | N/S<br>Feet | E/W<br>Feet           | Surface<br>Vert Sec | Closure<br>Distance      Azm |        | DLS/<br>100              | BUR/<br>100' |
| 130                        | 12,230        | 83.00                   | 151.50            | 11814.11    | -715.94     | -686.43               | 494.65              | 991.85                       | 223.79 | 13.09                    | 12.67        |
| 131                        | 12,280        | 88.10                   | 151.70            | 11817.99    | -759.78     | -662.73               | 543.38              | 1008.20                      | 221.10 | 10.21                    | 10.20        |
| 132                        | 12,375        | 89.10                   | 154.80            | 11820.31    | -844.57     | -619.99               | 636.76              | 1047.71                      | 216.28 | 3.43                     | 1.05         |
| 133                        | 12,470        | 90.70                   | 167.20            | 11820.48    | -934.22     | -589.12               | 731.46              | 1104.46                      | 212.24 | 13.16                    | 1.68         |
| 134                        | 12,564        | 89.40                   | 166.40            | 11820.40    | -1025.73    | -567.66               | 825.33              | 1172.33                      | 208.96 | 1.62                     | -1.38        |
| 135                        | 12,659        | 89.70                   | 165.40            | 11821.14    | -1117.87    | -544.52               | 920.25              | 1243.43                      | 205.97 | 1.10                     | 0.32         |
| 136                        | 12,754        | 88.50                   | 161.60            | 11822.64    | -1208.92    | -517.54               | 1015.22             | 1315.05                      | 203.18 | 4.19                     | -1.26        |
| 137                        | 12,849        | 86.90                   | 155.30            | 11826.45    | -1297.17    | -482.70               | 1109.69             | 1384.07                      | 200.41 | 6.84                     | -1.68        |
| 138                        | 12,944        | 86.50                   | 157.00            | 11831.92    | -1383.91    | -444.35               | 1203.71             | 1453.49                      | 197.80 | 1.84                     | -0.42        |
| 139                        | 13,038        | 89.00                   | 159.30            | 11835.61    | -1471.07    | -409.40               | 1297.18             | 1526.98                      | 195.55 | 3.61                     | 2.66         |
| 140                        | 13,133        | 91.80                   | 165.30            | 11834.95    | -1561.52    | -380.53               | 1392.10             | 1607.22                      | 193.70 | 6.97                     | 2.95         |
| 141                        | 13,227        | 86.80                   | 161.90            | 11836.10    | -1651.65    | -354.01               | 1486.04             | 1689.16                      | 192.10 | 6.43                     | -5.32        |
| 142                        | 13,322        | 93.10                   | 163.00            | 11836.18    | -1742.18    | -325.38               | 1580.97             | 1772.31                      | 190.58 | 6.73                     | 6.63         |
| 143                        | 13,416        | 93.70                   | 163.60            | 11830.61    | -1832.06    | -298.41               | 1674.80             | 1856.20                      | 189.25 | 0.90                     | 0.64         |
| 144                        | 13,511        | 92.80                   | 163.20            | 11825.22    | -1922.95    | -271.32               | 1769.65             | 1942.00                      | 188.03 | 1.04                     | -0.95        |
| 145                        | 13,606        | 92.80                   | 163.60            | 11820.58    | -2013.88    | -244.21               | 1864.53             | 2028.64                      | 186.91 | 0.42                     | 0.00         |
| 146                        | 13,701        | 89.30                   | 163.20            | 11818.84    | -2104.89    | -217.08               | 1959.50             | 2116.06                      | 185.89 | 3.71                     | -3.68        |
| 147                        | 13,795        | 92.30                   | 165.30            | 11817.53    | -2195.34    | -191.57               | 2053.47             | 2203.68                      | 184.99 | 3.90                     | 3.19         |
| 148                        | 13,890        | 90.80                   | 165.00            | 11814.96    | -2287.13    | -167.23               | 2148.40             | 2293.24                      | 184.18 | 1.61                     | -1.58        |
| 149                        | 13,985        | 89.50                   | 164.30            | 11814.71    | -2378.74    | -142.08               | 2243.39             | 2382.98                      | 183.42 | 1.55                     | -1.37        |
| 150                        | 14,080        | 90.30                   | 165.70            | 11814.87    | -2470.50    | -117.50               | 2338.36             | 2473.29                      | 182.72 | 1.70                     | 0.84         |
| 151                        | 14,175        | 90.40                   | 163.60            | 11814.29    | -2562.10    | -92.35                | 2433.34             | 2563.77                      | 182.06 | 2.21                     | 0.11         |
| 152                        | 14,270        | 92.00                   | 165.40            | 11812.30    | -2653.62    | -66.97                | 2528.30             | 2654.47                      | 181.45 | 2.53                     | 1.68         |
| 153                        | 14,364        | 92.30                   | 163.00            | 11808.78    | -2744.00    | -41.39                | 2622.23             | 2744.31                      | 180.86 | 2.57                     | 0.32         |
| 154                        | 14,459        | 89.40                   | 160.30            | 11807.37    | -2834.14    | -11.50                | 2717.14             | 2834.16                      | 180.23 | 4.17                     | -3.05        |
| 155                        | 14,554        | 88.80                   | 160.10            | 11808.86    | -2923.51    | 20.68                 | 2811.95             | 2923.59                      | 179.59 | 0.67                     | -0.63        |
| 156                        | 14,649        | 90.70                   | 161.30            | 11809.27    | -3013.17    | 52.08                 | 2906.81             | 3013.62                      | 179.01 | 2.37                     | 2.00         |
| 157                        | 14,744        | 91.70                   | 162.30            | 11807.28    | -3103.39    | 81.74                 | 3001.73             | 3104.47                      | 178.49 | 1.49                     | 1.05         |
| 158                        | 14,838        | 92.40                   | 163.00            | 11803.92    | -3193.06    | 109.76                | 3095.66             | 3194.94                      | 178.03 | 1.05                     | 0.74         |
| 159                        | 14,933        | 92.40                   | 163.10            | 11799.94    | -3283.85    | 137.43                | 3190.57             | 3286.72                      | 177.60 | 0.11                     | 0.00         |
| 160                        | 15,028        | 88.10                   | 162.80            | 11799.53    | -3374.65    | 165.27                | 3285.53             | 3378.70                      | 177.20 | 4.54                     | -4.53        |
| 161                        | 15,123        | 87.90                   | 162.30            | 11802.84    | -3465.22    | 193.75                | 3380.46             | 3470.64                      | 176.80 | 0.57                     | -0.21        |

V09.04.02

|                                   |                       |                         |                        |                     |                     |                              |                             |                             |            |                            |                      |
|-----------------------------------|-----------------------|-------------------------|------------------------|---------------------|---------------------|------------------------------|-----------------------------|-----------------------------|------------|----------------------------|----------------------|
| <b>Company:</b>                   |                       | WPX Energy Permian, LLC |                        |                     |                     |                              |                             |                             |            |                            |                      |
| <b>Well Name:</b>                 |                       | University 41 411H      |                        |                     |                     |                              |                             |                             |            |                            |                      |
| <b>Location:</b>                  |                       | Winkler County, TX      |                        |                     |                     |                              |                             |                             |            |                            |                      |
| <b>Rig:</b>                       |                       | H&P #314                |                        |                     |                     | <b>Magnetic Declination:</b> |                             | 8.42                        |            | REFERENCED TO GRID NORTH ▼ |                      |
| <b>Job Number:</b>                |                       | MSMO-66604              |                        |                     |                     |                              |                             |                             |            |                            |                      |
| <b>API #:</b>                     |                       | 42-495-34353            |                        |                     |                     |                              |                             |                             |            |                            |                      |
| <b>Vertical Section Azimuth:</b>  |                       |                         |                        |                     | 163.71              |                              |                             | <b>Proposed Direction:</b>  |            | 163.71                     |                      |
| <b>Survey Calculation Method:</b> |                       |                         |                        |                     | Minimum Curvature   |                              |                             |                             |            |                            |                      |
| <b>PTB:</b>                       | <b>MD</b>             | <b>INC</b>              | <b>AZM</b>             | <b>TVD</b>          | <b>N/S</b>          | <b>E/W</b>                   | <b>VS</b>                   |                             |            |                            |                      |
|                                   | 17,276                | 89.1                    | 163.5                  | 11785.21            | -5535.96            | 778.46                       | 5532.07                     |                             |            |                            |                      |
| <b>#</b>                          | <b>Depth<br/>Feet</b> | <b>Inc<br/>Degrees</b>  | <b>Azm<br/>Degrees</b> | <b>TVD<br/>Feet</b> | <b>N/S<br/>Feet</b> | <b>E/W<br/>Feet</b>          | <b>Surface<br/>Vert Sec</b> | <b>Closure<br/>Distance</b> | <b>Azm</b> | <b>DLS/<br/>100</b>        | <b>BUR/<br/>100'</b> |
| 162                               | 15,218                | 88.70                   | 164.30                 | 11805.66            | -3556.17            | 221.03                       | 3475.41                     | 3563.04                     | 176.44     | 2.27                       | 0.84                 |
| 163                               | 15,312                | 92.90                   | 166.00                 | 11804.35            | -3647.00            | 245.11                       | 3569.34                     | 3655.23                     | 176.15     | 4.82                       | 4.47                 |
| 164                               | 15,407                | 92.50                   | 166.40                 | 11799.88            | -3739.16            | 267.75                       | 3664.15                     | 3748.73                     | 175.90     | 0.60                       | -0.42                |
| 165                               | 15,502                | 90.00                   | 165.90                 | 11797.80            | -3831.36            | 290.48                       | 3759.03                     | 3842.36                     | 175.66     | 2.68                       | -2.63                |
| 166                               | 15,597                | 89.70                   | 165.70                 | 11798.05            | -3923.46            | 313.79                       | 3853.97                     | 3935.99                     | 175.43     | 0.38                       | -0.32                |
| 167                               | 15,691                | 89.90                   | 166.70                 | 11798.38            | -4014.75            | 336.21                       | 3947.88                     | 4028.80                     | 175.21     | 1.08                       | 0.21                 |
| 168                               | 15,786                | 90.20                   | 166.10                 | 11798.30            | -4107.08            | 358.55                       | 4042.77                     | 4122.70                     | 175.01     | 0.71                       | 0.32                 |
| 169                               | 15,881                | 91.90                   | 166.90                 | 11796.56            | -4199.44            | 380.72                       | 4137.64                     | 4216.66                     | 174.82     | 1.98                       | 1.79                 |
| 170                               | 15,976                | 90.60                   | 164.40                 | 11794.48            | -4291.44            | 404.26                       | 4232.55                     | 4310.44                     | 174.62     | 2.97                       | -1.37                |
| 171                               | 16,071                | 89.20                   | 163.50                 | 11794.65            | -4382.73            | 430.52                       | 4327.55                     | 4403.83                     | 174.39     | 1.75                       | -1.47                |
| 172                               | 16,166                | 89.70                   | 164.20                 | 11795.56            | -4473.98            | 456.95                       | 4422.54                     | 4497.26                     | 174.17     | 0.91                       | 0.53                 |
| 173                               | 16,261                | 90.60                   | 164.30                 | 11795.31            | -4565.41            | 482.73                       | 4517.54                     | 4590.86                     | 173.96     | 0.95                       | 0.95                 |
| 174                               | 16,356                | 91.10                   | 162.60                 | 11793.90            | -4656.46            | 509.79                       | 4612.52                     | 4684.29                     | 173.75     | 1.87                       | 0.53                 |
| 175                               | 16,450                | 90.30                   | 162.10                 | 11792.75            | -4746.03            | 538.29                       | 4706.49                     | 4776.46                     | 173.53     | 1.00                       | -0.85                |
| 176                               | 16,545                | 88.80                   | 161.00                 | 11793.50            | -4836.14            | 568.35                       | 4801.41                     | 4869.42                     | 173.30     | 1.96                       | -1.58                |
| 177                               | 16,640                | 91.40                   | 162.90                 | 11793.34            | -4926.45            | 597.78                       | 4896.35                     | 4962.59                     | 173.08     | 3.39                       | 2.74                 |
| 178                               | 16,735                | 92.20                   | 163.70                 | 11790.35            | -5017.40            | 625.07                       | 4991.30                     | 5056.19                     | 172.90     | 1.19                       | 0.84                 |
| 179                               | 16,830                | 92.40                   | 163.90                 | 11786.54            | -5108.55            | 651.55                       | 5086.23                     | 5149.94                     | 172.73     | 0.30                       | 0.21                 |
| 180                               | 16,924                | 92.60                   | 163.90                 | 11782.44            | -5198.78            | 677.59                       | 5180.14                     | 5242.75                     | 172.57     | 0.21                       | 0.21                 |
| 181                               | 17,019                | 88.60                   | 162.60                 | 11781.44            | -5289.73            | 704.96                       | 5275.11                     | 5336.49                     | 172.41     | 4.43                       | -4.21                |
| 182                               | 17,114                | 89.40                   | 163.80                 | 11783.10            | -5380.66            | 732.42                       | 5370.09                     | 5430.27                     | 172.25     | 1.52                       | 0.84                 |
| 183                               | 17,209                | 89.30                   | 163.20                 | 11784.18            | -5471.74            | 759.40                       | 5465.08                     | 5524.18                     | 172.10     | 0.64                       | -0.11                |
| 184                               | 17,222                | 89.10                   | 163.50                 | 11784.36            | -5484.19            | 763.12                       | 5478.08                     | 5537.03                     | 172.08     | 2.77                       | -1.54                |
| PTB:                              | 17,276                | 89.10                   | 163.50                 | 11785.21            | -5535.96            | 778.46                       | 5532.07                     | 5590.42                     | 172.00     | 0.00                       | 0.00                 |



7821 Will Rogers Blvd.  
Fort Worth, Texas 76140  
817.568.1038 (office)  
817.568.1499 (fax)  
www.msdir.com

### MS Directional Survey Data Certification

MS Directional Job Number: MSMO-66604  
Survey Type: MWD  
Operating Company: WX Energy Permian, LLC  
Well Name & Number: University 41 411H  
Location: Winkler County, TX  
API Number: 42-495-34353  
Tie In Depth: Surface  
Surveyed Depths: 166' – 17,222' MD  
Projected TD Survey: 17,276' MD  
Dates Performed: 06/12/2019 – 08/03/2019

I certify that the data is true, correct and complete and within the limitations of the tool set forth by MS Directional; that I am authorized and qualified to make this report and that I have reviewed this report and find it conforms to the principles and procedures as set forth by MS Directional.

Digitally signed by:

A handwritten signature in black ink, appearing to read "Daniel White", written over a horizontal line.

MWD Surveyor Name: Daniel White

Date: 09-05-2019

Email: Daniel.White@msdir.com

**CONFIDENTIALITY NOTICE:** This document contains MS Directional's proprietary and confidential information and may not be copied, published, distributed or transmitted, in whole or in part, by any medium or in any form without MS Directional's prior written consent. The information contained in this document is not to be used by or disclosed to any individuals other than those who need to know such information and who have been given notice that such information is proprietary and confidential.